INSIDE: REAL-TIME CONTROL... MIL-STD-1553 ... PACKAGING TRENDS

CompactPCI® Systems

The Magazine for Developers of Industrial, Communication, and Embedded PCI Systems

www.compactpci-systems.com

DECEMBER 2003
vol. 7 no. 9

2004 BUYER'S GUIDE

AdvancedTCA/Switched Fabric, Packaging, Processor Boards, Ruggedized MIL-SPEC, Datacom, Carrier Boards and Mezzanine/PMC, General Products, Telecom

PICTURED: PORTWELL ROBO-8888VG2 (TOP), ELMA 5U ATCA DEVELOPMENT CHASSIS (LEFT), SYMMETRICOM BOSSPCPCI (RIGHT)

With All The Noise About Compact PCI Focusing On Systems, We Focused On Individual Solutions.

www.bivar.com

Industry's Best Selection of cPCI Ejectors include industry-standard, hot-swappable, and new cutting-edge styles designed for smaller footprints and more reliable operation. IEEE 1101.10 & PICMG 2.0 compliant.

cPCI Guides with Conductive Insert eliminate grounding problems. Ideal for RFI, Emi & EMC installations

Bivar's New cPCI™ Products Introduce A New Concept Of Freedom when you're ready to design your own enclosure or system. They're compliant with IEEE 1101.10, PICMG 2.0 and VME standards. Quality-built by every measure, there's new styles that will save room and lessen assembly costs. You can select from a complete line of cPCI Insulated Guides, industry's most versatile series of cPCI Ejectors, Solder-Side Covers for 3U and 6U boards.

Visit us at www.bivar.com/cpci for all the details and FREE samples. You can also request your own copy of Bivar's new Enclosure Products Catalog. Bivar has been creating PCB packaging and component assembly solutions since 1965. We know the key to success is through service and value. We're committed to become your preferred cPCI products supplier in the same way.

***cPCI TX™ Series Transition Guides** turn existing enclosure card guides into cPCI hot-swappable and polarity-compatible guides. IEEE 1101.10 & PICMG 2.0 compliant, they're available in 94V-O ABS materials and support rear I/O and modified architectures.*

Bivar

Executive Member PICMG Consortium

Bivar, Inc. 4 Thomas, Irvine, CA 92618 (949) 951-8808 FAX (949) 951-3974 E-Mail: bivar@bivar.com

RSC# 2 @www.compactpci-systems.com/rsc

PCI Express...Total Solution

Exerciser • Analyzer • DVT Platform • Extenders • Adapters



EXERCISER

- Emulate Upstream or Downstream Devices
- Pattern Generator for Device Characterization
- Testing PCI Express Designs Without requiring a Motherboard
- Error Injection & Bit Level Manipulation
- Adjustable Bandwidth Traffic Generation
- Extensive Control on all Layers
- External In/Out Cross Triggering ability

BUS & PROTOCOL ANALYZER

- Extensive Trigger & Capture Control
- Real Time & Post Capture Filtering
- Packet & List View Data Display
- High Capacity Trace Buffer
- Protocol Error Detection
- Statistical & Real-time Performance Analysis

PXP-100 DVT Platform

- Two x16 slot Development Platform with Reset & Clock
- Supports x1 up to x16 designs
- Auxiliary Mid-bus pads; Self contained and self powered

Adapters & Extenders

- Various adapters and extenders to allow extending & mixing different lane configuration designs, adapt to x4 Infiniband, Loop-back, Bus Terminations supporting up to x16 designs.

Mid-bus Probing

- Interface Hardware for Analyzer to be used as a Mid-bus Probe

CATALYST ENTERPRISES INC.

www.getcatalyst.com

PCI, PCI-X, USB, Bluetooth
PCI Express

RSC# 3 @www.compactpci-systems.com/rsc

(408) 365-3846 www.getcatalyst.com info@getcatalyst.com

CALL NOW FOR A LIVE WEB DEMO

table of contents

CompactPCI® Systems

The Magazine for Developers of Industrial, Communication, and Embedded PCI Systems

Volume 7 / Number 9 / December 2003

CompactPCI Systems is published by:

OpenSystems Publishing™

ON THE COVER:

Elma's 5U ATCA Development Chassis is ideal for prototyping and demonstrations.The portable unit plugs into a conventional wall outlet and includes provisions for hot swapping the Elma IPM Sentry Shelf Manager.

American Portwell's Dual Intel® Xeon™ processor PICMG 1.2 SBC, the ROBO-8820VG2 comes with VGA and dual GigE.

Integrate CompactPCI timing quickly and painlessly with Symmetricom's bc637CPCI time and frequency processor. With extensive support, GPS or UTC time integration is facilitated.

www
compactpci-systems.com

FEATURES

15 **Ruggedized/MIL-Spec**
Choosing the right CompactPCI board for your MIL-STD-1553 applications
By Rich Wade, Condor Engineering

19 **Datacom**
Different TOEs for different folks
By Al Basseri, SBE

33 **Processor Boards**
Real-time control system for lithography stepper machines
By Abdelilah Aadil, Force Computers

43 **AdvancedTCA/Switched Fabric**
AdvancedTCA and AdvancedMC provide robust, scalable telecom platform
By Jeff Durst, Artesyn Communication Products

47 **Packaging**
Electronic enclosure packaging trends in 2004
By Justin Moll, Elma Electronic

67 **Carrier Boards and Mezzanine/PMC**
A versatile approach to instrumentation
By Sacha Veillette, Gage Applied Technologies

79 **General Products**
The future of Boundary Scan
By Heiko Ehrenberg, GOEPEL Electronics

® CompactPCI, PICMG, AdvancedTCA, ATCA and their logos are registered trademarks of the PCI Industrial Computer Manufacturers Group.
© 2003 CompactPCI Systems

WE UNDERSTAND

We're engineers too. We all love a good challenge, that's what makes us engineers! But in today's tough business climate, some of those challenges can wear you down and burn you out. That's where we come in. We're Performance Technologies and we can help. Our embedded computing and system-level solutions will not only ease your integration and time-to-market stresses, they'll beef up performance while lowering project and operational costs. All the while restoring your sanity so you can tackle those more *interesting* challenges - like the one to the right.

PERFORMANCE CHALLENGE #24

CAN YOU RECREATE THIS "IMPOSSIBLE" PAPER PUZZLE FROM A SINGLE PIECE OF PAPER? THE FLAP SWINGS BACK AND FORTH AND IS THE SAME SIZE AS THE AREA OF THE CUT OUT SECTIONS. FOLDS AND CUTS ARE ALL YOU NEED. NO SECTIONS OF PAPER ARE REMOVED. VISIT WW.PT.COM/24 FOR THE ANSWER. IF YOU NEED TO.

PERFORMANCE TECHNOLOGIES

Visit us at WWW.PT.COM

UNITY IN SYSTEMS DESIGN

RSC# 5 @www.compactpci-systems.com/rsc

product guide

AdvancedTCA/Switched Fabric	45
Carrier Boards and Mezzanine/PMC	70
Datacom	22
General Products	83
Ruggedized/MIL-Spec	17
Packaging	52
Processor Boards	38

e-letters online

DECEMBER E-LETTER:

DSL Forum, Year in review
By Tom Starr

events

BUS & BOARDS
January 19-20, 2004
Long Beach, CA

ISSN #1098-7622

CompactPCI Systems is published monthly, except bi-monthly in January/February, May/June, and July/August by OpenSystems Publishing LLC., 30233 Jefferson Ave., St. Clair Shores, MI 48082.

Subscriptions are free, upon request in writing, to persons dealing with or considering CompactPCI technology. For others inside the US and Canada, subscriptions are $24/year. For 1st class delivery outside the US and Canada, subscriptions are $90/year (advance payment in US funds required). Periodicals postage is paid at Columbus, WI and an additional mailing office.

POSTMASTER: Send address changes to
CompactPCI Systems Magazine
13253 La Montana, Suite 207
Fountain Hills, AZ 85268

OpenSystems Publishing™

SUBSCRIPTIONS: For new subscribers or to change an address go to www.opensystems-publishing.com/subscriptions

sales office

VP OF MARKETING & SALES
Patrick Hopper (586-415-6500)
phopper@opensystems-publishing.com

SENIOR ACCOUNT MANAGER
Dennis Doyle (586-415-6500)
ddoyle@opensystems-publishing.com

PRINT/INTERNET MARKETING
Christine Long (586-415-6500)
clong@opensystems-publishing.com

ACCOUNT MANAGER
Tom Varcie (586-415-6500)
tvarcie@opensystems-publishing.com

MARKETING COORDINATOR
Andrea Stabile (586-415-6500)
astabile@opensystems-publishing.com

FOR REPRINTS & INSERTS
Call 586-415-6500
sales@opensystems-publishing.com

CompactPCI Systems
The Magazine for Developers of Industrial, Communication, and Embedded PCI Systems

An OpenSystems Publication

ADVERTISING/BUSINESS OFFICE
30233 Jefferson Avenue
St. Clair Shores, MI 48082
Tel: 586-415-6500 • Fax: 586-415-4882

EDITORIAL/PRODUCTION OFFICE
13253 La Montana, Suite 207
Fountain Hills, AZ 85268
Tel: 480-967-5581 • Fax: 480-837-6466

PUBLISHERS
John Black, Michael Hopper, Wayne Kristoff

SENIOR TECHNICAL EDITOR
Brian Klein
bklein@opensystems-publishing.com

SENIOR EDITOR
Terri Thorson
tthorson@opensystems-publishing.com

TECHNICAL EDITOR
Chad Lumsden
clumsden@opensystems-publishing.com

TECHNOLOGY EDITOR
Curt Schwaderer
cschwaderer@opensystems-publishing.com

ASSOCIATE EDITOR
Anne Fisher
afisher@opensystems-publishing.com

NEW PRODUCTS EDITOR
Eli Shapiro
newproducts@opensystems-publishing.com

NEWS EDITOR
news@compactpci-systems.com

VICE PRESIDENT, EDITORIAL
Rosemary Kristoff
rkristoff@opensystems-publishing.com

ART DIRECTOR
Stephanie Sweet

SENIOR WEB DESIGNER
Konrad Witte

WEB DESIGNER
Roger Willis

CIRCULATION/OFFICE MANAGER
Phyllis Thompson
subscriptions@opensystems-publishing.com

BUSINESS MANAGER
Karen Layman

EUROPEAN REPRESENTATIVE MANAGING DIRECTOR
Eelco van der Wal
evdwal@picmgeu.org

©2003 CompactPCI Systems

Acromag I/O. Depend on it.

If you need dependable I/O, Acromag has your board.

With more than 45 years of I/O experience and an unmatched selection of Industry Packs and I/O boards, Acromag is the one to trust. Our boards deliver uncompromising performance supported by time-saving software tools and cost-cutting high channel density — to ensure your projects stay on schedule and within budget.

Industrial-strength designs with extended temperature ranges make Acromag I/O ideal for COTS and manufacturing applications. And with actively managed product life cycles, you're ensured of long-term availability.

Count on us for PMC, too.
Our newest boards deliver impressive performance and outstanding value to PMC, PCI, and CompactPCI formats. Whatever your I/O need, Acromag has an I/O answer — depend on it.

www.acromag.com/dependable.cfm
800-881-0268 or 248-624-1541

Call us or visit our website today — for proven solutions in VME, PCI, CompactPCI, Industry Pack, and PMC.

Acromag®
THE LEADER IN INDUSTRIAL I/O

ANALOG I/O DIGITAL I/O SERIAL I/O FPGA COUNTER/TIMER QUADRATURE

Manufactured in Wixom, Michigan, USA

All trademarks are the property of their respective companies.

2004 BUYER'S GUIDE

TABLE OF CONTENTS

AdvancedTCA/Switched Fabric

AdvancedTCA 45

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Fabrics: Fibre Channel 45

Fabrics: Infiniband 45

Fabrics: PCI Express 45

Fabrics: PICMG 2.16 Ethernet 45

Fabrics: RACEway 45

Fabrics: RapidIO 45

Fabrics: SCRAMNet 45

Fabrics: StarFabric 45

Carrier Boards & Mezz/PMC

Carrier Board: IP 70

Carrier Board: IP (Intelligent) 70

Carrier Board: M-Module 70

Carrier Board: PC/104 70

Carrier Board: PC•MIP 70

Carrier Board: PMC 70

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Carrier Board: PMC (Intelligent) 70

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Carrier Boards & Mezz/PMC

Carrier Board: TIM 70

Carrier Board: Other 70

Mezzanine: Connector 71

Mezzanine: CCPMC 71

Mezzanine: IP 71

Mezzanine: M-Module 71

Mezzanine: PC•MIP 71

Mezzanine: PCI-X 71

Mezzanine: PMC 71

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Mezzanine: PrPMC 71

Mezzanine: PTMC 71

Mezzanine: Switched Fabric 71

Mezzanine: Other 71

www.opensystems-publishing.com

Continued on page 10

EXALT

Excalibur Analysis Laboratory Tools

www.mil-1553.com

An Avionic Communications Bus Monitoring & Analysis System

- Monitor & record multiple MIL-STD-1553 and/or ARINC-429 buses simultaneously
- Review during Real Time Monitoring
- Show data in engineering units
- Display data sequentially or selectively
- Display data in hex, decimal, binary...
- Display data in different graphic styles
- Designed for lab & field applications
- Respond to user-defined triggers
- Work in Real Time or Replay mode
- Visuals of derived engineering units
- Export data to third party tools
- Option to support other buses
- Easy installation: no dongles

EXCALIBUR

EXCALIBUR SYSTEMS

avionic databus systems • computers • software • cards
couplers • cables • connectors • terminators • transformers

Excalibur Systems Inc. • 311 Meacham Ave. • Elmont N.Y. 11003 • U.S.A. • Tel: 1-800-MIL-1553

2004 BUYER'S GUIDE

Continued from page 8

TABLE OF CONTENTS

Datacom

Datacom: Arcnet 22

Datacom: ATM 22

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Datacom: DSL 22

Datacom: Ethernet 22

Datacom: FDDI 22

Datacom: GPIB/MXI 22

Datacom: Intelligent Communication Controller 22

Datacom: LAN 22

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Datacom

Datacom: MAN 22

Datacom: Proprietary 23

Datacom: Protocol Stack 23

Datacom: Security 23

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Datacom: Serial Controller 22

Datacom: USB Controller 22

Datacom: WAN 22

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Datacom: WLAN 22

Embedded Internet 23

Hubs 23

Internet Appliances 23

Modem + Protocol Stack 23

Modem/Fax Modem 23

Datacom

Remote Access 23

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Routers/Switches 23

Software: Datacom 22

Switch Matrix/Array 23

TCP/IP 23

Ruggedized/MIL-Spec

ARINC 17

Avionics 17

MIL-STD-1397 (NTDS) 17

MIL-STD-1553 17

Radar/Sonar 17

Ruggedized/MIL-Spec 17

STANAG 3910 17

Telemetry 17

General Products AUDIO/VIDEO

Audio: General 86

Audio: Voice 86

Video: Display 86

Video: Display Controller 86

Video: Frame Grabber 86

Video: Input 86

Video: Processor 86

General Products BOARD LEVEL

Bridge: cPCI-to-cPCI 114

Bridge: cPCI-to-PCI 114

Bridge: cPCI-to-VMEbus 114

Bridge: PCI-to-PCI 114

Bridge: PCI-to-VMEbus 114

Bridge: Processor-to-PCI 114

Chips & Cores: ARM 115

Chips & Cores: Bridging 115

Chips & Cores: Bus Interface 115

Chips & Cores: DSP 115

Chips & Cores: FPGA 115

Chips & Cores: MIPS 115

Chips & Cores: PowerPC 115

DSP Algorithm 115

DSP Alternative 115

DSP Resource Boards 115

DSP Resource Boards: CompactPCI 115

DSP Resource Boards: IndustryPack 115

DSP Resource Boards: PC•MIP 115

DSP Resource Boards: PCI/ISA 115

DSP Resource Boards: PMC 115

DSP Resource Boards: TIM 115

FPGA 115

PCMCIA 115

Memory: Buffer 114

Memory: Flash 114

Memory: General Purpose 114

Memory: Reflective 114

General Products

Alarm 107

Component-Level Modules 107

Counter/Timer 107

Fieldbus: CAN 107

Fieldbus: DeviceNet 107

Fieldbus: Profibus 107

Fieldbus: Other 107

GPS/Precision Time Code 107

Graphics 107

Image Processing/Machine Vision 107

LVDS 107

Motion Control 107

Optical 107

Servers 107

System Management 107

System Monitoring 107

Touch Interface 107

Turnkey System 107

General Products SOFTWARE & DEVELOPMENT

Development Platform 99

Integrated Development Environment 99

Prototyping and Debugging Aids 98

Prototyping and Debugging: Boundary Scan 98

Prototyping and Debugging: Bus Analyzer 98

Prototyping and Debugging: Emulator 98

Prototyping and Debugging: Fabric Analyzer 98

Prototyping and Debugging: JTAG 98

Software: Application 99

Software: BIOS 99

Continued on page 12

2004 BUYER'S GUIDE

Continued from page 11

TABLE OF CONTENTS

General Products (continued) SOFTWARE & DEVELOPMENT

Software: Board Support Packages 99

Software: Compilers 99

Software: Development Tool 99

Software: Driver 99

Software: Java 99

Software: Library 99

Software: Linux 99

Software: Modeling Tool 99

Software: Networking 99

Software: Operating System 99

Software: Protocol Stack 99

Software: Telecom 99

System integration Services 99

Technical Reference/Publication 99

General Products TELECOM

Gateways 83

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Hot Swap/Live Insertion 83

Telecom 83

Telecom (continued) 83

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Telecom: OC-3/STM-1 83

Telecom: T1/E1 83

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Telecom: T3/E3 83

Telephony: General 83

Telephony: VoATM 83

Telephony: VoDSL 83

Telephony: VoIP 83

Telephony: VoP 83

Turnkey System: Telecom 107

Wireless 83

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Wireless: Bluetooth 83

Wireless: GSM/GPRS 83

General Products TEST & ANALYSIS

Data Acquisition 90

Digital Multimeters 90

General Products (continued)
TEST & ANALYSIS

Digital-to-Synchro 90

Evaluation Board 91

I/O: Analog 90

I/O: Digital 90

I/O: Industrial 90

I/O: Multifunction 90

LVDT/RVDT Stimulus and Measurement 91

Microwave 91

Pulse Amplifier 91

Pulse Generator 91

Radio: Digital 90

Signal Conditioner 91

Synchro-to-Digital 91

Test Systems 91

Waveform Digitizer 91

Waveform Generator 91

Packaging

Backplane Accessories 52

Backplane: H.110 52

Backplane: Hot Swap Compliant 52

Backplane: Serial Mesh 52

Backplane: Switched Fabric 52

Backplane: Transceiver 52

Backplanes 52

Board Accessories 53

Card Rack Accessories 53

Card Rack/Subrack 53

Connector: Backplane 52

Custom thinking is our standard.
MERITEC
High performance connectors and cable assemblies for Mil/Aero, Telecom, Datacom, ATE, and Medical
1-800-863-9014
www.meritec.com

Connector: Backplane-to-Power Supply 52

Connector: Coding Keys 52

Connector: Hard Metric 52

Connector: Mezzanine 52

Connector: PC/104 52

Connector: Other 52

Enclosure 53

Enclosure + Card Rack + Power Supply 53

Equipment Rack 53

ESD Management 53

Front-Panel Hardware 53

IEEE 1394 (FireWire) 53

Keypad/Keyboard Interface 53

Mass Storage: CD-ROM Drive 53

Mass Storage: Controller 53



Mass Storage: IDE 53

Mass Storage: Plug-in Unit 53

Mass Storage: RAID 53

Mass Storage: SAN 53

Mass Storage: Solid State Disk 53

Power Inverter 53

Power Supply 53

Power-Fail Module 53

Production Tools 53

SCSI Controller 53

SCSI Peripheral 53

Shrouds 53

Thermal Management 53

Continued on page 14

2004 BUYER'S GUIDE

Continued from page 13

TABLE OF CONTENTS

Processor Boards

Blades 38

COMMUNICATIONS I/O EXPERTS
ATM • SS7 • Ethernet • Interworking
PMC • cPCI, 2.16, ATCA • Appliances
INTERPHASE
www.interphase.com, 1-800-FASTNET

Processor: 680X0 38

Processor: Celeron 38

Processor: Coldfire 38

Processor: Crusoe 38

Processor: Dual Pentium 38

Processor: Geode 38

Processor: i960 38

Processor: K5/K6 38

Processor: MIPS 38

Processor: Multiple MPU 38

Processor: Pentium 38

The highest performance dual or single slot CompactPCI boards ever built!
Only from Kontron.
888-294-4540 • www.kontron.com
kontron
... always a Jump ahead!

Processor Boards (continued)

Processor: Pentium (continued) 38

Processor: PowerPC 38

Processor: Socket 370 38

Processor: Socket 7 38

Processor: SPARC 38

Processor: Special Purpose 38

Processor: Tualatin 38

Processor: x86 38

Processor: Xeon 38

Processor: XScale 38

Processor: Other 38

GO TO: the page number on the right to see the list of vendors for that category

Choosing the right CompactPCI board for your MIL-STD-1553 applications

By Rich Wade

The telecom market was, and remains to a degree, the initial impetus for the success of CompactPCI. Despite the downturn in the telecom market it continues to be a mainstay in computer telephony, real-time machine control, data acquisition, industrial automation, and commercial and military avionics. CompactPCI is well suited for other applications that require high-speed computing, a robust package design, and long-term manufacturer support as well. It's no wonder that CompactPCI is rapidly becoming an alternative to VME as the preferred interface for many applications.

One of the reasons for this migration is primarily because VME equipment is often more expensive and more likely to become obsolete. In addition to being cost effective over the long haul, CompactPCI's rugged, modular design comes in 3U and 6U sizes, identical to the VME form factor and provides the advantage of the faster, plug-and-play PCI bus. Likewise, CompactPCI and PXI offer a viable alternative to VXI for test and instrumentation applications. This could be the reason that the avionics industry is integrating CompactPCI for both laboratory and flight applications.

Military applications rely heavily on the MIL-STD-1553 databus for communication between the pieces of equipment that make up an avionics system. Although the specific requirements needed for a MIL-STD-1553 interface vary by application, there are a number of key items to take into consideration when determining an optimal CompactPCI board for a military avionics databus application. These include:

- Channel density: Since aircraft avionics normally have multiple databuses, it's desirable to have multiple channels on a single board. This reduces board count, overall system cost, and power requirements.
- Memory: Avionics designers prefer interfaces that include more memory per channel providing greater flexibility for the application software, while increasing data buffering capabilities.
- Single and multiple function options: Single function (remote terminal ONLY, bus controller ONLY, or bus monitor ONLY) interfaces are satisfactory for simple applications, but the more complex the application or system simulation, the more there is a need for a multiple-function interface. Ideally, multiple function interfaces should not only monitor simultaneously, they also need to be able to simulate all remote terminals and the bus controller. Additionally, the board's application programming interface (API) should allow operation with either single or multiple function interfaces from the same software. This allows development and testing using multiple function interfaces for system integration, while at the same time offering the advantage of using lower cost single function interfaces in the final system, eliminating the need to change the software.

Also, in determining the optimal MIL-STD-1553 CompactPCI board, engineers should consider the following Bus Controller, remote terminal, and Bus Monitor features.

Bus Controller features

Look for the following in Bus Controller applications:

- Frame timer: The interface should have an internal timer to manage message frame times relieving the controlling software from performing this task on timing.
- Conditional branching: Based on user-defined conditions, the Bus Controller should have the capability to branch to different message lists. This should be done on the board rather than requiring the controlling software to detect the condition and manually change the message list.
- Aperiodic messages: The Bus Controller should be able to inject aperiodic messages into the frame while running, allowing easy insertion of one time events on the bus.

Remote terminal features

Look for the following in remote terminal applications:

- Message legalization: The remote terminal should support message legalization down to the word-count level. Many MIL-STD-1553 interfaces only support legalization to the sub-address level, while others do not support it at all. The benefit of message legalization is that it allows the device to block out unimplemented sub-addresses and word counts.
- Multiple data buffers per sub-address: The remote terminal should define as many message buffers per sub-address as desired (limited by available memory). The interface should also provide the ability to set interrupts on specific message buffers that will significantly reduce the demands on the controlling software for servicing the message buffers.

Bus Monitor features

Look for the following in Bus Monitor applications:

- Sequential monitor: The Bus Monitor should provide the option to record messages sequentially as they are seen on the bus, including error information. This should include options for filtering in order to capture only the desired messages. The sequential monitor should also have the ability to define trigger events to start and stop monitoring.
- RT Monitor: The Bus Monitor should provide an option to record messages by remote terminal and sub-address.

This is useful for current value monitoring where one is interested in the most current data for a specific remote terminal and sub-address.

- Message Time: All messages that the Bus Monitor captures should record the time that the message occurred. High resolution (1 microsecond LSB) is desired for accurate time correlation of data.

Condor Engineering provides CompactPCI interfaces for a variety of avionics databus protocols, including MIL-STD-1553, the new emerging MMSI protocol, ARINC-429, and other ARINC protocols (573, 575, 717, and more). The cPCI-1553 MIL-STD-1553 interface board from Condor Engineering is suited for military avionics applications. This product offers options for multiple channels, 1 Mbyte of memory per channel, single and multiple function configurations with common software, and includes the BC, RT, and BM features discussed previously.

Rich Wade *joined Condor Engineering in 2001 and is one of the developers of the CORE-1553 and CORE-MMSI products. He works closely with Condor Engineering customers for system integration and application development. Rich has avionics engineering and management experience since 1995. He has a BSEE from New Mexico State University and is a Captain in the US Army.*

For further information, contact Rich at:

Condor Engineering
101 West Anapamu
Santa Barbara, CA 93101
Tel: 805-965-8000
Fax: 805-963-9630
E-mail: richw@condoreng.com
Web site: www.condoreng.com

RUGGED PRODUCTS

Data Device Corp. BU-65566



Primagraphics Radar Video Distribution Server



To Make Your Systems Sophisticated

Compact Embedded Computer
PC318

CompactPCI®
SC22xx ServerSetIIILE
SC21xx 815E
SC20xx 440BX

- LV-PentiumIII/800MHz
- Compact size (W125mm×L80mm)
- DC +5V Power supply
- Graphics, Ethernet, up to 512MB-DRAM directed mounted
- 2.5" HDD, CompactFlash can be installed
- Customization available

- CPU up to PentiumIII/1.26GHz
- Main memory up to 2Gbyte
- Video, LAN and SCSI onboard
- 64bit/66MHz PCIbus supported
- Peripheral slot acceptable
- 2.5" HDD and CompactFlash acceptable

URL http://www.sanritz.co.jp
Email info@sanritz.co.jp

Sanritz Automation Co., Ltd.
4-21 Minami-Naruse, Machida, Tokyo 194-0045, JAPAN
(T)+81-42-728-6510 (F)+81-42-729-5775

RSC# 16 @www.compactpci-systems.com/rsc

Company Name	Web Site	ARINC	Avionics	MIL-Spec	MIL-STD-1397	MIL-STD-1553	Radar/Sonar	STANAG 3910	Telemetry
Aborn	www.aborn.com.tw			✓					
Actis	www.actis-computer.com					✓			
Adas	www.adas.fr	✓				✓			
AIM USA	www.aim-online.com	✓	✓			✓		✓	
Aitech	www.rugged.com					✓			
Alphi Technology	www.alphitech.com					✓			
AMREL	www.amrel.com			✓					
Andor Design	www.andordesign.com					✓			
Ballard Technology	www.ballardtech.com	✓				✓			
Carlo Gavazzi	www.carlogavazzi.com					✓			
Condor Engineering	www.condoreng.com	✓				✓			
Creative Electronic Systems	www.ces.ch					✓			
Data Device	www.ddc-web.com					✓			
Dy 4	www.dy4.com			✓		✓			
Excalibur Systems	www.mil-1553.com	✓				✓			
GE Fanuc Automation	www.gefanuc.com/embedded			✓					
General Dynamics	www.gdds.com/space								✓
General Standards	www.generalstandards.com								✓
GET Engineering	www.getntds.com				✓				
Heim Data Systems	www.heimdata.com								✓
Inducom Acq	www.acq.nl	✓							
Interactive Circuits & Sys.	www.ics-ltd.com						✓		
MAX Technologies	www.maxt.com	✓				✓			
Mektron Systems	www.mektron.co.uk			✓					
Microdyne	www.microdyne.com								✓
Primagraphics	www.primag.co.uk						✓		
Radstone Technology	www.radstone.co.uk			✓		✓			
SBS Technologies	www.sbs.com	✓		✓		✓			✓
Synergy Microsystems	www.synergymicro.com					✓			
Systran	www.systran.com					✓			
Targa Systems	www.targasystems.com					✓			
Thales Computers	www.thalescomputers.com					✓			
Tracewell Systems	www.tracewellsystems.com			✓					
Trig-Tek	www.trig-tek.com		✓						
Veridian Systems	www.veridian.com								✓
Vista Controls	www.vistacontrols.com	✓							
Western Avionics	www.western-av.com					✓		✓	

RSC# 1701 @www.compactpci-systems.com/rsc

RSC# 1702 @www.compactpci-systems.com/rsc



RSC# 1703 @www.compactpci-systems.com/rsc

Serial Mesh: PICMG 2.20

Gig E: VITA 31.1

CPSB: PICMG 2.16

StarFabric: PICMG 2.17

ATCA: PICMG 3.0

PICMG 2.16, H.110

Switched Fabric Enclosures– Our Collection Is Growing!

When it comes to switched fabric - whether compact packet switching (PICMG 2.16) or StarFabric (PICMG 2.17), or even AdvancedTCA (PICMG 3.0) - chances are Elma has the enclosure platform you need. First to respond to the latest switched fabric technologies, Elma continues to expand its inventory of solutions. Check out Elma's collection and give us a chance to show you how accommodating our enclosures can be.

Switched Fabrics
- cPSB: PICMG 2.16
- StarFabric: PICMG 2.17
- ATCA: PICMG 3.0

Standard Enclosures
- 19" & 23" rack mount
- 1U to 12U
- 2 to 21 slots
- IEEE1101.10/.11
- STMP

Cooling
- Up to 200 watts/slot
- 350LFM, card cage
- Hotswap, N+1
- Removable filter

Power
- 150 to 3K watts
- 90 to 250VAC input
- 48VDC input
- Hotswap, N+1

Certification
- FCC Class A, B
- UL, CSA, CE
- NEBS Level III

Shelf Management
- *Manages all IPMI-compliant FRUs*
- *Fully PICMG 3.0 system management spec-compliant*
- *PICMG 2.9-compliant*

ELMA
Your Solution Partner

Elma Electronic Inc.
Phone: 510.656.3400 Fax: 510.656.3783 E-Mail: sales@elma.com Web: elma.com

©2003 Elma Electronic Inc.

RSC# 18 @www.compactpci-systems.com/rsc

Well Connected Computing Solutions

Carlo Gavazzi Group

Meeting the needs of standard and custom high-availability systems in the industrial, military/COTS, medical, and telecom markets through:

- Systems Packaging
- Fabric and I/O Connectivity
- SBCs and Computing Platforms
- Application-Ready Solutions

RSC# 203 @www.compactpci-systems.com/rsc

VME | PCI-ISA | CompactPCI | PICMG 2.16 | StarFabric | AdvancedTCA

CG Mupac **Channel Access**

Computer Systems **Aurora Technologies**

CARLO GAVAZZI

800.926.8722

www.cgmupac.com | www.auroratech.com | www.channelaccess.com

DATACOM

Sponsored by Carlo Gavazzi www.cgmupac.com

Portwell®

The World's First...

Dual Intel® Xeon™ Processor based ePCI-X SBC and system platform

PICMG 1.2

ROBO-8820VG2

- Dual Intel® Xeon™ processor based PICMG 1.2 full-size SBC with DDR SDRAM, VGA and Gigabit Ethernet
- Intel® E7501 chipset for optimizing system bus, memory and I/O bandwidth to deliever enhanced performance and scalability
- ATI Rage XL graphics chip with 8 MB memory provides the best 2D and 3D performance in entry-level class

PRC-2204A

- The world's first 19" rack-mount PICMG 1.2 dual Intel® Xeon™ processor based system platform
- Equipped with dual-bus ePCI-X backplane
- 350W redundant PFC PSU and 400W single PFC PSU selectable

http://www.portwell.com

RSC# 204 @www.compactpci-systems.com/rsc

American Portwell Technology
6851 Mowry Ave.
Newark, CA 94560 USA
Phone: (510) 790-9192
E-mail: info@mail.portwell.com
http://www.portwell.com

Sponsored by Portwell www.portwell.com

Different TOEs for different folks

By Al Basseri

As Moore's Law has proven, processor performance doubles every 18 months. This has inevitably caused an application performance challenge. It has taken a compute bound problem and changed it to an I/O bound problem. I/O storage and server manufacturers have recognized this and have been addressing this issue as the I/O bottleneck grows worse each day. Compare this problem to that of city and state transportation planners who have realized the rapid growth and subsequent daily traffic bottlenecks in major metropolitan areas such as Silicon Valley. These bottlenecks have hurt the long-term growth and stability of the area. As a result, businesses have partially or completely moved away from the Silicon Valley because of the high cost of operations and overall diminished ROI.

Just as transportation planners struggle to come up with alternative solutions to address the bottleneck, many hardware manufacturers have faced similar challenges. Unfortunately, most have not learned from the mistakes that city planners have made in the past. Simply building more housing or roads has not addressed the problem. Building new roads and then restricting the types of traffic that can move through these roads only creates new standards and adds another level of complexity. Yet, the fundamental problem still exists. Similarly in computer architecture, the problem is not simply storage, but it also involves server-to-server traffic.

The majority of I/O bound problems today are Ethernet based TCP/IP traffic. It is the processing for the transport layer and the link layer that are increasing the load on the host CPU and indirectly affecting the application performance. Mission-critical network applications require support for a high number of concurrent sessions while maintaining acceptable throughput.

Common TOE designs

TCP/IP Offload Engine (TOE) solutions offload TCP/IP processing from the host CPU, increase network throughput, and in essence, create more CPU cycles for application processing. Refer to Figure 1 for an overview of the key benefits derived from utilizing TOE. Many TOE developers have addressed the bottleneck issue strictly from a storage point of view by focusing on applications with few concurrent sessions and large data transfers. Just as most roads are packed with lots of cars and not larger vehicles, the typical mission-critical network application is being occupied by an increasing number of concurrent TCP sessions carrying small TCP packets over IP. Most available TOE designs cannot address the issue in the high-session count environment. Yet a majority of the I/O bottleneck occurs in such an environment.

Another drawback of many TOE designs in today's market involves the need for large buffer memory for TCP segment reassembly to address dropped, or out of order segments. Since the required buffer size is dependent on the TCP connection bandwidth and the end-to-end delay, the buffer grows with the network's speed resulting in higher costs. In addition, as the number of connections increases the performance drops. As it turns out, the bandwidth required to support that level of memory is at least twice the wire speed, requiring a complicated high-speed memory design. In this case, the TOE needs hardware in order to inter-



Figure 1

6U CompactPCI Low Power Intel® Pentium®-M Processor Board VGA / Dual Giga LANs / PMC

MIC-3368

- Intel Pentium-M Low Power 1.6GHz
- Dual Gigabit Ethernet on board
- Intel E7501 Chipset support 400MHz FSB
- PICMG 2.16, 2.9 and 2.1 compliant
- Up to 2 GB (DDR-200) memory on board with ECC
- 64-bit/66 MHz PMC expansion slot
- Optional on-board 2.5" HDD or Compact Flash
- Master/Peripheral (drone) mode selectable

Your ePlatform Partner

ADVANTECH
Network Computing

www.advantech.com/nc
760-929-9122
cpci.info@advantech.com

RSC# 20 @www.compactpci-systems.com/rsc

face to larger and wider memory, further elevating development time and costs.

Optimizing TOE for high session count applications

The optimal solution to the high session count problem is to design a fast-through TOE. A fast-through TOE allows all of the data, whether in-order or out-of-order, to be processed immediately from the TOE to host memory. This eliminates the additional cost and complexity associated with introducing a TCP reassembly buffer. To achieve this immediate result, SBE is developing a TOE solution that processes information from each TCP segment it receives immediately, without requiring a larger buffer. Figure 2 illustrates the general architecture of the SBE TOE solution. SBE's TOE board is based on a state machine design that supports up to 250,000 concurrent sessions while maximizing the bandwidth of the existing bus. More importantly, all of this occurs while consuming as little as 7W of power. It is a simple and effective solution for addressing high traffic loads on individual servers. Now as far as Silicon Valley traffic goes that problem will be for the new California Governor.



Figure 2

***Al Basseri** has more than 10 years of management experience in marketing and support involving enterprise software, security, and storage area networks. At SBE, Al manages the strategic business development and product strategy for enterprise solutions, including TCP/IP Offload Engine. Prior to joining SBE, Al held key positions at industry leading companies, including BEA Systems. He holds a Computer Science degree from San Jose State University and has written numerous papers on enterprise support methodologies.*

For further information, contact Al at:

SBE, Inc.
2305 Camino Ramon, Suite 200
San Ramon, CA 94583
Tel: 925-355-7611
E-mail: abasseri@sbei.com
Web site: www.sbei.com

RSC# 21 @www.compactpci-systems.com/rsc

Company Name	Web Site	Datacom													
		Arcnet	ATM	DSL	Ethernet	FDDI	GPIB/MXI	Intelligent Com. Controller	LAN	MAN	Serial Controller	Software	USB Controller	WAN	WLAN
ACKSYS	www.acksys.fr													✓	
Acromag	www.acromag.com										✓				
Actis	www.actis-computer.com				✓			✓			✓				
ACTTechnico	www.acttechnico.com				✓						✓				
Adas	www.adas.fr										✓				
Adax	www.adax.com		✓												
ADDI-DATA	www.addi-data.com										✓				
Adlink Technology	www.adlinktech.com				✓						✓				
Advantech	www.advantech.com				✓										
Alphi Technology	www.alphitech.com										✓				
American Portwell	www.portwell.com				✓										
Analog Devices	www.analog.com/dsp			✓											
Anatel	www.anatel.com								✓						
Anritsu	www.us.anritsu.com									✓					
Ansoft	www.ansoft.com										✓				
AppTech	www.apptech-inc.com										✓				
Artesyn Technologies	www.artesyn.com								✓						
Ascor	www.ascor-inc.com														
Aurora Technologies	www.auroratech.com										✓			✓	
Axiom Technology	www.axiomtek.com				✓										
Belobox Networks	www.belobox.com														
Brooktrout	www.brooktrout.com													✓	
BVM	www.bvmltd.co.uk				✓						✓				
BWI	www.bwi.com				✓						✓				
CCII	www.ccii.co.za								✓						
Cirpack	www.cirpack.com														
Cluster Labs	www.cluster-labs.com				✓										
CML Versatel	www.cmlversatel.com														
Cogency Technology	www.cogency.com				✓										
Commetrex	www.commetrex.com														
Comtrol	www.comtrol.com										✓				
Concurrent Technologies	www.gocct.com				✓				✓		✓				
Connect Tech	www.connecttech.com										✓				

Continued on page 24

Other											
Embedded Internet	Hubs	Internet Appliances	Modem + Protocol Stack	Modem/Fax Modem	Proprietary	Protocol Stack	Remote Access	Routers/Switches	Security	Switch Matrix/Array	TCP/IP
										✓	
	✓										
								✓			
									✓		
										✓	
			✓	✓							


600+ MEASUREMENT PRODUCTS
50+ MEMBER COMPANIES
1 INDUSTRY STANDARD
PXI
Systems Alliance
Currently more than 50 companies worldwide are members of the PXI Systems Alliance and share a common commitment to providing an open platform equipped for a variety of applications, from machine control to automated test.
PXI – THE FUTURE OF MODULAR INSTRUMENTATION
• High performance and accuracy with integrated timing and synchronization
• Flexibility delivered through a user-defined, modular platform and more than 600 products
• Simplified integration, reconfiguration and maintenance
• Accelerated PXI growth rate of 38% in 2001 (Frost & Sullivan, 2001)
Let the power of the PXI platform work for you.
pxisa.org

RSC# 23 @www.compactpci-systems.com/rsc

Company Name	Web Site	Datacom													
		Arcnet	ATM	DSL	Ethernet	FDDI	GPIB/MXI	Intelligent Com. Controller	LAN	MAN	Serial Controller	Software	USB Controller	WAN	WLAN
Contemporary Controls	www.ccontrols.com	✓													
Continuous Computing	www.ccpu.com				✓										
Copeland Communications, Inc.	www.copelandcommunications.com														
CoSystems	www.cosystems.com											✓			
Creative Electronic Systems	www.ces.ch		✓		✓										
Cyclone Microsystems	www.cyclone.com		✓		✓										
Datalight	www.datalight.com														
DENSAN Systems	www.densan.com		✓		✓						✓				
Digalog Systems	www.digalogpxi.com														
Diversified Technology	www.dtims.com														
Dolphin Interconnect Solutions	www.dolphinics.com				✓										
DSPCon	www.dspcon.com										✓				
DSS Networks	www.dssnetworks.com				✓										
Dy 4	www.dy4.com										✓				
Dynamic Engineering	www.dyneng.com										✓				
EKF-Electronik	www.ekf.de				✓						✓		✓		
Entrada Networks	www.entradanetworks.com				✓	✓									
esd	www.esd-electronics.com				✓			✓			✓				

Continued on page 26

RSC# 2401 @www.compactpci-systems.com/rsc



RSC# 2402 @www.compactpci-systems.com/rsc

Spotlight your latest products in the CompactPCI spotlight ads.
Special rates are available for advertisers. Contact Tom Varcie at tvarcie@opensystems-publishing.com for more details

RSC# 2403 @www.compactpci-systems.com/rsc

Other											
Embedded Internet	Hubs	Internet Appliances	Modem + Protocol Stack	Modem/Fax Modem	Proprietary	Protocol Stack	Remote Access	Routers/Switches	Security	Switch Matrix/Array	TCP/IP
								✓			
				✓							
✓											
										✓	
								✓			

DATACOM PRODUCTS

Meilhaus Electronic GmbH ME-9000

National Instruments PXI-8231/8232

Company Name	Web Site	Datacom													
		Arcnet	ATM	DSL	Ethernet	FDDI	GPIB/MXI	Intelligent Com. Controller	LAN	MAN	Serial Controller	Software	USB Controller	WAN	WLAN
Exar Corporation	www.exar.com										✓				
Fairchild	www.fairchildsemi.com														
Foundry Networks	www.foundrynetworks.com														
GE Fanuc Automation	www.gefanuc.com/embedded		✓		✓				✓		✓				
General Micro Systems	www.gms4vme.com				✓						✓				
General Standards	www.generalstandards.com										✓				
GESPAC	www.gespac.ch				✓						✓				
GL Communications	www.gl.com								✓						
GNP	www.gnp.com							✓							
GOEPEL	www.goepel.com														

Continued on page 28


SERIOUS DISPLAY
Introducing high-quality industrial graphics with the new Matrox Meteor-II/Display adapter card for CompactPCI®. Talk about fine display in a rugged environment, this board boasts the Matrox G550 graphics controller, 32 MB DDR memory, UltraSharp RAMDAC technology, DVI output, DualHead® display and over 25 years of experience. All at a competitive price.
IT'S TIME TO STRUT YOUR STUFF.
Call 1-800-804-6243/+1-514-822-6020
E-mail imaging.info@matrox.com
Visit www.matrox.com/imaging/ads/meteor2/pci
The Meteor-II/ Display – an ideal companion to the Meteor-II family of CompactPCI® frame grabbers.
MATROX IMAGING

RSC# 26 @www.compactpci-systems.com/rsc

Other											
Embedded Internet	Hubs	Internet Appliances	Modem + Protocol Stack	Modem/Fax Modem	Proprietary	Protocol Stack	Remote Access	Routers/Switches	Security	Switch Matrix/Array	TCP/IP
								✓		✓	
								✓			
								✓			
								✓			
										✓	


XDS
MC-3
THE MULTI-CHASSIS INTERCONNECT BOARDS
Grow your application beyond one chassis with MC-3. Offering fast implementation and easy maintenance. No separate switch is required. It's designed to be an integral part of your application that:
• Supports up to 4,800 ports in 20+ chassis
• Allows you to locate chassis up to 2,000 meters apart (between floors and buildings)
• Utilizes dual counter-rotating fiber optic rings which can provide fallback capabilities if maintenance or failure occurs
• Is available in H.110 CompactPCI, H.100 PCI, and MVIP formats
• Use H.100 to MVIP or SCSA adapters to add H.100 PCI capabilities to your existing MVIP or SCSA applications
We're talking capacity here.
MC-3 Applications include: call centers, least cost routing centers, large scale switching systems, large wireless systems, or any application that needs multiple reliable connections.
amelco
XDS Technology
4800 Curtin Drive • McFarland, WI 53558
(800)356-9224 • xds.amelco.com
(608)838-4194 • FAX (608)838-8367
Multi-Chassis • 4, 12, 16, or 32-port BRI • High Density Station and Loop Start • E & M • DID • Enhanced Conferencing Solutions

RSC# 2701 @www.compactpci-systems.com/rsc

Pentium Power Under $1,000
SMA
CompactMAX CPU1.2
■ Low Power
■ Fanless
■ Single Slot
■ Dual Ethernet
■ USB 2.0
■ CompactFlash Site
■ Pentium Compatible
Get all the processing power you need without the heat or high price. The Transmeta Crusoe RISC CPU runs all Pentium programs at half the cost and under 10 Watts. Available with all major OS's including Windows and Linux.
SMA also designs and manufactures digital, analog, and multifunction I/O, communication boards, enclosures, and complete systems. For all your 3U CompactPCI needs, choose one partner. Choose SMA.
info@SMAcomputers.com
www.SMAcomputers.com
SMA Computers
9550 Warner Ave. #250
Fountain Valley, CA 92708
Phone 714.593.2338

RSC# 2702 @www.compactpci-systems.com/rsc

Company Name	Web Site	Datacom													
		Arcnet	ATM	DSL	Ethernet	FDDI	GPIB/MXI	Intelligent Com. Controller	LAN	MAN	Serial Controller	Software	USB Controller	WAN	WLAN
Hirschmann	www.hus.hirschmann.com				✓										
ICS Electronics	www.icselect.com						✓				✓				
ImageStream	www.imagestream.com													✓	
Inducom AcQ	www.acq.nl				✓						✓				
INES	www.inesinc.com						✓								
Inova	www.inova-computers.de										✓				
Integrated Device Technology	www.idt.com		✓												
Intel	www.intel.com											✓			
Interface Concept	www.interfaceconcept.com										✓			✓	
InterlinkBT	www.interlinkbt.com				✓										
Interphase	www.interphase.com		✓		✓			✓	✓		✓				
JK microsystems	www.jkmicro.com				✓										
Kontron	www.kontron.com				✓						✓				
LSI Logic	www.lsilogic.com				✓										
Macrolink	www.macrolink.com										✓				
MarekMicro	www.marekmicro.de				✓										
Meilhaus Electronic	www.meilhaus.com										✓				
MEN Micro	www.menmicro.com				✓						✓				
Meret Optical Communications	www.osicom.com				✓				✓						
MOSCHIP	www.moschip.com												✓		
N.A.T.	www.nateurope.com		✓		✓						✓				
National Instruments	www.ni.com				✓		✓				✓				
NextNine	www.rtview.com														
NMS Communications	www.nmscommunications.com											✓			
Odin TeleSystems	www.OdinTS.com								✓						
One Stop Systems	www.onestopsystems.com										✓				
OSE Systems	www.ose.com														
Performance Technologies	www.pt.com							✓			✓			✓	
Pericom	www.pericom.com				✓										
Pickering Interfaces	www.pickering.co.uk														
Precision Communications, Inc.	www.precisioncomm.com				✓										
Pulse	www.pulseeng.com			✓											
QLogic Corp.	www.qlogic.com														
Quatech	www.quatech.com										✓				

Continued on page 30

Other											
Embedded Internet	Hubs	Internet Appliances	Modem + Protocol Stack	Modem/Fax Modem	Proprietary	Protocol Stack	Remote Access	Routers/Switches	Security	Switch Matrix/Array	TCP/IP
	✓							✓			
								✓			
										✓	
								✓			
								✓			
					✓	✓			✓		
											✓
								✓			
	✓										
										✓	
							✓				
											✓
						✓		✓			
								✓			
		✓									
							✓	✓			


MetCon-2®
Straight To The Point
Winchester Electronics
Offers a 2mm hard metric connector system designed to minimize pin stubbing.
Features:
• Patent-pending compliant section design on long-tail contacts maintains pin-tail straightness.
• Socket connectors are designed to prevent pin stubbing within the connector.
• Patent-pending molded alignment wedge positions and centers the socket contacts themselves and guides mating pins within the socket.
• Scalloped recess at the back of the socket contact provides additional travel distance for pins.
• Offset socket contact design provides a clear path for mating pin.
NORTHROP GRUMMAN
Component Technologies
Winchester Electronics
62 Barnes Industrial Road North
PO Box 5008
Wallingford, CT 06492
Phone: 203-741-5400 · Fax: 203-741-5500
Internet: www.winchesterelectronics.com
PICMG

RSC# 29 @www.compactpci-systems.com/rsc

Company Name	Web Site	Datacom													
		Arcnet	ATM	DSL	Ethernet	FDDI	GPIB/MXI	Intelligent Com. Controller	LAN	MAN	Serial Controller	Software	USB Controller	WAN	WLAN
Rabbit Semiconductor	www.rabbitsemiconductor.com				✓										
Radstone Technology	www.radstone.co.uk		✓		✓										
SBC Designs	www.sbcdesigns.com				✓										
SBE	www.sbei.com								✓					✓	
SBS Technologies	www.sbs.com				✓						✓			✓	
Sealevel Systems	www.sealevel.com										✓				
Siemens	www.siemens.com								✓						
Sixnet	www.sixnetio.com				✓										
SMA	www.SMAcomputers.com				✓						✓				
SMC Networks	www.smc.com														✓
SMSC	www.smsc.com	✓													
Soltec	www.solteccorp.com				✓										
Spider Software	www.artesyncp.com														
Synergy Microsystems	www.synergymicro.com				✓						✓				
Systran	www.systran.com								✓		✓				
Team Solutions	www.team-solutions.com						✓								
Technobox	www.technobox.com				✓						✓				
Tecnint	www.tecnint.it					✓					✓				
TEK Microsystems	www.tekmicro.com										✓				
Telebyte Technology	www.telebyteusa.com				✓										
Tenta Technology	www.tenta.com										✓				
Thales Computers	www.thalescomputers.com				✓										
The Software Group Limited	www.wanware.com													✓	
Tricom Technology	www.tricomtech.com								✓						
TriEMS	www.triems.com														
Tyco Electronics	www.tycoelectronics.com				✓										
Vista Controls	www.vistacontrols.com										✓				
Voiceboard	www.voiceboard.com											✓			
VXI Technology	www.vxitech.com														
Wavecom	www.wavecom.com														
Woodhead	www.woodhead.com				✓										
Xycom	www.xycom.com										✓				
Zephyr Engineering	www.zpci.com														
ZNYX	www.znyx.com				✓										

BUYER'S GUIDE

Other											
Embedded Internet	Hubs	Internet Appliances	Modem + Protocol Stack	Modem/Fax Modem	Proprietary	Protocol Stack	Remote Access	Routers/Switches	Security	Switch Matrix/Array	TCP/IP
					✓		✓	✓			
								✓			
						✓					
									✓		
								✓			
				✓							
									✓		
								✓			

Building servers with CompactPCI expansion cards?
Connecting serial devices?
Comtrol Delivers the
FIRST 16-port CompactPCI Serial Card in a 3U Height Form Factor
Highlights include:
• Single 3U card supports RS-232 and RS-422 interfaces—connect 4, 8, or 16 serial devices to a single CompactPCI expansion slot!
• Unequalled performance delivered by Comtrol's proprietary on-board ASIC processor, which is proven, stable, and fast!
• Quick and easy install
• Conforms to the PICMG 2.0 Revision 3.0 CompactPCI Specification
For more information, contact Express Systems at 800-222-0172.
Express
www.express-inc.com
COMTROL
www.comtrol.com
© 2003 by Comtrol Corporation. All Rights Reserved.

RSC# 3101 @www.compactpci-systems.com/rsc

RSC# 3102 @www.compactpci-systems.com/rsc

Suddenly, GE is the most recognized name in embedded systems.

GE has brought together two names that you've known for years to provide an impressive range of open-architecture embedded solutions — now backed by the reliability and global support of one of the most respected companies in the world. Take advantage of our proven RAMiX and VMIC expertise in embedded systems combined with the full breadth of GE's knowledge and resources.

Whether it's VME, CompactPCI®, PMC, PCI or PC/104-*Plus*, GE offers leading-edge solutions tailored to your application. From single-board computers (Intel®, MIPS® and PowerPC) to complete I/O systems to industry-leading communications technology (Ethernet, PICMG® 2.16 switches, Fibre Channel, SCSI and Reflective Memory), you can rely on GE for a complete end-to-end solution.

Call us today to tap into embedded solutions and the reliability of GE at 800-322-3616 / 256-880-0444

www.gefanuc.com/embedded

GE FANUC

imagination at work

Embedded Systems

VMIC ramix

©2003 GE Fanuc Automation Americas, Inc.

RSC# 32 @www.compactpci-systems.com/rsc

Real-time control system for lithography stepper machines

By Abdelilah Aadil

Since the IC first became commercially available in 1961, it has undergone remarkable change. The IC has become incredibly small and can now incorporate millions of transistors, offering unbelievable performance in myriad applications. The original IC, by comparison, only housed one transistor, three resistors, and one capacitor.

Today, ICs are used in all kinds of electronic products and systems, from personal computers and mobile phones to televisions, air conditioners, and other appliances. They can also be found in video game systems, automobiles, corporate and government information systems, factory automation, and other industrial applications. Virtually every element of the infrastructure that supports our daily lives contains ICs.

There is a direct link between the evolution of the integrated circuit and that of electronic products and systems. The microprocessors that are used in the personal computers of today, for example, integrate more than 50 million transistors and feature operating frequencies some 20,000 times faster than the ICs of the early 1960s. Personal computers built around these new, more powerful ICs can send and receive music or video data, download software, and they allow users to enjoy online games and take advantage of other useful, innovative Internet-based applications, delivering the blazing speed users today demand. The super-powerful ICs of today have also made possible exciting new portable products such as digital still and video cameras, PDAs (Personal Digital Assistants), and digital audio devices, as well as home entertainment appliances like digital TVs and DVD recorders.

The significant increase in the performance of ICs (number of transistors per chip and density) and processors, in terms of MIPS that practically double every 1.5 to 2 years, as well as the marked decrease in the cost of production, is due primarily to the huge strides made in manufacturing technology. These strides have also been the catalyst in the propagation of electronic products and systems. Semiconductor manufacturers have faced and are still facing big challenges in finding lithography stepper solutions that can meet their technology, production, and cost needs. This poses a considerable challenge to lithography tool manufacturers by keeping up the product improvement process while driving down the cost of ownership. The two most important features for improvement in a lithography stepper machine are:

- High resolution and wide exposure fields (wafer support, projection lens)
- Throughput and machine stability (number of wafers per hour, vibration, and temperature)

The throughput, the productivity of a lithography stepper machine, is heavily dependent on the performance of the computer control system. This machine component is responsible for controlling and monitoring all other components making user's experiments precise and speedy.

The computer control system consists of two layers of hierarchy, the user interface computer (UIC) and the machine interface unit (MIU). The UIC layer is mostly based on a PC serving as a terminal that provides various kinds of graphical interface windows for the user to control and analyze the measured data with. The UIC is linked to the MIU via a serial connection (remote control).

The MIU is basically a standards-based embedded single board computer system such as VME and CompactPCI. The data acquisition and processing in real-time make the PowerPC architecture the most adopted platform technology in these computer controlled lithography applications. The control of the stepper motors and their scalar motion is done using a PMC I/O card (see Figure 1).

The computing performance of the control unit is highly important for a faster and more accurate positioning of the wafer stage. A fast execution of the acquired data and shorter reaction time (feedback control) enables a fast machine throughput.

Current state-of-the-art semiconductor projection lithography employs line widths and positioning accuracy in the 100nm range. The basic concept of the control system consists of two sets of position sensors that monitor the position of an XY grid encoder, an integral part of the XY stage that supports the wafer, and monitor the X and Y coordinates. Both types of position sensors have sub-nanometer resolution and a repeatability of a few nanometers. The XY encoder sensors can monitor the position over the full size of the wafer.

The position sensors feeds the sensing signal back to the PMC I/O card, where the position of the mechanical stages in real time is done by the MIU using linear step motors. The high resolution results in large data inputs that require large bandwidth on the hardware side. Having two decoupled PMC channels on the single board computer (PowerPC CPCI-695 or CPU-695-VME from Force Computers) carrying the PMC I/O cards is a huge advantage. Also, the implementation of the PCI-X technology enables more than 16 Gbits/sec aggregate throughputs at a maximum frequency of 133MHz.

Achieving sub-nanometer positioning requires a device to shift from today's paradigm of optical lithography techniques, causing a data-handling problem. Tailoring the system to take advantage of the chip repetitions over the wafer as much as possible requires an effective way of making the data, or pattern-data available, and reduces the frequency of storing data to a disk when the data volume exceeds the memory size. Having a control system featuring a large, fast memory like DDR SDRAM with up to 4 Gbytes memory and a maximum bandwidth of 25.6 Gbytes/sec (Force Computers CPCI-695, CPU-695-VME) is a real relief for system architects of lithography stepper machines.



Figure 1

The control unit interface system consists of different I/O boards performing different tasks within a lithography machine (see Figure 2). Each SBC is responsible for certain functions or group of functions. These functions can include diagnostics, gathering system-related information such as application's task status or statistics, and calculating the XYZ positioning. Position stages where the control system reads the voltage from all relevant potentiometers, converts them into positions, and displays these values in terms of millimeters to the user display screen is one example of these responsibilities. The SBC can also compare the magnet position with the user set point values. Then if the magnet position is not within the five micron tolerance limit, the program calculates the new displacement before converting it to micro-stepping motor pulses, with optimum speed and acceleration curve set points, and sends the new value to the motor controller.

The communication media between the different nodes of the control unit is CompactPCI, VME, or Ethernet. This common interface is basically used to exchange data.



Figure 2

Top Performance for your Testing Needs

The Fastest and the Deepest Manufacturing Test Digitizers and General Purpose Scope Cards

CompuScope 82GC

- 2 GS/s A/D Sampling
- 1 GS/s A/D Sampling on two Simultaneous Channels
- CompactPCI/PXI or PCI Bus Format
- Up to 16M On-board Acquisition Memory
- Compatible with GageScope® Software

More analysis and integration options
NEW
SDK for LabWindows/CVI
Ideal for customers who want to write their own test software
Gage Development Kits are also available for LabVIEW, MATLAB and C/C++

CompuScope 1610C

- 16 Bit, 10 MS/s A/D Sampling on two Simultaneous Channels
- Up to 8M On-board Acquisition Memory
- 70 dB Signal to Noise Ratio
- Multi-Channel Systems of up to 16 Channels at 10 MS/s

Expand the capabilities of your PC-based or PXI test system with high performance digitizers in a CompactPCI Instrument Mainframe from Gage

Instrument Mainframe 8000C

- Ideal for housing CompuScope cPCI/PXI digitizers
- 7 slot capability
- High quality 550 watt power supply
- 217 CFM forced air cooling
- Qualified CompactPCI backplane
- Seamless extension of your PC's PCI bus, or of your 3U cPCI/PXI system to include cPCI/PXI 6U capabilities

Call: 1-800-567-GAGE ext. 3417
www.gage-applied.com/ad/cpci703.htm

GaGe
A Tektronix Technology Company

From outside the United States contact: Gage Applied, Inc., Tel: +1-514-633-7447 Fax: +1-514-633-0770, e-mail: prodinfo@gage-applied.com

SPIEPO SPIEPO SPIEPO SPIEPO SPIEPO

SUNDANCE

A Brand New Creation!

Xilinx & FPGA TI DSP

Adding Flexibility to power

SMT365E DSP & FPGA Module
- 64 bits 600MHz TMS320C6416 DSP
- Xilinx Virtex II FPGA XC2V6000
- 256MB of SDRAM @100MHz and 8MB of FLASH
- Six 400Mbytes/s Sundance High-speed Bus
- Six ComPorts for InterDSP communications

SMT374 DSP & FPGA Module
- Two 225MHz TMS320C6713 Floating Point DSP
- Xilinx Virtex II FPGA XC2V2000-4
- 256MB of SDRAM @100MHz and 8MB of FLASH
- Six ComPorts and two 400MB/s SHB ports

SMT398 FPGA Module
- Virtex II range of FPGA devices
- Up to 8 million gates as a re-configurable resource
- 4MB of high speed ZBT SRAM,
- 2MB of high speed QDR-SRAM,
- External Clock & LVDS Interface
- Multiple FPGA/DSP support

SMT406 FPGA PMC Module
- Virtex-II FPGA from V4000 to V8000
- 128MB of 133Mhz SDRAM, accessible from FPGA and PCI bus
- 16MB, 200MHz DDR SRAM or QDR SRAM
- 32MB, 250MHz DDR SDRAM and 16MB of Flash
- 64 bits, 66MHz PCI interface
- 4 programmable clocks generating up to 500MHz

SUNDANCE DIGITAL SIGNAL PROCESSING INC. Tel: (775) 827-3103 USA
SUNDANCE MULTIPROCESSOR TECHNOLOGY LTD. Tel: +44 (0) 1494-793167 UK
SUNDANCE ITALIA S.R.L. Tel: +39 0185 385193 ITALY
Email: sales@sundance.com http://www.sundance.com

RSC# 36 @www.compactpci-systems.com/rsc

A high-bandwidth, fast data transfer media gives the control unit more power and shorter execution time. With the use of a high-bandwidth 64-bit universal CompactPCI bridge, the control system can benefit from the flexibility of using the same SBC either in the system or peripheral slot.

The 64-bit addressing, full speed conversion from 64-bit/33 MHz to 32-bit/66 MHz, and the configurable pre-fetch strategy for improved read performance allows a bandwidth of up to 4 Gbits/sec. This would significantly and positively affect the data traffic between the nodes and in turn improve the performance of the stepper machine control-unit.

The increasing trend of adopting a packet-based technology such as GigE for the data interchange, due to its simplicity and easy migration path, is quite clear. The new generation of PowerPC single board computers (e.g. CPCI-695 and CPU-695-VME) targeting such applications will have to be designed to meet the surge of demand by the system architects for more bandwidth and higher transfer rates.

Conclusion

Since semiconductors continue to ramp up in speed and density, lithography system manufacturers are forced to find out the answer to machine stability, throughput, and high-resolution challenges. Hence, understanding the end-application's needs and bottlenecks helps SBC manufacturers better align their designs and services, therefore responding to the continuous capability enhancements of the real-time control unit.

Abdelilah Aadil *has been with Force Computers since 1998, working in several capacities as a technical account consultant, technical consulting manager, and most recently as a product marketing manager. Prior to joining Force, he spent two years in technical research for Siemens AG.*

For further information, contact Aadil at:

Force Computers
4211 Starboard Drive, M/S 5
Fremont, CA 94538
Tel: 800-367-2399
E-mail: info@fci.com
Web site: www.fci.com

CES Bridging the Gap www.ces.ch
3U CPCI PowerPC-Based Reconfigurable Computer
• Conduction cooled
• PowerPC 750Fx at 800 MHz
• CES multi-port / multi-channel DMA controller
• One onboard PPMC slot
• CES Secure Cells™ dynamic reconfiguration logic
RSC# 3701 @www.compactpci-systems.com/rsc

Embedded Storage
We have a full range of embedded storage products.
Virtually any media combination possible.
Think of ACT/Technico as your comprehensive
Storage Solution Provider.
RAIDStor (PICMG 2.16)
CPCIStor
VME Disk Modules
PMCDisk
Now support Solaris™ 8 & 9 OS on SPARC platforms
PMCStor
Up to 6 GB CompactFlash
Features:
◆ Drive types: SCSI, ATA/IDE, CompactFlash, Microdrives, Solid State, DAT, floppy, CD / DVD, and RAID. Enhanced Duty, rugged and extended temperature versions available
◆ Platforms: PowerPC, Pentium & SPARC on VME, cPCI, cPSB, and PMC
◆ Operating Systems: Linux, Solaris, VxWorks, Windows and LynxOS
◆ Some models support enhanced shock specifications, ruggedization, and/or hot swap capability.
ACT TECHNICO
www.acttechnico.com
Storage By Design
RSC# 3702 @www.compactpci-systems.com/rsc

Company Name	Web Site	68DX0	Blades	Celeron	Coldfire	Crusoe	Dual Pentium	Geode	i960	K5/K6	MIPS	Multiple MPU	Pentium	PowerPC	Socket 370	Socket 7	SPARC	Special Purpose	Tualatin	x86	Xeon	XScale	Other
Actis	www.actis-computer.com													✓									✓
ACTTechnico	www.acttechnico.com		✓																				
Adlink Technology	www.adlinktech.com		✓				✓						✓		✓	✓			✓		✓	✓	
Adtech	www.adtecheng.com														✓								
Adtron	www.adtron.com		✓																		✓		
Advantech	www.advantech.com		✓										✓		✓								
Aeroflex	www.aeroflex.com/radhard										✓												
AMD	www.amd.com															✓							
American ELTEC	www.eltec.de/us												✓		✓								
Amplicon	www.amplicon.co.uk												✓										
Anatel	www.anatel.com																						✓
Apcon	www.apcon.com		✓																				
AppTech	N/A	✓			✓																		
Arbor Technology	www.arborsolution.com																						✓
Arise	www.arisecomputer.com												✓		✓								
Arista	www.aristaipc.com												✓										
Artesyn Communication	www.artesyncp.com		✓											✓									
Artisan Software Tools	www.artisansw.com													✓									
Axiom Technology	www.axiomtek.com												✓										
BI RA Systems	www.bira.com																						✓
BVM	www.bvmltd.co.uk															✓							
Carlo Gavazzi	www.gavazzi-mupac.com			✓									✓										
Centralp Automatismes	www.centralp.com												✓										
Cluster Labs	www.cluster-labs.com												✓										
Communications Automation	www.cacdsp.com										✓												
Computer Modules	www.compumodules.com			✓									✓										
Concurrent Technologies	www.gocct.com						✓						✓								✓		
Continuous Computing	www.ccpu.com																✓						
Creative Electronic Systems	www.ces.ch													✓									
Cyclone Microsystems	www.cyclone.com								✓														
DENSAN Systems	www.densan.com										✓		✓	✓									✓
Diversified Technology	www.dtims.com		✓	✓									✓										
DMD Computers	www.dmd.it												✓			✓							
DNA Enterprises	www.dna-cs.com													✓									
Dy 4	www.dy4.com													✓									
Dynatem	www.dynatem.com			✓									✓		✓	✓							✓
EKF-Electronik	www.ekf.de												✓		✓				✓				
ELMA Electronic	www.elma.com												✓										
ELTEC Electronik	www.eltec.de													✓									

Company Name	Web Site	68DX0	Blades	Celeron	Coldfire	Crusoe	Dual Pentium	Geode	i960	K5/K6	MIPS	Multiple MPU	Pentium	PowerPC	Socket 370	Socket 7	SPARC	Special Purpose	Tualatin	x86	Xeon	XScale	Other
Eonic Systems	www.eonic.com													✓									
esd	www.esd-electronics.com													✓									
EuroTecH	www.eurotech.it											✓	✓			✓							
Evoc Technology	www.evoc.com												✓										
Extreme Engineering	www.xes-inc.com		✓																				
Force Computers	www.forcecomputers.com												✓	✓			✓						
GarrettCom	www.garrettcom.com		✓																				
GE Fanuc Automation	www.gefanuc.com/embedded			✓									✓										✓
General Dynamics	www.gdcanada.com												✓										
General Micro Systems	www.gms4vme.com						✓						✓	✓							✓		
Geotest	www.geotestinc.com			✓									✓										
GESPAC	www.gespac.ch					✓							✓	✓						✓			
GOEPEL	www.goepel.com																	✓					
Hewlett Packard	www.hp.com		✓																				
I-BUS	www.ibus.com												✓		✓				✓				
Inova	www.inova-computers.de			✓						✓			✓	✓									
Integrated Device Technology	www.idt.com										✓												
Intel	www.intel.com												✓										✓
Interactive Circuits & Sys.	www.ics-ltd.com		✓																				
Interface Amita	www.interface-co.com							✓					✓										
Interphase	www.interphase.com		✓																				
Janz Computer	www.janzag.de												✓										
JMR Electronics	www.jmr.com		✓																				
Kontron	www.kontron.com			✓									✓	✓	✓	✓					✓		
MarekMicro	www.marekmicro.de																						✓
Maxwell Technologies	www.maxwell.com													✓						✓			
MEN Micro	www.menmicro.com												✓	✓		✓			✓				
Mercury Computer Systems	www.mc.com											✓		✓									
Microbus	www.microbus.com												✓										
Miriac	www.miriac.com													✓									
Momentum Computer	www.momenco.com										✓			✓			✓						
Motorola Computer Group	mcg.motorola.com		✓	✓									✓	✓									✓
MPL	www.mpl.ch												✓										
N.A.T.	www.nateurope.com													✓									
National Instruments	www.ni.com			✓									✓										
NEXCOM International	www.nexcom.com		✓										✓		✓	✓							
One Stop Systems	www.onestopsystems.com												✓										
Orion Technologies	www.otisolutions.com													✓									
Performance Technologies	www.pt.com		✓				✓						✓										

Continued on page 40

Company Name	Web Site	680X0	Blades	Celeron	Coldfire	Crusoe	Dual Pentium	Geode	i960	K5/K6	MIPS	Multiple MPU	Pentium	PowerPC	Socket 370	Socket 7	SPARC	Special Purpose	Tualatin	x86	Xeon	XScale	Other
Pinnacle Data Systems	www.pinnacle.com																✓						
Portwell	www.portwell.com						✓						✓			✓							
Protech Systems	www.Protech.com.tw			✓																			
QLogic Corp.	www.qlogic.com		✓																				
QuickLogic	www.quicklogic.com																						✓
RadiSys Corp	www.radisys.com		✓										✓										
Radstone Technology	www.radstone.co.uk													✓									
Sanritz Automation	www.sanritz.co.jp												✓										
SBE	www.sbei.com													✓									
SBS Technologies	www.sbs.com		✓	✓			✓						✓	✓		✓							
Siemens	www.siemens.com			✓																			
SMA	www.SMAcomputers.com					✓							✓										✓
Smart Modular Tech.	www.smartm.com										✓		✓	✓									
Soltec	www.solteccorp.com												✓										
Space Micro, Inc,	www.spacemicro.com																						✓

Continued on page 42



Not Your Average Machine Shop.

From CompactPCI shielding to PMC bezels to VME front panels, we speak your language. Simon Industries specializes in the design and manufacture of precision-machined metalwork for the embedded electronics industry. From quick prototypes to volume production, we deliver high quality panels, bezels, brackets, heat sinks, and heat frames, all at competitive prices. Call us for a quote on your next "not-so-average" job.

SIMON™

(919) 469-2004 www.simonindustries.com

PRECISION MACHINING AND DESIGN

RSC# 40 @www.compactpci-systems.com/rsc

More Speed, More Functionality, More DMM.

OR

One NI PXI-4070 FlexDMM (6½-Digit DMM and 1.8 MS/s Isolated Digitizer)

Ten GPIB-Based 6½-Digit DMMs and One GPIB-Based Digitizer

Now there's a DMM that performs the job of 10 traditional 6½-Digit DMMs.

National Instruments new NI PXI-4070 FlexDMM shatters conventional 6½-digit DMM measurement speeds, while maintaining superior accuracy. You can use it to perform the same automated measurements in the same amount of time as 10 GPIB-based 6½-digit DMMs. With its integrated 1.8 MS/s isolated digitizer capability, you can also use the FlexDMM to measure transient signals, perform FFTs, and many other custom measurements using National Instruments LabVIEW™ or LabWindows™/CVI™. No other DMM offers you more!

		Traditional 6½-Digit DMM	NI PXI-4070 FlexDMM
Platform		VXI/GPIB	3U PXI
Maximum resolution		6½-digits	7 digits
DC reading rate	Max Rate	2 kS/s	1.8 MS/s
	4½	1 - 2 kS/s	5000 S/s
	5½	60 - 270/s	2000 S/s
	6½	6 - 50/s	100/s
Basic DCV 24-hour accuracy		19 ppm	6 ppm
Minimum detectable ACV signal		1 % of range	0.1 % of range
Factory calibration cycle		1 year	2 year
DC accuracy temperature range		18 °C - 28 °C	0 °C - 50 °C
Self-calibration		No	Yes
Offset compensated ohms		No	Yes
1.8 MS/s digitizer capability		No	Yes
Price		$995 - $2,200	$1,995

ni.com/info

To obtain detailed NI PXI-4070 FlexDMM benchmarks, visit ni.com/info and enter ***csdi07****.*

NATIONAL INSTRUMENTS™

(800) 891-8841

Fax (512) 683-9300 • info@ni.com

RSC# 41 @www.compactpci-systems.com/rsc

Company Name	Web Site	680X0	Blades	Celeron	Coldfire	Crusoe	Dual Pentium	Geode	i960	K5/K6	MIPS	Multiple MPU	Pentium	PowerPC	Socket 370	Socket 7	SPARC	Special Purpose	Tualatin	x86	Xeon	XScale	Other
Spectrum Sig. Proc.	www.spectrumsignal.com		✓											✓									
Sun Microsystems	www.sun.com																✓						
Synergy Microsystems	www.synergymicro.com													✓									
Technoland	www.technoland.com												✓										
Thales Computers	www.thalescomputers.com													✓									
Themis Computer	www.themis.com																✓						
Toshiba	www.toshiba.com/taec																						✓
Transmeta	www.transmeta.com																						✓
Trenton Technologies	www.trentonProcessors.com												✓										
TriEMS	www.triems.com												✓		✓			✓					
United Electronic Industries	www.ueidaq.com												✓										
Voiceboard	www.voiceboard.com		✓											✓									
VRose Microsystems, Inc.	www.vrosemicrosystems.com												✓						✓				
Westek	www.westekuk.com												✓				✓						
Wind River	www.windriver.com																						✓
ZiLOG	www.zilog.com																						✓

RED ROCK TECHNOLOGIES
Mass Storage Modules for VMEbus and CompactPCI®
Configured to YOUR requirements!
NEW Products!
VMEbus Modules
Single and multi-slot
Hard Drive / Flash / Floppy
Tape / others
Single-slot CompactPCI®
Hard / CDROM / Floppy
Flexibility in both storage media and capacity
• High density storage within the card slots — saves space
• Fast, efficient field replacement
• Securable data storage
See the full line of VMEbus single and
multi-slot mass storage module products at
www.RedRockTech.com
or call Toll-Free: 800-808-7837
Red Rock Technologies, Inc. — 480-483-3777

RSC# 4201 @www.compactpci-systems.com/rsc

RSC# 4202 @www.compactpci-systems.com/rsc

MOTOROLA
intelligence everywhere



MOREMOTO

MORE open standards – smarter choices.

MORE ways to migrate – new technologies with less risk.

MORE savings – better ways to build.

MORE than technology – innovative service solutions.

See MORE ways to accelerate your profitability –
visit Motorola Computer Group at www.motorola.com/computer

RSC# 205 @www.compactpci-systems.com/rsc

ATCA/SWITCHED FABRIC

Sponsored by Motorola Computer Group www.motorola.com/computer

ATCA/SWITCHED FABRIC

ACHIEVING NEW ELEVATIONS

In System Cooling

APW introduces a fault-resilient PICMG 2.16 system chassis. The new Ventus chassis delivers a scalable platform with redundant features for critical subsystem components.

Our thermal engineering team based the Ventus design around maximum cooling performance with a fan fault. The result is a revolutionary patent pending cooling scheme. Ventus fan trays combine a hybrid parallel-serial fan approach utilizing multiple fans to direct airflow in a 90-degree bend without the need for additional steering devices such as baffles. Operating with conventional axial fan technology, airflow is distributed evenly across all 21 slots.

Hot swappable fan trays along with redundant hot swappable power supplies provide the basis for a fault-resilient platform for your "five 9's" system. Ventus is pending UL, CUL, TÜV and CE certifications and is designed to meet NEBS.

VENTUS - A fault-resilient chassis platform for PICMG 2.16 or scalable to your custom application. Call us today to see how we can accommodate your system architecture.

Call: 1(888) 884-4734 or get information now at **WWW.APW.COM/VENTUS**

Achievement by Design

apw

Electronic Solutions

Ventus

Sponsored by APW Electronic Solutions www.apw.com

RSC# 206 @www.compactpci-systems.com/rsc

AdvancedTCA and AdvancedMC provide robust, scalable telecom platform

By Jeff Durst

The year of 2003 was the year of PICMG 2.16. 2004 will usher in a new era, establishing AdvancedTCA (PICMG 3.0) and Advanced Mezzanine Card (AdvancedMC, or PICMG AdvancedMC) as the dominant platform for high-availability telecom applications.

Unlike many of their predecessors, AdvancedTCA and AdvancedMC are not buses in search of an application. They are not a modification and retrofit of general-purpose platforms in hopes of appealing to telecom OEMs either. AdvancedTCA and AdvancedMC are a system platform and expansion architecture designed by telecom for telecom. They spring from a collaboration of major telecom OEMs and suppliers aimed at developing an optimal telecom platform that addresses major bandwidth, availability, field upgradeability, cost, scalability, management, and interoperability issues.

AdvancedTCA has made substantial progress in the last year. In late 2002, PICMG gave approval to the base spec (PICMG 3.0), and the first alpha products were seen. In 2003, the first beta products and approval for a variety of protocols that will operate over AdvancedTCA's high-speed fabric, including Ethernet/Fibre Channel (PICMG 3.1), InfiniBand (PICMG 3.2), StarFabric (PICMG 3.3), and PCI Express (PICMG 3.4) have come to fruition. In the coming months, PICMG will finalize the RapidIO (PICMG 3.5) sub spec, and they will also resolve the sticky connector IP issue. Creating an IP-free connector specification to facilitate reasonable and nondiscriminatory licensing rights will pave the way for widespread product availability in 2004.

AdvancedTCA isn't the first open-architecture platform to target the telecom industry, but it is the first platform designed from the ground up for telecom. CompactPCI Packet Switching Backplane (cPSB or PICMG 2.16), for example, is an adaptation of the general-purpose CompactPCI bus that adds telecom-friendly features such as Ethernet backplane transfers (PICMG 2.16) and system management (PICMG 2.9). By contrast, AdvancedTCA integrated system management and support for multiple protocols are parts of the baseline spec. In addition, AdvancedTCA provides much higher throughput (10 Gbit/sec vs. 1 Gbit/sec per link), supports a full mesh interconnect (in addition to 2.16's Dual Star), accommodates higher power (up to 200W versus 50W), and provides a larger form factor (8U versus 6U), all of which are invaluable for telecom applications.

The AdvancedMC expansion interface, slated for PICMG adoption in Q2 of 2004, makes AdvancedTCA even more attractive by enhancing its scalability, flexibility, and field upgradeability. By combining a general-purpose AdvancedTCA carrier card with application-specific AdvancedMC modules, designers can create versatile telecom blades whose functionality and/or capacity can be upgraded without replacing the entire blade.

With AdvancedMC, designers are free to create scalable, high-density modules dedicated to a specific function, such as control, SIGTRAN signaling, transcoding, interfacing, or packet processing. They can also combine multiple functions on a single blade and alter the mix as applications and/or system partitioning changes. Artesyn expects that blades combining an AdvancedTCA carrier with AdvancedMC modules will be the best fit (vis-à-vis fixed-function AdvancedTCA cards) for up to 80% of telecom applications. These modular blades will cost a bit more, but the ability to upgrade and scale them will far outweigh this incremental initial cost premium.

AdvancedMC is optimized for high-performance packet-based telecom environments, but TDM emulators are available for interacting with the PSTN. AdvancedMC modules communicate with the AdvancedTCA baseboard via a packet-based serial interface. Ethernet is the defacto protocol, but the AdvancedMC interface can support any number of protocols, including PCI Express, RapidIO, and InfiniBand. AdvancedMC modules are hot swappable FRUs (field replaceable units), enabling them to be replaced individually in the field. They also provide an IPMI-based interface, enabling them to be remotely monitored and maintained via Remote Access System Management (RASM).

The idea of an expansion module isn't new. PMC, for example, is the expansion module of choice for VMEbus, CompactPCI, cPSB (PIGMG 2.16) and many custom designs. PMC even has an offshoot for telecom applications called PTMC (PCI Telephony Mezzanine Card) that brings a TDM bus up to the module along with other optional interfaces such as RMII or Utopia. However, even with these enhancements for telecom, PMC isn't ideal for telecom. For one thing, PMC uses PCI as the control plane bus, and consumes extra management resources. Equally important, PMC modules aren't hot swappable, and the spec only allows 7.5W per module.

AdvancedMC modules can be used to provide a broad range of processor (such as CPUs, network processors, and DSPs), coprocessor (such as encryption/decryption engines), LAN/WAN (such as Ethernet, OC-x/STM-x, T1/E1, and Fibre Channel), and mass storage options. This flexibility makes the modules very easy to integrate at the system level.

Figure 1 shows how an AdvancedTCA card equipped with AdvancedMC mod-

ules might be used to implement a scalable signaling blade. The server modules runs the upper level signaling stacks such as SS7 MTP3, SCCP, ISUP, TCAP, and/or MAP. The signaling modules run the lower level signaling protocol such as SS7 MTP1 and MTP2. Mass storage devices log blade and signaling link activity.

Component suppliers have been trying for almost two decades to create an open architecture platform for telecom systems that would entice telecom OEMs to use off-the-shelf solutions. At long last, close collaboration between component suppliers and telecom OEMs has produced such a platform. With an eye toward high performance, availability, integrated system management, and field upgradeability, AdvancedTCA carriers equipped with application-specific AdvancedMC modules provide the consummate foundation for building telecom blades. These blades provide the scalability and flexibility needed to power next-generation packet networks. Ultimately, AdvancedTCA and AdvancedMC will lower the life-time cost of ownership by leveraging efficiencies and reducing time to market, allowing TEMs to outsource enabling technology, lowering maintenance costs, and providing a roadmap to future technologies.



Figure 1

General Standards Corporation
High Performance Bus Interface Solutions
New High-Performance Serial I/O
CPCI-SIO4
The CPCI-SIO4 is a four channel full-duplex RS-422/485 serial board. Each channel can operate up to 10 Mbits/s. Optional 32 Kbyte FIFO buffer for both transmit and receive (256 Kbytes Total FIFOs) data on each channel provides for a smooth and efficient interface between the serial interfaces and the host computer. The board is based on the Zilog Z16C30 high speed Integrated Universal Serial Controller (USC) which supports Asynchronous, Isochronous, Bisync, Monosync, HDLC, SDLC, External Sync and Nine-Bit protocols. Call General Standards for driver availability and more information.
www.generalstandards.com
VxWorks, Linux, Windows, LabVIEW
(800) 653-9970
REAL-TIME REAL-FAST
RSC# 44 @www.compactpci-systems.com/rsc

Jeff Durst *has been with Artesyn Communication Products for 17 years. Since joining the company in 1986 he has served the company in systems engineering, hardware engineering, and engineering project management. Jeff moved to marketing in 1999, focusing his efforts on new product definition by establishing the market, direction, and subsequent technology roadmap for the Artesyn product lines. Jeff acts as the main liaison between Artesyn's engineering and marketing organizations, serves as Artesyn's representative on PICMG's executive subcommittee, and participates in PICMG specification subcommittees.*

For further information, contact Jeff at:

Artesyn Communication Products
8310 Excelsior Drive
Madison, WI 53717
Tel: 608-831-5500
Fax: 608-831-4249
E-mail: jeffd@artesyncp.com
Web site: www.artesyncp.com

Company Name	Web Site	AdvancedTCA	Fibre Channel	Infiniband	PCI Express	PICMG 2.16 Ethernet	RACEway	RapidIO	SCRAMNet	StarFabric
ACTTechnico	www.acttechnico.com		✓							
Advantech	www.advantech.com					✓				
Agilent	www.agilent.com			✓						
Ancot	www.ancot.com		✓							
Apcon	www.apcon.com		✓							
apra-norm	www.apra.de	✓								
APW Electronic Solutions	www.apw.com	✓								
Aurora Technologies	www.auroratech.com									✓
Bustronic	www.bustronic.com	✓								✓
Carlo Gavazzi	www.gavazzi-mupac.com	✓				✓				✓
CATC	www.catc.com		✓							
CIPRICO	www.ciprico.com		✓							
Critical I/O	www.criticalio.com		✓							
Delphi Engineering	www.DelphiEng.com		✓							
Diversified Technology	www.dtims.com	✓								
DRS	www.drs.com						✓			
DSPCon	www.dspcon.com		✓							
Dy 4	www.dy4.com		✓							✓
Echotek	www.echotek.com						✓			
ELMA Electronic	www.elma.com	✓				✓				✓
Emulex	www.emulex.com		✓							
ERNI	www.erni.com	✓								
Force Computers	www.forcecomputers.com	✓				✓				
GE Fanuc Automation	www.gefanuc.com/embedded	✓	✓	✓		✓				
General Micro Systems	www.gms4vme.com					✓				
GNP	www.gnp.com	✓				✓				
Great River Technology	www.greatrivertech.com		✓							
Hybricon	www.hybricon.com									✓
IBM	www.ibm.com							✓		

Continued on page 46


StarFabric Board and System-Level Products
Bridge, Switch, Integrate StarFabric Into Your Legacy PCI and CompactPCI Systems
www.auroratech.com
508-588-6110
AURORA TECHNOLOGIES

RSC# 4501 @www.compactpci-systems.com/rsc

StarFabric Development Kit
9-Slot Tower with:
8-Slot PICMG 2.17 StarFabric CompactPCI® Backplane
2 Fabric Slots, 6 Node Slots, 3 slots with PCI, 3 slots with H.110
300W ATX Power Supply
5-slot wide front-access peripheral module
Hybricon
1-877-HYBRICON
www.hybricon.com

RSC# 4502 @www.compactpci-systems.com/rsc

RSC# 4503 @www.compactpci-systems.com/rsc

IBM.
IBM PowerPC and RapidIO
The standards for embedded computing
IBM is committed to the RapidIO Interconnect by delivering PowerPC® processor products with increased bandwidth and providing higher system performance for networking, telecommunications and embedded applications.
IBM Microelectronics continues to demonstrate our commitment to the RapidIO standard with advanced technology that is accessible to all manufacturers.
PowerPC
Go to ibm.com/powerpc

RSC# 4601 @www.compactpci-systems.com/rsc

RSC# 4602 @www.compactpci-systems.com/rsc

PERFORMANCE TECHNOLOGIES
Unity in Systems Design
Advanced Managed Platforms
• Integrated Packet-Based Platforms
• Intelligent, Comprehensive Shelf Management
• Layer2/Layer3 Switching
• Wide offering of SBCs and Communications I/O Products
• Linux-Based Development & Management Software, and Communications Protocols
www.pt.com

RSC# 4603 @www.compactpci-systems.com/rsc

Company Name	Web Site	AdvancedTCA	Fibre Channel	Infiniband	PCI Express	PICMG 2.16 Ethernet	RACEway	RapidIO	SCRAMNet	StarFabric
Intel	www.intel.com	✓				✓				
Interphase	www.interphase.com	✓	✓							
Kaparel	www.kaparel.com									✓
Medea Corporation	www.medea.com		✓							
Mellanox	www.mellanox.com			✓						
Mercury Computer Systems	www.mc.com		✓				✓			
Motorola Computer Group	mcg.motorola.com			✓						
PCI Embedded	www.pcisystems.com									✓
Pentek	www.pentek.com						✓			
Performance Technologies	www.pt.com					✓				
Picor	www.picorpower.com	✓								
Pigeon Point Systems	www.pigeonpoint.com	✓								
RadiSys Corp	www.radisys.com					✓				
Radstone Technology	www.radstone.co.uk		✓							
SBS Technologies	www.sbs.com		✓			✓				
Schroff US	www.schroff.us	✓								
Silicon Image	www.siimage.com		✓							
Solflower Computer	www.solflower.com									✓
StarGen	www.stargen.com									✓
Synergy Microsystems	www.synergymicro.com									✓
Systran	www.systran.com		✓				✓		✓	
TEK Microsystems	www.tekmicro.com						✓			
Tundra Semiconductor	www.tundra.com							✓		
Unison Information Systems	www.unisoninfo.com		✓							
Vitesse Semiconductor	www.vitesse.com		✓							
VRose Microsystems, Inc.	www.vrosemicrosystems.com									✓
XILINX	www.xilinx.com				✓					
Xyratex	www.xyratex.com		✓							
ZNYX	www.znyx.com					✓				

ANYthing you want!

Fill all your enclosure and panel needs from XTech!

Compact PCI Front Panels — Customized and Standard

- Custom design, finish and assembly
- Fully customized variations to standard specifications
- **Ejectors:** any type cPCI, standard or customized
- **Gaskets:** finger stock or foam
- **Components:** board holders, screws, and more

Extruded Aluminum Enclosure Systems — Customized and Standard

- 14 standard profiles to choose from
- Affordable customized enclosures and end panels
- **Multiple finish options:** powdercoat, anodized or silk screening
- Machining and assembly available

Custom Extruded Front Panels for all Electronics Applications

- **Custom assemblies:** fiber optic connectors, EMI shielding, board mounts, baffles and board stiffeners
- **Multiple finish options:** polycarbonate overlays, electroless nickel, and anodizing
- Custom ejector systems to fit your chassis needs

Contact XTech ANYtime!

Your only source

781-963-7200, ext. 100 www.xtech-outside.com

XTECH

Sponsored by XTech www.xtech-outside.com

Meet the new standard in Advanced TCA® front panels

from XTECH

- High-quality extruded aluminum; less costly than stainless steel
- Full-service: in-house design assistance, machining, finishing, labeling and assembly
- All accessories available: ejectors, gaskets, micro switches

PCI INDUSTRIAL PICMG COMPUTERS

ANY size
ANY quantity
ANY time

Contact XTech!

Your only source for standard and non-standard, extruded Advanced TCA® front panels.
The industry leaders in fast response, and low cost.

781-963-7200, ext. 100 www.xtech-outside.com

RSC# 202 @www.compactpci-systems.com/rsc

Sponsored by XTech www.xtech-outside.com

Electronic enclosure packaging trends in 2004

By Justin Moll

For the electronic enclosure packaging industry, 2004 is going to be an exciting year. There are many technological advancements and important products that will hit the market. AdvancedTCA, Serial RapidIO, VXS, and PCI Express will all have an impact on our market in the coming year. Some will see a full ecosystem available; others will just be starting to get off the ground. Technological trends in basic silicon such as integrated signal conditioning, the rollout of new commercial platforms such as PCI Express, enhancements to GigE, and wireless networks are just a few of the forces that will continue to reshape our market.

This year saw many important steps forward in the above technologies, as well as many others. In 2003, AdvancedTCA took several leaps forward. Dual Star and Mesh AdvancedTCA backplanes are now available in various sizes such as 2-, 5-, 6-, and 14-slots. AdvancedTCA chassis have been developed in 3U, 4U, 5U, 12U, and 13U heights, with various configurations. Now one can even use an AdvancedTCA Development Chassis for prototyping or testing, with A/C converters for plugging to a conventional wall outlet. Shelf managers are also available that have been specifically designed for the PICMG 3.0 specification, utilizing redundant radial or bussed IPMB's and dual 48VDC power feeds.

In PICMG 2.16 packaging also advanced in 2003, mainly on the backplane side. There are a wide range of configurations now available. For example, one can find low profile 4-slot and 8-slot PICMG 2.16 backplanes for 2U and 4U horizontal chassis respectively. Also, the shelf managers mentioned above have been integrated into PICMG 2.0/2.16/2.17 solutions. There are even backplanes designed to easily plug or cable to shelf managers in these systems. 2003 saw similar expansion of configurations for StarFabric PICMG 2.17.

What should the industry see in 2004? Expect to see some critical leaps forward. For example, several companies have recently announced switch and node cards for AdvancedTCA, enabling the AdvancedTCA ecosystem to overcome an important hurdle. Packaging companies will have more opportunities to develop new units in various configurations, offering more choices for the market. PCI Express over AdvancedTCA will help bring further interest and momentum to the technology. PLX Technology Inc. is already performing live demonstrations of PCI Express over AdvancedTCA in an Elma Electronic Inc. chassis. In 2004, StarFabric cards over AdvancedTCA with PICMG 3.3 implementations might also be seen.

There have been a few delays for VXS (VME Switched Serial) in 2003. However, the connector issues seem to be resolved and backplane/chassis configurations will hit the market soon. Many hope to see Serial RapidIO silicon in early 2004 to utilize over VXS. Expect to see VXS configurations in 12-, 20-, and 21-slot backplanes initially and perhaps some smaller implementations as well.

Another trend in the market is the growing acceptance of CompactPCI in COTS chassis for military and security. Particularly in network security applications, CompactPCI backplanes are increasingly incorporated in 1U and 2U horizontal chassis, and various other configurations. Communications-based and network secu-

RSC# 47 @www.compactpci-systems.com/rsc

rity-based COTS chassis should continue this trend, providing a rugged solution with the required I/O, hot-swap capability, and performance.

On the technology front, higher processing power is leading to more stringent EMC requirements and superior thermal management. Packaging specialists are being asked to maintain EMC effectiveness over a wider frequency spectrum, with the requirements exceeding 10 GHz at times. It is important to tackle EMC objectives early in the design stage. For thermal management, 6U form factor processor boards are migrating from approximately 40W per board to anywhere around 60 to 70W per board. This trend requires higher performance fans and monitoring/control. A few years back, alarm output fans like tachometer output fans and lock rotor output fans were the exception, whereas today they are the rule (for most telecom enclosures). Redundancy in cooling is also increasingly sought after to enhance system reliability. In addition to all of the above approaches, to ensure optimal thermal management, it is advisable to simulate the cooling for new enclosure designs and subsequently perform testing to validate the outcome.

Backplane bandwidth and reliability requirements are also increasing. It will be important to choose a vendor with experience in high-speed design. As differential signaling usage increases, and more complex routing strategies are employed,


THE CTS DIFFERENCE IS CLEAR.
RT1400B6
CTS0108
New top "probe-able" version for development and system diagnostics
When it comes to BGA high-speed data bus termination and resistor networks, no one offers a wider array of products than CTS.
Not only does ClearONE offer considerable space savings and easier routing compared to traditional packages, but BGA technology has become the industry standard for reliability and manufacturing throughput.
Need a new solution? Using our thick film laser trimmed technology, CTS can quickly design and manufacture to meet your demanding application needs.
Visit CTS on the Web at www.ctscorp.com or www.CTSClearONE.com for technical information and samples, or to locate your CTS manufacturer's representative.
Termination and Bias Solutions for:
• LVD SCSI
• DDR & QDR SDRAM
• CPCI and PCI-X
• LVPECL
• VME
• GTL, GTL+, AGTL
• FPGA
• LVDS
CTS CLEARONE™
CTS Resistor/Electrocomponents • 406 Parr Rd • Berne, IN 46711 • Phone: 260-589-3111 • Fax: 260-589-3243
RSC# 4801 @www.compactpci-systems.com/rsc

RSC# 4802 @www.compactpci-systems.com/rsc

RSC# 4803 @www.compactpci-systems.com/rsc

Kaparel/RITTAL

Providing Complete High-Performance Electronic Packaging Solutions . . .



No one offers smarter embedded packaging solutions than Rittal and Kaparel. With literally thousands of the industry's best-designed products and components, we can provide complete off-the-shelf and custom products for high-speed computing applications in many platforms. And we do it quickly with dedication to perfection to help our customers bring winning solutions quickly to the market.

Call us today to get the perfect packaging solution for your next embedded application. Call us at 1-877-452-7273, or check the web at www.kaparel.com, or email info@kaparel.com.

Kaparel
A RITTAL Company

RITTAL

Combined to bring great system designs from concept to reality. Now!

Right Here, Right Now...

Enclosures

Panels

Handles

Elma carries the largest inventory of enclosures in the U.S.

At Elma, we know what you're thinking: Is it in stock? Our on-hand inventory is unmatched in the U.S. That means your order can be filled and delivered fast. We manufacture quality enclosures, enclosure accessories, front panels, and more. Over 35,000 part numbers in all. And every precision Elma product comes with unparalled customer service and technical support. So call us today. Elma has the answer you want to hear.

ELMA

Your Solution Partner

USA Elma Electronic Inc.

Phone: 510.656.0606 Fax: 510.656.8008 E-Mail: sales@elma.com Web: www.elma.com

© 2003 Elma Electronic Inc.

backplane companies will need to utilize powerful design capture and routing software. To provide the essential quality and tight tolerances in these designs, vendors should use up-to-date equipment and techniques. For example, a quality oven capable of providing uniform solder reflow for thick backplanes with high copper content should be used. Powerful simulation software and accurate testing equipment also figure significantly in quality high-speed backplane design.

In 2004 and beyond, it will be important to select a packaging company with experience developing modular, high-performance solutions. As EMC, thermal management, system management, and higher bandwidth are increasingly important in tomorrow's systems, it's vital to balance this criterion effectively to optimize the solution. Further, it will be critical to choose vendors that are stable and growing in capability by investing in efficient equipment, key technologies, and agile manufacturing software. Look for 2004 to be an exciting and eventful year for electronics packaging.

**All trademarks are property of their respective owners.*

***Justin Moll** has over nine years of high-tech marketing and sales experience and has been the marketing manager for Bustronic since 2000. He is also the PR Manager for parent company Elma Electronic Inc. Previous positions include marketing services manager for E21 Corporation and account manager for Elcon Products International, now a Tyco Electronics company. Justin received his Bachelor of Science degree in Business Administration from the University of California, Riverside.*

For more information, contact Justin at:

Elma/Bustronic
44350 Grimmer Blvd
Fremont, CA 94538
Tel: 510-490-7388
E-mail: jmoll@bustronic.com
Web site: www.elma.com
Web site: www.bustronic.com

Diversified Technology, Inc. cPS-8161

Xtech Extruded Aluminum Enclosures

HAGIWARA SYS-COM
www.hsc-us.com
949-756-2028

Extremely durable IDE Drive on Modules. Designed to replace conventional 2.5" and 3.5" IDE hard disk drives. Plane and angle formats as well as commercial and wide temperature range versions (-40℃~85℃) available. Highly cost-effective.

RSC# 51 RSC# 51 @www.compactpci-systems.com/rsc

Company Name	Web Site	Backplanes							Connector						
		Accessories	Backplanes	H.110	Hot-Swap Compliant	Serial Mesh	Switched Fabric	Transceiver	Backplane	Backplane to PS	Coding Keys	Hard Metric	Mezzanine	PC/104	Other
3M	www.3M.com								✓						
3Y Power Technology	www.3ypower.com														
Absopulse Electronics	www.absopulse.com														
Acqiris	www.acqiris.com														
Action Instruments	www.actionio.com														
Actis	www.actis-computer.com														
ACTTechnico	www.acttechnico.com														
Adaptec	www.dpt.com														
Adas	www.adas.fr														
Adlink Technology	www.adlinktech.com				✓										
Adtron	www.adtron.com														
Advanced Power Solutions	www.advpower.com														
Advantech	www.advantech.com	✓													
AeroComm	www.aerocomm.com							✓							
Agilent	www.agilent.com														
Alphi Technology	www.alphitech.com														
American Rugged Enclosures	www.areinc.com														
Amphenol	www.amphenol.com														✓
Amtelco	www.amtelco.com				✓										
AP Labs	www.aplabs.com														
APC	www.apcc.com														
apra-norm	www.apra.de		✓												
APW Electronic Solutions	www.apw.com	✓	✓	✓	✓		✓				✓				
ARC	www.arc.com														
Asine	www.asinegroup.com														
AVX Corporation	www.avxcorp.com								✓	✓	✓	✓			✓
Axiom Technology	www.axiomtek.com				✓										
Az-Com	www.az-com.com								✓						
Belobox Networks	www.belobox.com														
BI RA Systems	www.bira.com														
Bivar	www.bivar.com														
Bud Industries	www.budind.com														
Bus Solutions Ltd	www.bus-solutions.co.uk														
Bustronic	www.bustronic.com	✓	✓	✓	✓		✓								

Continued on page 54

Mass Storage							Other																		
CD-ROM Drive	Controller	IDE	Plug-in Unit	RAID	SAN	Solid State Disk	Board Accessories	Card Rack Accessories	Card Rack/Subrack	Enclosure	Enclosure & CR & PS	Equipment Rack	ESD Management	Front-Panel Hardware	IEEE 1394 (FireWire)	Keyboard Interface	Power Inverter	Power Supply	Power-Fail Module	Production Tools	SCSI Controller	SCSI Peripheral	Shrouds	Thermal Management
																		✓						
																	✓	✓	✓					
											✓			✓										
																		✓						
							✓																	
	✓		✓	✓	✓						✓				✓						✓			
																					✓			
																					✓			
	✓									✓	✓							✓			✓			
			✓																			✓		
																		✓						
✓				✓							✓										✓			
															✓									
							✓																	
										✓	✓													
											✓													
																		✓						
									✓					✓										✓
							✓		✓	✓	✓		✓	✓				✓						✓
															✓									
			✓			✓																		
																		✓					✓	
											✓							✓						
					✓																			
											✓							✓						✓
							✓							✓										
												✓												
											✓													
									✓															

Company Name	Web Site	Backplanes							Connector						
		Accessories	Backplanes	H.110	Hot-Swap Compliant	Serial Mesh	Switched Fabric	Transceiver	Backplane	Backplane to PS	Coding Keys	Hard Metric	Mezzanine	PC/104	Other
BVM	www.bvmltd.co.uk														
BWI	www.bwi.com														
C&D Technologies	www.cdpoweronline.com														
Carlo Gavazzi	www.gavazzi-mupac.com	✓	✓		✓		✓								
Catapult	www.catapult.com														
Celestica	www.celestica.com														
Centralp Automatismes	www.centralp.com														
Channel Access	www.channelaccess.com														
Cherokee International	www.cherokeellc.com														
Chroma ATE	www.chromaate.com														
Chroma Systems Solutions	www.chromausa.com														
C-MAC of America	www.cmac.com		✓												
Comm Con Connectors	www.commcon.com								✓						
Concurrent Technologies	www.gocct.com														
Condor Power Supplies	www.condorpower.com														
Continuous Computing	www.ccpu.com														
Creative Electronic Solutions	www.ces.ch														
Crystal Group	www.crystalpc.com														
CTS	www.ctsclearone.com	✓													
Cyberchron	www.cyberchron.com														

Continued on page 56

RSC# 5401 @www.compactpci-systems.com/rsc



RSC# 5402 @www.compactpci-systems.com/rsc

Phillips Components, Inc.
Your One-Stop Shop...
VME panel
CPCI panels
PMC bezels
All panels made to your custom specs. Manufactured, silk screened and assembled in our factory in the USA
Card guides, extractors, pullers
800-899-4263
www.phillipscomponents.net

RSC# 5403 @www.compactpci-systems.com/rsc

Mass Storage							Other																
CD-ROM Drive	Controller	IDE	Plug-in Unit	RAID	SAN	Solid State Disk	Board Accessories	Card Rack Accessories	Card Rack/Subrack	Enclosure	Enclosure & CR & PS	Equipment Rack	ESD Management	Front-Panel Hardware	IEEE 1394 (FireWire)	Keyboard Interface	Power Inverter	Power Supply	Power-Fail Module	Production Tools	SCSI Controller	SCSI Peripheral	Shrouds	Thermal Management
											✓				✓						✓			
			✓																					
																		✓						
				✓			✓			✓	✓			✓										✓
											✓													
																		✓						
	✓										✓													
											✓													
																		✓						
											✓							✓						
																		✓						
									✓	✓														
	✓						✓															✓		
																		✓						
	✓				✓					✓								✓						
		✓				✓															✓			
											✓													
											✓													

RSC# 5501 @www.compactpci-systems.com/rsc

3M™ MetPak™ HSHM Press-Fit Power Header
2 mm Type D, 176 Signal/4 Power Contacts, 8 Rows Straight
Up to 5 Gb/s data rates
Four integrated 8.25 A power contacts
50/100 Ω (single-sided differential) impedance
Modular/scalable format IEC 61076-4-101
Press-fit headers and receptacles
Integrated guide pin
End-to-end stackable with 8 row 3M MetPak HM and HSHM headers
www.3M.com/esd
3M Innovation

RSC# 5502 @www.compactpci-systems.com/rsc



RSC# 5503 @www.compactpci-systems.com/rsc

Company Name	Web Site	Backplanes							Connector						
		Accessories	Backplanes	H.110	Hot-Swap Compliant	Serial Mesh	Switched Fabric	Transceiver	Backplane	Backplane to PS	Coding Keys	Hard Metric	Mezzanine	PC/104	Other
Cyclone Microsystems	www.cyclone.com														
Dawn VME Products	www.dawnvme.com				✓										
DENSAN Systems	www.densan.com		✓		✓										
Digital Power	www.digipwr.com														
Diodes	www.diodes.com	✓													
Diversified Technology	www.dtims.com														
Dot Hill	www.dothill.com														
Drake Communication Products	www.drake-dcpi.com														
DSPCon	www.dspcon.com														
Echotek	www.echotek.com														
EIC Solutions	www.eicsolutionsinc.com														
EKF-Electronik	www.ekf.de														
Electro-Space Fabricators	www.esfinc.com														
Elgar	www.elgar.com														
ELMA Electronic	www.elma.com		✓	✓	✓		✓								
EPT USA	www.ept.de								✓	✓	✓	✓		✓	✓
ERNI	www.erni.com								✓	✓		✓			✓
esd	www.esd-electronics.com														
EuroTecH	www.eurotech.it														
ExaDrive Networks	www.exadrive.com														
Fairchild Semiconductor	www.fairchildsemi.com														
FCI	www.fciconnect.com								✓	✓		✓	✓		
Fujikura America	www.fujikura.com											✓			
Fujitsu Takamisawa America	www.fujitsu.takamisawa.com														
Gage	www.gage-applied.com														
Ganymed	www.ganymed.com														
Gaurang	www.gaurang.com														✓
GE Fanuc Automation	www.gefanuc.com/embedded		✓												
General Dynamics	www.gdcanada.com														
General Micro Systems	www.gms4vme.com														
Geotest	www.geotestinc.com														
GESPAC	www.gespac.ch				✓										
Globalux	www.globaluxind.com														
Globe Brackets	www.globebrackets.com														

Continued on page 58

Mass Storage							Other																		
CD-ROM Drive	Controller	IDE	Plug-in Unit	RAID	SAN	Solid State Disk	Board Accessories	Card Rack Accessories	Card Rack/Subrack	Enclosure	Enclosure & CR & PS	Equipment Rack	ESD Management	Front-Panel Hardware	IEEE 1394 (FireWire)	Keyboard Interface	Power Inverter	Power Supply	Power-Fail Module	Production Tools	SCSI Controller	SCSI Peripheral	Shrouds	Thermal Management
				✓																	✓			
										✓	✓			✓										
															✓						✓			
																		✓						
										✓	✓													
					✓																			
										✓														
														✓										
														✓										
										✓														
		✓							✓		✓			✓	✓						✓			
							✓			✓				✓										
																		✓						
							✓		✓	✓	✓			✓										
													✓										✓	
		✓									✓							✓						
																					✓			
				✓																				
																	✓		✓					
	✓																							
											✓													
										✓														
								✓		✓														
	✓	✓				✓					✓										✓			
																		✓						
																					✓			
										✓	✓													
										✓											✓			
							✓																	
							✓																	

Company Name	Web Site	Backplanes							Connector						
		Accessories	Backplanes	H.110	Hot-Swap Compliant	Serial Mesh	Switched Fabric	Transceiver	Backplane	Backplane to PS	Coding Keys	Hard Metric	Mezzanine	PC/104	Other
GNP	www.gnp.com	✓				✓									
Gompf Brackets	www.bracket.com														
Hagiwara	www.hsc-us.com														
Hapco	www.hapco.com														
Harting	www.harting.com								✓	✓	✓	✓			✓
Hartmann Elektronik	www.hartmann-elektronik.de		✓	✓											
Hirose Electric	www.hirose.com								✓	✓					
Hitek Power	www.hitekp.com														
Hoffman	www.hoffmanonline.com														
Honda Connectors	www.hondaconnectors.com											✓			
Hybricon	www.hybricon.com		✓		✓		✓								
I-BUS	www.ibus.com				✓										
ICP America	www.icpamerica.com														
Inova	www.inova-computers.de		✓												
Integrated Device Technology	www.idt.com		✓												
Integrated Power Systems	www.ipsi.net														
Intel	www.intel.com														
Interlogic Industries	www.infoview.com														
Intermas	www.intermas.com														
Interphase	www.interphase.com														
Intersil	www.intersil.com														
ITenclosures	www.itenclosures.com		✓												
ITOX	www.itox.com														
Jasper Electronics	www.jasperelectronics.com														
JMR Electronics	www.jmr.com														
Kaparel	www.kaparel.com		✓	✓			✓								
KEL Connectors, Inc.	www.kel.jp														✓
Keystone Electronic	www.keyelco.com	✓													
Kinetic Computer	www.kin.com														
Knurr USA	www.knurr.com														
Kontron	www.kontron.com		✓												
Lambda Electronics	www.lambdapower.com														
Lanner Electronics	www.lannerinc.com		✓		✓										
Leader Tech	www.leadertechinc.com														

Continued on page 60

Mass Storage							Other																		
CD-ROM Drive	Controller	IDE	Plug-in Unit	RAID	SAN	Solid State Disk	Board Accessories	Card Rack Accessories	Card Rack/Subrack	Enclosure	Enclosure & CR & PS	Equipment Rack	ESD Management	Front-Panel Hardware	IEEE 1394 (FireWire)	Keyboard Interface	Power Inverter	Power Supply	Power-Fail Module	Production Tools	SCSI Controller	SCSI Peripheral	Shrouds	Thermal Management
✓			✓								✓											✓		
							✓							✓										
	✓	✓																						
							✓	✓																
																		✓						
										✓		✓												
	✓						✓		✓	✓	✓			✓				✓						✓
											✓													✓
											✓													
		✓					✓			✓	✓							✓						
											✓							✓						
																								✓
											✓													
							✓		✓	✓				✓										
																					✓			
																		✓						
									✓	✓								✓						✓
				✓																				
																		✓						
				✓																				
											✓							✓				✓		
										✓														
										✓	✓													✓
									✓	✓	✓							✓			✓			
																		✓						
										✓	✓													
							✓																	

Company Name	Web Site	Backplanes							Connector						
		Accessories	Backplanes	H.110	Hot-Swap Compliant	Serial Mesh	Switched Fabric	Transceiver	Backplane	Backplane to PS	Coding Keys	Hard Metric	Mezzanine	PC/104	Other
LSI Logic	www.lsilogic.com														
LV Power	www.lvpower.net														
MagneTek	www.magnetekpower.com														
Magtech	www.magtechind.com														
MarekMicro	www.marekmicro.de		✓												
Measurement Computing	www.measurementcomputing.com														
Mektron Systems	www.mektron.co.uk														
MEN Micro	www.menmicro.com														
Meritec	www.meritec.com												✓		✓
Metrowerks	www.metrowerks.com														
MGV Stromversorgungen	www.mgv.de														
Miltron Systems	www.miltron.com														
Mindready Solutions	www.mindready.com														
Molex	www.molex.com								✓						
Motorola Computer Group	mcg.motorola.com														
M-Systems	www.m-sys.com														
Murrelektronik	www.murrinc.com														
National Instruments	www.ni.com		✓												
NEXCOM International	www.nexcom.com		✓		✓										
Nexsan	www.nexsan.com														
One Stop Systems	www.onestopsystems.com		✓	✓											
Oupiin	www.oupiin.com											✓			
Pentek	www.pentek.com														
Performance Technologies	www.pt.com						✓								
Pericom	www.pericom.com														
Perlos Connectors	www.perlos								✓		✓				
Phillips Components	www.phillipscomponents.net														
Phoenix International	www.phenxint.com														
Pinnacle Data Systems	www.pinnacle.com														
Polyonics	www.polyonics.com														
Polyrack	www.polyrack.com				✓										
Positronic Industries	www.connectpositronic.com								✓	✓					✓
Power Innovations	www.power-innovations.com														
Powerbox	www.powerbox.com														

Continued on page 62

Mass Storage							Other																		
CD-ROM Drive	Controller	IDE	Plug-in Unit	RAID	SAN	Solid State Disk	Board Accessories	Card Rack Accessories	Card Rack/Subrack	Enclosure	Enclosure & CR & PS	Equipment Rack	ESD Management	Front-Panel Hardware	IEEE 1394 (FireWire)	Keyboard Interface	Power Inverter	Power Supply	Power-Fail Module	Production Tools	SCSI Controller	SCSI Peripheral	Shrouds	Thermal Management
																					✓	✓		
																		✓						
																		✓						
																		✓						
										✓	✓													
										✓	✓													
											✓				✓						✓			
					✓																			
																		✓						
											✓													
															✓									
											✓													
						✓															✓	✓		
																		✓						
											✓											✓		
											✓										✓			
				✓																				
			✓							✓	✓										✓			
														✓										
											✓							✓						
																		✓						
																							✓	
														✓										
✓			✓	✓		✓																		
										✓														
																				✓				
											✓													
																		✓						
																		✓						

Company Name	Web Site	Backplanes							Connector						
		Accessories	Backplanes	H.110	Hot-Swap Compliant	Serial Mesh	Switched Fabric	Transceiver	Backplane	Backplane to PS	Coding Keys	Hard Metric	Mezzanine	PC/104	Other
Power-One	www.power-one.com														
Precision Communications, Inc.	www.precisioncomm.com		✓												
Pulse	www.pulseeng.com														✓
Purcell Brackets	www.purcellbrackets.com														
PXIT	www.pxit.com														✓
QLogic Corp.	www.qlogic.com														
RadiSys Corp	www.radisys.com														
Rancho Technology	www.rancho.com														
Raycon Technology	www.raycontech.com											✓			
Red Rock Technologies	www.RedRockTech.com														
Rittal	www.rittal.corp.com		✓		✓										
SAE Power	www.saepower.com														
Saelig	www.saelig.com														✓
SANBlazeTechnology, Inc.	www.sanblaze.com														
SBC Designs	www.sbcdesigns.com														
SBS Technologies	www.sbs.com	✓													✓
Schaefer	www.schaeferpower.com														
Schaffner EMC	www.schaffner.com														
Schroff US	www.schroff.us		✓		✓										
SimpleTech	www.simpletech.com														
SMA	www.SMAcomputers.com		✓												
Sorensen	www.sorensen.com														
StacoSwitch	www.stacoswitch.com														
Switching Power	www.switchpwr.com														
Synergy Microsystems	www.synergymicro.com														
Targa Systems	www.targasystems.com														
Team Solutions	www.team-solutions.com														
Technobox	www.technobox.com												✓		✓
Teka Interconnection	www.tekais.com								✓						
Tenta Technology	www.tenta.com														
Teradyne	www.teradyne.com								✓						
TK Power	www.tkpower.com														
Tracewell Systems	www.tracewellsystems.com		✓	✓	✓		✓								
Transtech DSP	www.transtech-dsp.com														

Continued on page 64

Mass Storage							Other																		
CD-ROM Drive	Controller	IDE	Plug-in Unit	RAID	SAN	Solid State Disk	Board Accessories	Card Rack Accessories	Card Rack/Subrack	Enclosure	Enclosure & CR & PS	Equipment Rack	ESD Management	Front-Panel Hardware	IEEE 1394 (FireWire)	Keyboard Interface	Power Inverter	Power Supply	Power-Fail Module	Production Tools	SCSI Controller	SCSI Peripheral	Shrouds	Thermal Management
																		✓						
																		✓						
							✓	✓																
					✓																			
											✓													
																						✓		
	✓																							
									✓	✓				✓				✓						✓
																		✓						
																					✓			
				✓																				
							✓				✓				✓									✓
																	✓	✓						
																		✓						
			✓					✓	✓	✓	✓			✓				✓						✓
						✓																		
			✓				✓			✓								✓						
																		✓						
																✓								
																		✓						
															✓						✓			
																						✓		
																		✓						
							✓														✓	✓		
											✓							✓						
																		✓						
									✓		✓			✓				✓						
														✓										

Company Name	Web Site	Backplanes							Connector						
		Accessories	Backplanes	H.110	Hot-Swap Compliant	Serial Mesh	Switched Fabric	Transceiver	Backplane	Backplane to PS	Coding Keys	Hard Metric	Mezzanine	PC/104	Other
Tri Source	www.trisourceinc.com														
Trilogic Systems	www.trilogicsystems.com						✓								
Triple E	www.tripleease.com				✓										
Twin Industries	www.twinhunter.com		✓										✓		
Tyco Electronics	www.tycoelectronics.com								✓	✓		✓			✓
Unipower	www.unipower-corp.com														
United Electronic Industries	www.ueidaq.com														
Universal Air Filter Co.	www.uaf.com														
Vector Electronics	www.vectorelect.com		✓												
VersaLogic	www.versalogic.com														
Winchester Electronics	www.winchesterelectronics.com								✓	✓	✓	✓			
Xtech	www.xtech-outside.com														

Introducing

3 EASY STEPS

to Make Your Next EMI/RFI GASKET a Success

Step #1 **We've got the experience.**

Standard or custom GASKETS– **PCI, CompactPCI, and VME**– **Leader Tech**, with almost two decades of EMI/RFI shielding innovation, can help you design the right solution for your next gasketing application. After all, we patented the CBS shielding design still popular today. Like everyone, we've got lots of product too, but we're more than just product. We're solutions oriented.

Step #2 **We've got the desire.**

We specialize in the needs of the *small* and *middle-sized* company. We know what difficulties you face. After all, we were once small too. **Leader Tech** has grown because it's dedicated to growing with its customers. We'd like to grow with you. We realize small today could mean industry leader tomorrow. Rely on us all the way to the top. And, when you make it, we'll continue to help keep you there.



Step #3 **We've got the team.**

Our AE's are not your typical order takers. They're highly trained technical sales reps. They'll take the time to understand your application and recommend new ideas. They're part of an experienced and dedicated *hands-on* engineering and customer service TEAM. At **Leader Tech**, we're all part of that same *hands-on* TEAM–including our President. He'll take your call; you're that important.

LEADER TECH a HEICO company

The Leading Edge in EMI Shielding Technology

Phone: 813-855-6921 • Fax: 813-855-3291 • E-mail: sales@leadertechinc.com • Web site: www.leadertechinc.com

RSC# 64 @www.compactpci-systems.com/rsc

Mass Storage							Other																		
CD-ROM Drive	Controller	IDE	Plug-in Unit	RAID	SAN	Solid State Disk	Board Accessories	Card Rack Accessories	Card Rack/Subrack	Enclosure	Enclosure & CR & PS	Equipment Rack	ESD Management	Front-Panel Hardware	IEEE 1394 (FireWire)	Keyboard Interface	Power Inverter	Power Supply	Power-Fail Module	Production Tools	SCSI Controller	SCSI Peripheral	Shrouds	Thermal Management
																		✓						
											✓													
										✓	✓			✓										
																		✓			✓			
									✓								✓	✓						
											✓													
																								✓
									✓	✓	✓							✓						
						✓																		
																							✓	
														✓										

Portable NTDS Analyzer

Take one for the road...

Performing complex data analysis of your NTDS I/O channels has never been so demanding. GET's portable analyzers can improve system performance and create a reliable and flexible solution to monitor, record, and debug NTDS channels with ease.

GET offers both luggable and laptop versions that are lightweight, ultra-rugged, and portable. Wherever your job may take you, shipboard or a Land-Based Test Facility, you now have the ability to analyze NTDS channels anywhere.

Features include:

- Ability to analyze parallel and serial NTDS interfaces
- Data pattern archiving for future reporting
- Monitoring capabilities of two NTDS channels on laptop versions
- Monitoring capabilities of eight NTDS channels on luggable versions
- Laptop is battery powered for 4 hours, 6 hour option available

p. 619.443.8295
e. sales@getntds.com
w. www.getntds.com

GET
Engineering Corp.

RSC# 65 @www.compactpci-systems.com/rsc





VME

CompactPCI

Switched Fabrics

Custom

Peace of Mind

When Ron tried to clear up a few things before his trip, he found a system requirement change demanding a backplane design modification and maybe a shipment delay. But a quick call to Bustronic solved everything. Their Field Application Engineer for pre-sales support assured Ron the change would be made and the backplane ready on schedule. With global support from Elma and a skilled team of engineers and designers in the US and Europe, Bustronic's technical support keeps expanding while others scale back. With Bustronic on the job, you might just slip away for a little R&R and a lot of peace of mind.

bustronic
Elma Bustronic

Visit us today at www.bustronic.com
Tel: 510.490.7388 Fax: 510.490.1853 info@bustronic.com

RSC# 66 @www.compactpci-systems.com/rsc

General Standards Corporation

High Performance Bus Interface Solutions

Globally Leading the High-Performance Analog, Digital, and Serial I/O Industry

(800) 653-9970

www.generalstandards.com

VxWorks, Linux, Windows, LabVIEW

REAL-TIME REAL-FAST™

CARRIER BOARDS & MEZZ/PMC

Sponsored by General Standards www.generalstandards.com

RSC# 209 @www.compactpci-systems.com/rsc

CARRIER BOARDS & MEZZ/PMC

Sponsored by Technobox, Inc. www.technobox.com

PMC Solutions

Reconfigurable Digital I/O

Asynchronous I/O

Whenever You Need PMCs ... ... Call Us.

Technobox designs and manufactures custom and off-the-shelf PMCs, including solutions for data acquisition, peripheral connectivity, serial communications, and engineering development.

Our extensive assortment of PMCs includes proven async communication adapters (from dual-port RS232 to 16-port combo boards); versatile, FPGA-based, reconfigurable, digital I/O boards; SCSI (from Fast/wide SE to Ultra 160) and IDE controllers; plus a variety of adapters, extenders, and tools for PMC development and/or integration.

We also offer the industry's only complete x86-based Processor PMC (PrPMC), as well as an ATX-based development platform for PrPMCs.

Processor PMC and PrPMC Platform

SCSI and IDE Controllers

PMC Adapters and Development Tools

For details, visit our web site www.technobox.com

Technobox™, inc.

PMB 300, 4201 Church Road
Mount Laurel, NJ 08054 USA
Tel 609-267-8988
Fax 609-261-1011

RSC# 2010 @www.compactpci-systems.com/rsc

A versatile approach to instrumentation

By Sacha Veillette

Signal processing, communication ports, bus interfaces, image processors, graphics controllers, analog I/O modules, digital I/O modules, signal conditioning, storage (flash memory or even removable hard disks for intelligence applications); this is just a short list of the realm of possibilities offered by the addition of mezzanine cards on a carrier.

As one contemplates the growing demand for flexibility, scalability, COTS content, and obsolescence-proofing of test systems and instrumentation, one can deduce that carriers and mezzanine cards such as PMCs are clearly at the forefront of technology development. It is an exciting subset of the industry where much has been achieved already, and much remains possible for the future.

Although not yet a provider of carrier or mezzanine cards, Gage Applied Technologies is quite impressed by what can be done through such an approach and is evaluating ways to use PMCs to increase the connectivity and throughput of existing and future data acquisition systems.

Carrier and mezzanine cards, what are they good for?

Carrier and mezzanine cards have many applications. The main advantage they bring to test systems is an ability to evolve with the changing application requirements. The carrier and mezzanine(s) card approach provides room for growth. Over time, it is possible to change the processing power, or the resolution and speed of analog capture channels, etc. A system conceived for one application may be adapted to the requirements of another simply by changing the mezzanine, thus preserving an investment made in learning how to program a processor mounted on the carrier.

With developments in RF communications and radar applications often stemming from military requirements, the throughput of existing platforms like VXI and PCI (and related families like PXI) is often proving insufficient to the task of extracting intelligence from the signals. By placing processors (or dedicated DSP chips, versatile FPGAs, etc.) in close proximity to the data-capture and signal-generation hardware, the capture-analysis-response loop closes tight. The controlling PC throughput requirement significantly decreases.

I like to think of carriers plus PMCs (or other mezzanine cards) as mini synthetic instruments. A typical example would be a software radio that relies on great processing power integrated with digitizers and synthesizers.

As a colleague from our sister company KineticSystems pointed out, it is also interesting to see carriers designed to take a module from a different platform (say PXI 3U) and use it like a mezzanine card for integration into a VXI test system. This is an approach we are trying with an intelligent carrier from C&H Technologies and our own 6U CompactPCI products. This is done using the carrier and its microprocessor to extract valuable information from the rich data stream of our ultra-fast digitizers. I believe this is just one way to expand the already powerful concept of carrier and mezzanine card solutions.

Schroff®
CompactPCI 2.16 Chassis
Schroff offers the world's most comprehensive range of open architecture packaging solutions, including our new 2.16 compliant system:
• a complete, flexible platform for intelligent telecom and LAN network interfaces
• 19" 10U-high subrack with packet switching backplane, power supply and cooling
• also supports star fabric (PICMG 2.17) and serial mesh (2.20) applications
• full range of accessories, including front panels and handles
Call or check our website for details on this and other Schroff premium packaging solutions.
Pentair Electronic Packaging
Schroff Products
170 Commerce Dr. Warwick, RI 02886
Tel: (401) 732-3770 Fax: (401) 732-7988
www.schroff.us
Pentair
Electronic Packaging
RSC# 67 @www.compactpci-systems.com/rsc

Too many choices?

There appears to be a downside to such versatility however. While a system or a synthetic instrument can be easily upgraded through hardware substitution, there arises a further and often complex integration requirement. The programming effort can be substantial, and often requires expertise that resides exclusively with the original equipment supplier, thereby creating a locking-in mechanism.

Another challenge for test system users and integrators comes from the sometimes daunting task of deciding on the specific architecture to adopt. For instance, should one choose a DSP on the carrier and I/O on the mezzanine, or I/O on the carrier and PMCs to add DSP capabilities to the radar system? Versatility is a double-edged sword where the situation is complicated by the varying preferences of vendors, and the lack of a standard architecture for carrier-mezzanine solutions.


EMBEDDED PLANET
design.
The next generation of network enabled OEM products.
develop.
Your products based on our platform.
deploy.
Your solution faster.
design
develop
deploy
Embedded PowerPC Control
Motorola 8245
Design your solution using our EP8245 PMC card computing engine and leverage the power of the Motorola 8245 PowerPC processor.
Develop prototypes and applications with Linux or your preferred RTOS and the boot loader, diagnostics and utilities in our PlanetCore software.
Deploy our proven computing engines and software in your solution and meet your market requirements on time and within budget.
8245 based PMC compliant module
PMC: 149mm by 74mm
SDRAM: 32, 64, 128 or 256MB
Flash: 8 or 16MB
MiniPCI Type 3
10/100 Ethernet
RS232 port
JTAG
EP8245
Embedded Planet can customize this 8245 PMC module for any application. Contact us today for your 8245 PMC solution.
Visit our web site or call today for additional information.
749 Miner Road / Cleveland, OH 44143
Tel: 440.646.0077 / Fax: 440.461.4329
www.embeddedplanet.com
EMBEDDEDPLANET
RSC# 68 @www.compactpci-systems.com/rsc

A bright future

The combination of carriers and mezzanine cards is a proven approach that provides design versatility and plenty of growth potential. There is no doubt in my mind that combining carriers and mezzanine cards offers a powerful solution to many instrumentation requirements, integrating small size, high throughput, and expansion room for the changing requirements of mission-critical applications. It is an approach that, without blind acceptance, more manufacturers should add to their arsenal of solutions to instrumentation challenges.

Sacha Veillette *is the marketing manager at Gage Applied Technologies, Inc. Joining Gage in 2001, Sacha brought with him a diversified background including research in particle physics, project management in engineering, and leading a software development venture. He holds Master's degrees in both Physics and Engineering, the latter being a joint program MBA-EE, from the University of British Columbia in Vancouver, Canada.*

For further information, contact Sacha at:

Gage Applied Technologies, Inc.
2000 32nd Avenue
Lachine, QC H8T 3H7
Canada
Tel: 514-633-7007
Fax: 514-633-1414
E-mail: sacha.veillette@gage-applied.com
Web site: www.gage-applied.com

THE CARRIER BOARD AND MEZZANINE CHARTS START ON PAGE 70

THE PICTURE REMAINS CLEAR.

VECTOR
ELECTRONICS & TECHNOLOGY, INC.


VME, VME64X Backplanes

Series 800 Tower Enclosures

SE1322,1422 Enclosures

Series 440 Enclosures

A Leader in products for the cPCI® and VME markets. Fully tested. Fully compliant.

VME/VME64X Enclosures

cPCI Enclosures


cPCI Backplanes


VECTORBORD® Plugbords™

PCMCIA Flexible Extender

We offer:

• Shortest lead times • Factory stock • Custom configurations

Call 800.423.5659

or go to: www.vectorelect.com for our complete product listing

VECTOR
ELECTRONICS & TECHNOLOGY, INC.
A FINE TECHNOLOGY GROUP

MADE IN USA

finepitchinc.com • finelinecircuits.com • fineelectronic.com • circuitexpressinc.com

RSC# 69 @www.compactpci-systems.com/rsc

Company Name	Web Site	Carrier Boards								
		IP	IP (Intelligent)	M-Module	Other	PC/104	PC•MIP	PMC	PMC (Intelligent)	TIM
Acromag	www.acromag.com	✓								
ACS-Tech 80	www.acs-tech80.com	✓								
Actis	www.actis-computer.com	✓								
Active Silicon Limited	www.activesilicon.co.uk									
ACTTechnico	www.acttechnico.com							✓		
Aculab	www.aculab.com				✓					
Adas	www.adas.fr				✓					
Adcom	www.adcomtec.com									
Adlink Technology	www.adlinktech.com									
Advantech	www.advantech.com/epc							✓		
AIM USA	www.aim-online.com									
Aitech	www.rugged.com									
Alacron	www.alacron.com									
Alpha Data	www.alpha-data.co.uk									
Alphi Technology	www.alphitech.com	✓	✓							
American ELTEC	www.eltec.de/us									
AppTech	N/A									
Artesyn Communication	www.artesyncp.com							✓		
Artesyn Technologies	www.artesyn.com									
Asine	www.asinegroup.com									
AudioCodes	www.audiocodes.com									
Aurora Technologies	www.auroratech.com									
BittWare	www.bittware.com									
Brandywine Communications	www.brandywinecomm.com									
BVM	www.bvmltd.co.uk							✓		
BWI	www.bwi.com		✓					✓		
C&H Technologies	www.chtech.com	✓		✓						
Catalyst Enterprises	www.catalyst-ent.com									
CCII	www.ccii.co.za									
Centralp Automatismes	www.centralp.com							✓		
Channel Access	www.channelaccess.com									
CML Versatel	www.cmlversatel.com									
Computer Modules	www.compumodules.com									
Concurrent Technologies	www.gocct.com				✓		✓	✓	✓	
Condor Engineering	www.condoreng.com									
Coreco Imaging	www.imaging.com									
Creative Electronic Systems	www.ces.ch							✓		
Cyclone Microsystems	www.cyclone.com									
Data Device	www.ddc-web.com									
Datum	www.datum.com									

Continued on page 72

Mezzanines										
CCPMC	Connectors	IP	M-Module	Other	PC•MIP	PCI-X	PMC	PrPMC	PTMC	Switched Fabric
		✓					✓			
		✓								
		✓						✓		
							✓			
							✓			
						✓	✓			
							✓			
							✓			
							✓			
							✓			
							✓			
							✓			
		✓					✓			
							✓			
				✓						
							✓		✓	
								✓		
							✓			
		✓					✓			
							✓			
							✓			
✓										
		✓					✓			
		✓					✓			
		✓	✓							
							✓			
							✓			
										✓
							✓			
							✓			
							✓			
		✓					✓			
							✓			
							✓			
							✓			
							✓			
							✓			

Innovation
Communication
N.A.T.
NCPCI-PMC
NPMC-8266-OC3
CompactPCI Carrier for Telecommunication and Networking Applications
• low cost 6U CompactPCI carrier for (tele-) communication applications
• supports up to two standard PMCs and/or Processor PMCs (PrPMCs)
• cPCI and PMC are PCI Rev. 2.2, 64-bit/66 MHz
• PICMG 2.5 (H.110) and PICMG 2.0 (Full Hot Swap)
• SCbus on PMC P14 connector (both PMC slots)
• with N.A.T. NPMC-8266-OC3 a full E1/T1 - to - SDH/STM1 gateway including IMA functionality on a single slot form factor
N.A.T. GmbH
sales@nateurope.com
www.NATeurope.com

RSC# 7101 @www.compactpci-systems.com/rsc

RAYCON
TECHNOLOGY
Raycon Technology is a premier manufacturer of high-density backplane connectors, cable assemblies and other interconnection products. Visit our web site or contact us to learn more.
Solder-to-Board and Press-Fit DIN 41612 Connectors
2mm Futurebus Connectors and Cable Assemblies
2mm Hard Metric Connectors and Accessories
RAYCON TECHNOLOGY, INC.
5252 McFadden Avenue
Huntington Beach, CA 92649
phone: 714/799-4100
fax: 714/799-0274
www.raycontech.com

RSC# 7102 @www.compactpci-systems.com/rsc

Company Name	Web Site	Carrier Boards								
		IP	IP (Intelligent)	M-Module	Other	PC/104	PC•MIP	PMC	PMC (Intelligent)	TIM
Delphi Engineering	www.DelphiEng.com									
DNA Enterprises	www.dna-cs.com									
Dolphin Interconnect Solutions	www.dolphinics.com									
Domain Technologies	www.domaintec.com									
DRS	www.drs.com									
DSPCon	www.dspcon.com									
DSS Networks	www.dssnetworks.com									
Dy 4	www.dy4.com							✓		
Dynamic Engineering	www.dyneng.com	✓						✓		
Dynatem	www.dynatem.com									
Echotek	www.echotek.com									
EKF-Electronik	www.ekf.de				✓		✓			
ELMA Electronic	www.elma.com									
Eonic Systems	www.eonic.com									
esd	www.esd-electronics.com									
EuroTecH	www.eurotech.it							✓		
Excalibur Systems	www.mil-1553.com									
Extreme Engineering	www.xes-inc.com							✓	✓	
FCI	www.fciconnect.com									
Force Computers	www.forcecomputers.com									
FuturePlus Systems	www.futureplus.com									
GE Fanuc Automation	www.gefanuc.com/embedded							✓		
General Micro Systems	www.gms4vme.com							✓		
General Standards	www.generalstandards.com									
GESPAC	www.gespac.ch				✓					
GET Engineering	www.getntds.com									
Great River Technology	www.greatrivertech.com									
ImageStream	www.imagestream.com									
Inducom AcQ	www.acq.nl									
Inova	www.inova-computers.de				✓					
Integrated Device Technology	www.idt.com									
Intel	www.intel.com							✓		
Interactive Circuits & Sys.	www.ics-ltd.com									
Interay BV	www.interay.com									
Interface Concept	www.interfaceconcept.com							✓		
Interphase	www.interphase.com							✓		
Iskratel	www.iskratel.ru									
iWave Systems	www.iwavesystems.com									
Janz Computer	www.janzag.de									
Kane Computing	www.kanecomputing.com									

Continued on page 74

Mezzanines										
CCPMC	Connectors	IP	M-Module	Other	PC•MIP	PCI-X	PMC	PrPMC	PTMC	Switched Fabric
							✓			
							✓			
							✓			
		✓								
							✓			
		✓					✓			
						✓	✓			
✓							✓			
		✓					✓			
							✓			
							✓			
					✓					
							✓			
							✓			
							✓	✓		
							✓			
								✓		
	✓									
						✓	✓			
							✓			
						✓	✓	✓		
							✓			
							✓			
							✓			
							✓			
							✓			
			✓				✓			
							✓			
							✓			
							✓			
							✓			
							✓	✓		
							✓		✓	
							✓			
							✓			
					✓		✓			
								✓		



RSC# 7301 @www.compactpci-systems.com/rsc

RSC# 7302 @www.compactpci-systems.com/rsc

Company Name	Web Site	Carrier Boards								
		IP	IP (Intelligent)	M-Module	Other	PC/104	PC•MIP	PMC	PMC (Intelligent)	TIM
Kontron	www.kontron.com							✓		
Leutron	www.leutron.com									
Mapletree Networks	www.mapletree.com									
MAX Technologies	www.maxt.com		✓							
Media Cybernetics	www.mediacy.com									
MEN Micro	www.menmicro.com			✓			✓			
Meret Optical Communications	www.osicom.com									
Meritec	www.meritec.com									
Micro Memory	www.umem.com									
Mindready Solutions	www.mindready.com	✓								
Momentum Computer	www.momenco.com									
Motorola Computer Group	mcg.motorola.com							✓		
N.A.T.	www.nateurope.com								✓	
National Instruments	www.ni.com				✓					
Netbricks	www.netbricks.net									
North Atlantic Industries	www.naii.com									
Odin TeleSystems	www.OdinTS.com									
Orion Technologies	www.otisolutions.com									
PCI Embedded Computer Systems	www.pcisystems.com				✓					
Pentek	www.pentek.com									
Performance Technologies	www.pt.com									
Peritek	www.peritek.com							✓		
PLDApplications	www.plda.com									
Precision Communications, Inc.	www.precisioncomm.com					✓	✓			
Primagraphics	www.primag.co.uk									
Prodrive	www.prodrive.nl									
Purcell Brackets	www.purcellbrackets.com									
RadiSys Corp	www.radisys.com									
Radstone Technology	www.radstone.co.uk									
Rapid Technology	www.rapid-technology.com									
Reasearch Center “Module”	www.module.ru									
Red River	www.red-river.com									
RT Logic!	www.rtlogic.com									
Rymic	www.rymic.com									
Sabtech Industries	www.sabtech.com									
Sanblaze	www.sanblaze.com									
SBE	www.sbei.com							✓		
SBS Technologies	www.sbs.com	✓					✓	✓		
Schroff US	www.schroff.us									
Spectrum Sig. Proc.	www.spectrumsignal.com									

Continued on page 76

Mezzanines										
CCPMC	Connectors	IP	M-Module	Other	PC•MIP	PCI-X	PMC	PrPMC	PTMC	Switched Fabric
							✓			
							✓			
							✓			
							✓			
			✓	✓	✓		✓			
							✓			
	✓									
							✓			
							✓			
								✓		
							✓	✓	✓	
							✓	✓		
		✓								
							✓			
							✓			
							✓	✓		
							✓	✓		
					✓					
							✓	✓		
							✓			
							✓			
							✓			
							✓			
								✓		
							✓			
							✓	✓		
✓							✓			
							✓			
							✓			
							✓			
							✓			
							✓			
							✓			
							✓			
							✓		✓	
		✓			✓		✓			
							✓			
							✓			

RSC# 7501 @www.compactpci-systems.com/rsc


MEN at work
embedded
modular
rugged
rugged enough to defy the laws of nature
Designed, tested and certified to stand up to shock and vibration, treated with a conformal coating to withstand harsh environments and capable of operating over an extended temperature range (-40 to 85°C), MEN's products are the toughest in the industry.
Contact us for more information on our complete line of of CompactPCI, VME, ESM, PXI, M-Module, PC-MIP cards and other products:
• www.menmicro.com
• 972.939.2675 tel
• 972.939.0055 fax
• sales@menmicro.com
men micro, inc.

RSC# 7502 @www.compactpci-systems.com/rsc

Company Name	Web Site	Carrier Boards								
		IP	IP (Intelligent)	M-Module	Other	PC/104	PC•MIP	PMC	PMC (Intelligent)	TIM
Sundance DSP	www.sundance.com									✓
Synergy Microsystems	www.synergymicro.com							✓		
Systran	www.systran.com	✓						✓		
Technobox	www.technobox.com				✓			✓		
TEK Microsystems	www.tekmicro.com									
Tews Technologies	www.tews.com	✓						✓		
Thales Computers	www.thalescomputers.com							✓		
Titan	www.titan.com									
Transtech DSP	www.transtech-dsp.com							✓		
Traquair Data Systems	www.traquair.com				✓					
TriEMS	www.triems.com									
Twin Industries	www.twinhunter.com									
Valley Technologies	www.pmcmodules.com				✓					
Varisys Ltd	www.varisys.co.uk							✓		
Veridian Systems	www.veridian.com									
Vigilant Technologies	www.vigilanttech.com									
Vista Controls	www.vistacontrols.com									
VMETRO	www.vmetro.com									
Voiceboard	www.voiceboard.com									
VRose Microsystems, Inc.	www.vrosemicrosystems.com									
Wind River	www.windriver.com							✓		
Xalyo Systems	www.xalyo.com									
Xycom	www.xycom.com									
Zephyr Engineering	www.zpci.com							✓		
ZNYX	www.znyx.com									

TEWS TECHNOLOGIES
TPMC680 64-Bit TTL Digital I/O
• 64-bit TTL Level Digital I/O
• Standard 32 bit PMC
• Programmable Interrupts
• Port Programmable as Input/Output
• ESD and Overvoltage Protection per I/O Line
• I/O Access via HD68 Front Connector or Rear Connector P14
• Two Basic Operating Modes: Byte I/O and Handshake
• VxWorks, Linux, QNX, LynxOS, Windows Drivers
• Operating Temperature -40°C to +85°C
TEWS TECHNOLOGIES
RSC# 7601 @www.compactpci-systems.com/rsc

RSC# 7602 @www.compactpci-systems.com/rsc

TEWS TECHNOLOGIES
TCP260 Dual Hot Swap PMC Carrier
- Standard 6U 32/64 bit CompactPCI module
- Two PMC sites
- PCI 2.2 compliant interface
- PCI Interface 33/66 MHz, 32/64 bit
- Hot swap conforming to PICMG 2.1 R2.0
- 5V and 3.3V signaling
- Front panel I/O
- Rear I/O on Connector J3 and J5
- Operating temperature 0°C to +70°C
TEWS TECHNOLOGIES
RSC# 7603 @www.compactpci-systems.com/rsc

Mezzanines										
CCPMC	Connectors	IP	M-Module	Other	PC-MIP	PCI-X	PMC	PrPMC	PTMC	Switched Fabric
				✓				✓		
							✓			
		✓					✓			
	✓			✓			✓	✓		
							✓			
✓		✓					✓			
✓							✓			
							✓			
							✓			
							✓			
	✓									
							✓	✓		
							✓	✓		
							✓			
		✓					✓			
✓							✓			
							✓			
							✓			
							✓			
									✓	
		✓								
							✓			
							✓			

PRODUCTS

Thales Computers PMC -SIO

Acromag, Inc. PMC424/464

AudioCodes Ltd. TPM-1100



CARRIER & MEZZANINE/PMC PRODUCTS

Interface Concept IC-PQ2-PMCa

Radisys Corporation EXS-6424

Condor Engineering CEI-600-MSF

Size Matters

The Radstone RT4 PowerPact CPCI System

RADSTONE TECHNOLOGY

Why settle for less

Radstone's RT4 PowerPact CPCI system is the new benchmark for COTS compute nodes. Cost-effective and capable of being installed in the smallest spaces, it will also survive the most rugged conditions. It's another breakthrough from Radstone Technology, the world's leading independent supplier of high-performance rugged COTS embedded computer products for defense and aerospace. This highly adaptable CPCI solution – just the size of a pack of CDs – stems from Radstone's long-standing expertise in delivering integrated subsystems and chassis as complete packages. It comes with a pluggable Power Supply Unit, IMP1A processor card for access to RTOS environments and three conduction cooled 3U CPCI slots for application specific hardware.

Radstone Technology.
Integrated Subsystems and Chassis

RSC# 78 @www.compactpci-systems.com/rsc

CHECK THE FULL SPEC NOW AT
www.radstone.com/rt4

OR CALL
US +1 800 368-2738
UK +44 (0)1327 359444

The Sharpest Blade in Telecom



VG4800IP

EdgeBlade™

Packetizing the PSTN Edge

Cuts Cost. Cuts Time to Market. Cuts Risk.

Applications

VoIP: Voice Gateways, Media Gateways, Wireless Access TDMoIP Gateways, Trunking Gateways, Packet Cable Gateways, IP-PBX, Broadband DLCs

PSTN: ISDN signaling, Signaling Converters, V5.2 and GR303 Access Equipment, Central Office Simulators, V52 LE Media Gateways, Access Gateways

Datacom: High capacity HDLC processing, Frame Relay based Base Stations, FRADs, PPP/ML test engines

Software Components

* GR303 or V5.2 CAS-MF, MF-R1/R2, ISDN-PRI based PSTN Module * V5.2/GR303/PRI supported IP Module * IP Signaling Module to interface with Intelligent Peripherals * Management Module with embedded SNMP agent * Multi-link PPP and FrameRelay embedded Data Communications Module

Feeling the pressure of costs of your next product offering to the market?

We have the answer - the EdgeBlade™ Family of highly integrated, full-feature blades for the CompactPCI and CompactTCA based architectures. Ready for you to quickly deploy and offer complete solutions for Packetizing the Edge of PSTN networks. The EdgeBlade™ Family helps you meet the challenges of migrating the legacy TDM voice networks to Packet architecture through its clever architecture and design. Our modular solutions enable you to easily traverse the TDM and Packet domain with support for V5.2, GR303, ISDN-PRI, VoIP, Frame Relay and MultiLink PPP/VPN.

The EdgeBlade™ Family offers higher capacity, higher performance, carrier reliability and compatibility with other devices on the Edge of the network.

Features

* PICMG for 2.15 & 2.16 * Dual cPSB for Carrier-Grade Redundancy * Additional 2 x 100 BT Ethernet ports for data * 16 x T1/E1/J1 ports * Onboard 480 channel DS0 switch & H.110 * Full support for all voice codecs and tones * Excellent Echo Cancellation support * SNMP, Telnet and CLI

To know more about our products, visit **www.cosystems.com**

Other Products

CoNdor - Signal Monitoring

Convertix™ - Signaling Conversion

UpasanaAdvantage

CoSystems develops and deploys Next Generation broadband central office switches for voice and data services. We specialize in conceptualizing and creation of complex systems and building blocks for telecom operators, ISPs, Cable MSOs, Cable Operators, and the emerging wireless voice and packet infrastructure markets. CoSystems product portfolio include Signal Conversion products, Access Gateways, Signaling Gateways, Media Gateways and DSL, Cable and WiFi technology based Broadband products.

CoSystems Inc., 1263 Oakmead Parkway, Sunnyvale, CA 94085, USA. Tel: +1 (408)-522-0500 Fax: +1 (408) 720-9114. Email: info@cosystems.com

All brand names and registered trademarks are acknowledged to be the properties of the respective owners.

CompactPCI® AdvancedTCA®

CoSystems

Are you a next-gen Carrier or TEM searching for VoIP, IN, 2.5G/3G and OAM&P Solutions?

Talk to Continuous Computing today!

We power your next-gen products with High Availability, Application-Ready Platform (ARP) building-block solutions.



continuous®
COMPUTING CORPORATION
Application-Ready Platform Solutions.™

www.ccpu.com
(858) 882-8800

RSC# 208 @www.compactpci-systems.com/rsc

Sponsored by Continuous Computing www.ccpu.com

The future of Boundary Scan

By Heiko Ehrenberg

Today's production environments and manufacturing schedules force test engineers to provide flexible low-cost test solutions in the shortest possible time. Time-to-market is of the essence more than ever, and every step involved in getting products out to the end user needs to be streamlined. These steps include design entry, prototype verification, production, final assembly, and also test and debugging at various stages throughout this process. For example, concurrent design and development of circuitry, product casing, as well as firmware and user software can shorten the product design cycle. Thinking in the early stages of product design about the test strategies to be applied in design, prototyping, manufacturing, and field-testing avoids costly delays as well as insufficient test access and test coverage throughout the product's life cycle. One of the most efficient test technologies for modern electronics is Boundary Scan[1] (IEEE Std. 1149.1, a.k.a. JTAG)[2], targeting many of the problems today's test engineers are facing.

Boundary Scan as board level technology is very well established. In recent years many chip designers started to utilize the Test Access Port (TAP) defined in the IEEE 1149.1 standard, to access self test circuitry built into the Integrated Circuit (IC). This allows designers and test engineers to run the IC's Built-In Self Tests[3] at board and system level. Such tests verify the IC's functionality, often times at functional speed, and the connectivity at chip level. Furthermore, new BIST algorithms developed by various companies also allow the test of board and system level interconnections between ICs at functional speed. (Standard Boundary Scan utilizing the EXTEST instruction can be considered a quasi-static test.)

In addition to connectivity tests, Boundary Scan is also used to program devices such as serial EEPROM and FLASH EEPROM mounted on the PCB (on-board or In-Circuit Programming, ICP). Programming of PLD and FPGA components through their TAP (widely known as In-System Programming) is a well established practice as well and provides the benefit of last-minute changes on firmware, among many other advantages, especially important at the prototyping and design validation stage (as shown in Figure 1).

The ingenious way of accessing circuit nodes through Boundary-Scan cells built into ICs lends itself to system level testing as well. Shifting test patterns though a serial scan chain requiring four test bus signals accomplishes this task.[4] Connections between motherboard and daughter cards, or between multiple boards plugged into a system backplane, can easily be tested as long as the system level test bus accessing the various Boundary-Scan chains is designed properly. In addition, such system level access extends the principle of onboard programming to in-system programming and reconfiguration.



Figure 1

Although Boundary Scan provides many benefits for testing modern printed circuit boards, as Figure 2 shows there is always a need for other test methodologies such as functional test, automated optical inspection, or in-circuit test (based on bed-of-nails adapter or flying probes). Using the same test hardware for both Boundary-Scan and complementary test methodologies, and even combining multiple test strategies in one machine, can reduce costs of test setup, handling, and execution time. For example, by combining Boundary-Scan with Flying-Probe Testers, overall test coverage and test execution time can be improved.[5] By combining Functional Testing and Boundary-Scan Testing, new types of tests can be created, simplifying development of Functional Tests and improving test coverage and diagnostics. Automated optical inspection can be used to extend Boundary-Scan test applications to the automated verification of visual features, such as jumper and switch settings, LED and LCD functionality, and so on. These types of tests can be referred to as extended Boundary-Scan applications.

Ideally, the setup of manufacturing test stations using not only Boundary-Scan technology, but also Functional Test and other tools, is low-cost, and provides a high degree of flexibility and modularity.[6] Rack based test stations are common on production floors. Various hardware platforms are in use, such as GPIB, VXI, and more recently PXI.[7] The adoption rate of PXI-based test systems is fast growing even though this hardware platform is only six years old. There is a wide variety of PXI modules available for this young platform. Furthermore, since PXI is based on the CompactPCI specification,[8] CompactPCI modules can also be used in PXI systems and vice versa.

In summary, Boundary Scan is well established throughout the industry. The next step will be to extend its application by combining multiple test technologies and by improving Boundary Scan's ease-of-use, especially in design validation, repair on the manufacturing floor, and in field service.



Figure 2

TRENTON
COOL is only the tip of the iceberg.
You'll find power, speed and flexibility beneath the surface of the cool-running CP16 Single Board Computer from Trenton.
Cool operating temperatures with the Pentium® M processor designed for lower power consumption and enhanced processor performance
Powerful performance with dual Gigabit Ethernet, dual high-performance EIDE interfaces, Ultra XGA video controller, four USB ports and up to 2GB of DDR 200/266 memory
Flexibility for a wide variety of CompactPCI® and server blade applications
Additional options: front-access PMC card, on-board CompactFlash™ or IDE Microdrive, Rear Transmission Module (RTM25) for rear access I/O connections
Supports IPMI (PICMG® 2.9, R1.01), Hot Swap (PICMG 2.1, R2.0) and Packet Switching Backplane (PICMG 2.16, R1.0) specifications
A Trenton SBC with less heat, a powerful processor and flexible configuration options.
That's more than just cool.
TRENTON
Dependable, always.
FOR THE LATEST INFORMATION: TRENTON Technology Inc.
Phone: (800) 875-6031 or (770) 287-3100 • Fax: (770) 287-3150
www.TrentonTechnology.com

RSC# 80 @www.compactpci-systems.com/rsc

Heiko Ehrenberg *is the CEO of GOEPEL Electronics LLC, Austin, Texas. His responsibilities include oversight of the technical support efforts for GOEPEL products sold in North America. Heiko received his BSEE (Information Technology) from the University of Applied Science at Mittweida, Germany, in 1996 and started to work for GOEPEL in Germany as an Application Engineer for Boundary Scan technology the same year, before being transferred to the United States in 1998.*

For further information, contact Heiko at:

GOEPEL Electronics LLC
9600 Great Hills Trail
Suite 150W
Austin, Texas 78759
Tel: 512-502-3010
Fax: 512-502-3076
E-mail: h.ehrenberg@goepel.com
Web site: www.goepel.com

References

[1] Kenneth P. Parker, *The Boundary-Scan Handbook*, 3rd Edition, 2003, Kluwer Academic Publishers, Norwell, MA, 02061, ISBN: 1-4020-7496-4

[2] IEEE Computer Society, IEEE Standard Test Access Port and Boundary Scan Architecture - IEEE 1149.1 2001, Annex B, IEEE, New York, NY, 2001

[3] Rick Nelson, "Pace your Bets: BIST or scan," *Test & Measurement World*, (June 2003): 35-42, Reed Business Information, Highlands Ranch, CO

[4] Clayton Gibbs, "Backplane Test Bus Applications for IEEE STD 1149.1, Paper 43.1," *International Test Conference 2003 Proceedings*

[5] Tamás Marosvölgyi et al., "Flying Probe and Boundary Scan Testers unite," *Test&Measurement Europe* (August-September 1999)

[6] Heiko Ehrenberg et al., "Incorporating Boundary Scan tools in PXI based ATE systems," *Autotestcon 2003 Proceedings*

[7] PXI System Alliance, PXI Specification, www.pxisa.org/specs.htm

[8] PICMG, Compact PCI Specification, www.picmg.org

**All trademarks are the property of their respective owners.*

Pigeon Point Systems
IPM Sentry
Shelf and Board Management
for AdvancedTCA and CompactPCI
Off-the-shelf building blocks with reference schematics & software
Built by the experts in PICMG platform management
www.pigeonpoint.com

RSC# 8101 @www.compactpci-systems.com/rsc

RSC# 8102 @www.compactpci-systems.com/rsc

A Legacy of Precision, Versatility and Dependability

Symmetricom has been controlling the time and frequency landscape for bus level processor modules for decades.
We can make this claim as a result of our recent merger with Datum and TrueTime, two companies known by the industry for providing precise, versatile, and dependable timing outputs for bus level integrated systems.

We offer PCI, VME/VXI, and PC bus level solutions. Each offers a wide array of time and frequency applications and can be configured within a wide variety of computing environments.

The integration efficiency of Symmetricom products is the key to your success. Whether you are making the move from the more expensive VME to the ruggedized CompactPCI, or have made the choice to go with the cost effective PCI, we offer the software and support to make integrating precise timing into your system as fast and as painless as possible.

For more information contact Symmetricom: (toll free) 1.888 FOR SYMM (1.888.367.7966) or 1.707.527.6640 or e-mail ttm_info@symmetricom.com
www.symmetricom.com/ttm

Company Name	Web Site	Telecom				Telephony					Wireless			Other	
		Telecom	OC-3/STM-1	T1/E1	T3/E3	General	VoATM	VoDSL	VoIP	VoP	Wireless	Bluetooth	GSM/GPRS	Gateways	Hot Swap
3-D Engineering	www.3deng.com														✓
Absopulse Electronics	www.absopulse.com	✓													
ACKSYS	www.acksys.fr	✓													
Adax	www.adax.com	✓									✓			✓	
Adlink Technology	www.adlinktech.com													✓	
AeroComm	www.aerocomm.com										✓				
Agere	www.agere.com	✓									✓				
Agilent	www.agilent.com										✓				
Amtelco	www.amtelco.com	✓				✓									
Anatel	www.anatel.com	✓				✓			✓					✓	
Applied Data Sciences	www.appdatsci.com													✓	
APW Electronic Solutions	www.apw.com														✓
Arca Technologies	www.arcatech.com	✓													
Artesyn Communication	www.artesyncp.com	✓	✓											✓	
AudioCodes	www.audiocodes.com						✓		✓					✓	
Brandywine Communications	www.brandywinecomm.com			✓											
Brooktrout	www.brooktrout.com	✓		✓		✓				✓					
BVM	www.bvmltd.co.uk														✓
Catalyst Enterprises	www.catalyst-ent.com														✓
Cirpack	www.cirpack.com													✓	
Commetrex	www.commetrex.com					✓									
Communications Automation	www.cacdsp.com					✓									
Continuous Computing	www.ccpu.com	✓		✓											
CoSystems	www.cosystems.com			✓										✓	
Creative Electronic Systems	www.ces.ch	✓													
Data Kinetics	www.dkl.com	✓													
DENSAN Systems	www.densan.com														✓
Diamond Point	www.dpie.com	✓													
DNA Enterprises	www.dna-cs.com					✓									
Dynamics Research	www.drc.com			✓											
EKF-Electronik	www.ekf.de	✓													
ELMA Electronic	www.elma.com	✓													✓
Ericsson Infotech	www.ericsson.com	✓													
Force Computers	www.forcecomputers.com	✓													
GAO Research	www.gaoresearch.com								✓						
GE Fanuc Automation	www.gefanuc.com/embedded	✓													

Continued on page 84

Company Name	Web Site	Telecom				Telephony					Wireless			Other	
		Telecom	OC-3/STM-1	T1/E1	T3/E3	General	VoATM	VoDSL	VoIP	VoP	Wireless	Bluetooth	GSM/GPRS	Gateways	Hot Swap
General Micro Systems	www.gms4vme.com	✓													
GNP	www.gnp.com								✓					✓	
HA Technical Solutions	www.tech-sol.com	✓													
Infineon	www.infineon.com							✓							
Integrated Device Technology	www.idt.com	✓													
Intel	www.intel.com	✓		✓											
Intermas	www.intermas.com														✓
Interphase	www.interphase.com	✓	✓	✓	✓	✓					✓		✓	✓	
Intersil	www.intersil.com										✓		✓		
Iskratel	www.iskratel.ru								✓						
Kallastra Inc.	www.kallastra.com								✓						
Kalman Saffran & Associates	www.ksa1.com	✓													
Kaparel	www.kaparel.com	✓													
Knurr USA	www.knurr.com	✓													✓
Kontron	www.kontron.com	✓													
Lantronix	www.lantronix.com								✓						
Linear Technology	www.linear-tech.com														✓
Macrolink	www.macrolink.com			✓											
Mapletree Networks	www.mapletree.com	✓													
Merge Technologies Group	www.mergetech.com	✓													
Motorola Computer Group	mcg.motorola.com	✓		✓			✓		✓						✓
N.A.T.	www.nateurope.com	✓		✓											
NMS Communications	www.nmscommunications.com	✓		✓					✓						
Octasic	www.octasic.com								✓						
Odin TeleSystems	www.OdinTS.com	✓													
OSE Systems	www.ose.com										✓	✓			
Performance Technologies	www.pt.com			✓										✓	
Pericom	www.pericom.com	✓													
Pigeon Point Systems	www.pigeonpoint.com														✓
PIKA Technologies	www.pikatechnologies.com					✓									
PLX Technology	www.plxtech.com	✓													✓
PMC-Sierra	www.pmc-sierra.com										✓				
Prisma Engineering	www.prisma-eng.it			✓		✓									
RadiSys Corp	www.radisys.com	✓													
RADVision	www.radvision.com													✓	
Rittal	www.rittal.corp.com														✓

Company Name	Web Site	Telecom				Telephony					Wireless			Other	
		Telecom	OC-3/STM-1	T1/E1	T3/E3	General	VoATM	VoDSL	VoIP	VoP	Wireless	Bluetooth	GSM/GPRS	Gateways	Hot Swap
SBE	www.sbei.com	✓													
SBS Technologies	www.sbs.com				✓										✓
Schroff US	www.schroff.us														✓
Signalogic	www.signalogic.com									✓					
Spectrum Sig. Proc.	www.spectrumsignal.com	✓									✓				
Spider Software	www.artesyncp.com					✓									
Summit Microelectronics	www.summitmicro.com														✓
Sun Microsystems	www.sun.com	✓													
Symmetricom Inc.	www.symmetricom.com	✓													
Synergy Microsystems	www.synergymicro.com			✓											
Telesoft Technologies	www.telesoft-technologies.com	✓		✓		✓									
Texas Instruments	www.ti.com	✓													
Tracewell Systems	www.tracewellsystems.com	✓													
Tyco Electronics	www.tycoelectronics.com	✓													
Ubicom	www.ubicom.com	✓													
Ulticom	www.ulticom.com			✓											
Voiceboard	www.voiceboard.com	✓		✓							✓			✓	
VoicePump	www.voicepump.com								✓						
VXI Technology	www.vxitech.com										✓				
Wavecom	www.wavecom.com										✓				
ZNYX	www.znyx.com	✓				✓									


Convertix™ - Signaling Conversion System
CoSystems Convertix™ - A series of flexible and high density bridges between PSTN networks and access equipment.
Convertix™ Applications: • V5.1 to V5.2 /V5.2 to V5.1 • E1/T1-CAS to V5.1/V5.2/PRI • MF-R2 to V5.1/V5.2 • ISUP/UA to V5.1/V5.2 • GR303 to V5.1/V5.2
CoSystems
www.cosystems.com
CoSystems Inc., 1263 Oakmead Parkway, Sunnyvale, CA 94085. Tel: 408 - 522 - 0500

RSC# 8501 @www.compactpci-systems.com/

RSC# 8502 @www.compactpci-systems.com/

CoSystems EdgeBlades™ for VoIP, TDMoIP, Media Gateways and Signaling Gateways.
Technology supported: • V5.2 • GR303 • ISDN PRI • SS7 • MGCP • SIP
CoSystems
www.cosystems.com
CoSystems Inc., 1263 Oakmead Parkway, Sunnyvale, CA 94085. Tel: 408 - 522 - 0500

RSC# 8503 @www.compactpci-systems.com/rsc

THINKING
Embedded?

THINK
OpenSystems
Publishing

OpenSystems Publishing

www.opensystems-publishing.com

Company Name	Web Site	Audio		Video				
		General	Voice	Display	Display Controller	Frame Grabber	Input	Processor
Active Silicon Limited	www.activesilicon.co.uk					✓		
ACTTechnico	www.acttechnico.com				✓			
Adlink Technology	www.adlinktech.com				✓	✓		
Agere	www.agere.com		✓					
Aitech	www.rugged.com							✓
Alacron	www.alacron.com						✓	
Arista	www.aristaipc.com			✓				
Aspex Technology	www.aspextechnology.com							✓
BarcoView	www.barcoview.com				✓			
BittWare	www.bittware.com	✓						
Bivar	www.bivar.com			✓				
Brooktrout	www.brooktrout.com		✓					
COGNEX	www.cognex.com					✓		
Colorgraphic Comm	www.colorgraphic.net			✓				
Datapath	www.datapath.co.uk				✓			
Delta Information Systems	www.delta-info.com		✓					
DENSAN Systems	www.densan.com				✓			
Dy 4	www.dy4.com				✓	✓		
esd	www.esd-electronics.com				✓			
Euresys	www.euresys.com					✓		
EuroTecH	www.eurotech.it				✓			
Fairchild Semiconductor	www.fairchildsemi.com			✓				
GE Fanuc Automation	www.gefanuc.com/embedded	✓			✓			
General Micro Systems	www.gms4vme.com				✓			✓
General Standards	www.generalstandards.com				✓			
Inova	www.inova-computers.de			✓				
Jupiter Systems	www.jupiter.com				✓			
Leutron	www.leutron.com					✓		
Matrox	www.matrox.com/Imaging					✓		
National Instruments	www.ni.com					✓		
Octave	www.octave.org		✓					

Continued on page 88

What can you say about Convergence in a Box?

How about Wow.

Wouldn't it be nice if it were always this easy?

What if you could quickly and cost-effectively enable IP with your current SS7 network platform?

What if you could enable gateway technology for switching/routing IP over SS7 quickly and easily?

What if there were a single box that could save you hours of development time, get you to market faster... and save you thousands of dollars per link?

Well, there is. The Adax Signaling Gateways are here.
So, now what are you going to do?

Here's a hint: www.adax.com

Introducing
The Adax Signaling Gateways

Adax, the company you've come to trust to deliver signaling solutions across broadband, narrow band and IP networks, now offers you even greater choice. With the Adax Signaling Gateway, Tunneling Gateway, Signaling Extender and Signaling Router, you can now achieve network convergence in a single box.

Features:

- A common hardware platform at the bottom and common management software at the top
- Consistent APIs--no proprietary software
- Gateways upgradable without having to change the application
- Complete flexibility and scalablity
- Low entry level via 1 to 4 SS7 link gateway, upgradable to 32 SS7 links
- Can be stacked for even higher density applications and redundancy.

The Parts. The Sum of the Parts. The Whole.
You decide.™

614 Bancroft Way Berkeley, CA 510-548-7047 www.adax.com/aa_gateways.htm

adax

RSC# 87 @www.compactpci-systems.com/rsc

Company Name	Web Site	Audio		Video				
		General	Voice	Display	Display Controller	Frame Grabber	Input	Processor
Peritek	www.peritek.com				✓			
PIKA Technologies	www.pikatechnologies.com		✓					
PLDApplications	www.plda.com					✓		
Pulse	www.pulseeng.com	✓						
Red River	www.red-river.com	✓						
RGB Spectrum	www.rgb.com				✓			
SBS Technologies	www.sbs.com				✓			
Sensoray	www.sensoray.com					✓		
Titan	www.titan.com				✓	✓		✓
TriEMS	www.triems.com				✓			
Visiowave	www.visiowave.com					✓		
Voiceboard	www.voiceboard.com	✓						

AUDIO/VIDEO PRODUCTS

Euresys GrabLink Series

Dy 4 Systems PMC-706



With more projects and less time than ever, you can't afford to rely on the same old products from the list of usual suspects. You need a vendor with a sterling record of satisfying clients such as Siemens, Nortel, IBM and Motorola.

Today we can offer you a full line of CompactPCI power supplies that won't plague you with the problems other manufacturers try to hide. For instance, Magnetek products comply with PICMG standards and feature 0 - 50° C operating range, no minimum load requirement, and single-wire current sharing. In addition, we offer a full line of CompactPCI products including:

- Two 200 W models in 3U size
- Six 350 W models in 6U size
- A new 300 W, 24 Vdc model in 6U size
- Two 500 W models with IPMI interface in 2U rack-mount size

For proof positive that our CompactPCI power supplies are just what you're looking for, check out the full story at **www.magnetekpower.com/CompactPCI** or call **800 621-0733** and we'll give you the whole story.

Think of it: affordable, qualified products delivered on time from a company you can trust. You just might discover a whole new source of satisfaction.

MAGNETEK UNCOMMON POWER

Magnetek Power Electronics Group, 8966 Mason Ave., Chatsworth, CA 91311, 800 621-0733 • www.magnetekpower.com/CompactPCI

RSC# 88 @www.compactpci-systems.com/rsc

WE UNDERSTAND TEST AND MEASUREMENT

BEHIND OUR NAME...

We at Geotest understand you. Since 1963, Geotest and The Marvin Group have been committed to creating innovative test solutions. We provide tomorrow's cutting edge technology that works for you today.

Our instrumentation, customization, and turn-key solutions reduce costs, improve quality, and increase performance. It's no wonder our products and systems are used worldwide in thousands of aerospace, semiconductor, communications, medical, industrial, and military test applications. For more information on our off-the-shelf and custom hardware and software solutions, please visit us on the web, or call us at **888-TEST-BY-PXI**.

RSC# 89 @www.compactpci-systems.com/rsc

Geotest
Marvin Test Systems,Inc.

www.geotestinc.com

Geotest - Marvin Test Systems, Inc. 17570 Cartwright Road, Irvine, California 92614-5846. Tel: 949.263.2222 888-TEST-BY-PXI Fax: 949.263.1203 E-Mail: info@geotestinc.com

Company Name	Web Site	I/O				Other			
		Analog	Digital	Industrial	Multifunction	Data Acquisition	Digital Multimeters	Digital Radio	Digital-to-Synchro
3-D Engineering	www.3deng.com								
Acqiris	www.acqiris.com		✓			✓			
Acromag	www.acromag.com	✓	✓		✓				
Actis	www.actis-computer.com	✓		✓					
ACTTechnico	www.acttechnico.com	✓							
Adas	www.adas.fr	✓	✓						
ADDI-DATA	www.addi-data.com			✓	✓	✓			
Adlink Technology	www.adlinktech.com	✓		✓	✓	✓			
Agilent	www.agilent.com				✓				
Alacron	www.alacron.com	✓							
Alphi Technology	www.alphitech.com	✓	✓	✓		✓			
AMO	www.amo.de					✓			
Analogic	www.analogic.com	✓	✓			✓			
Ancot	www.ancot.com								
Annapolis Micro Systems	www.annapmicro.com				✓				
Applied Data Systems	www.applieddata.net					✓			
Ascor	www.ascor-inc.com						✓		
Axiom Technology	www.axiomtek.com	✓		✓					
Az-Com	www.az-com.com								
Berkeley Nucleonics	www.berkeleynucleonics.com								
BI RA Systems	www.bira.com	✓							
BittWare	www.bittware.com	✓							
BVM	www.bvmltd.co.uk		✓						
BWI	www.bwi.com	✓		✓					
C&H Technologies	www.chtech.com	✓	✓	✓		✓			
CATC	www.catc.com								
Cluster Labs	www.cluster-labs.com					✓			
Concurrent Technologies	www.gocct.com			✓	✓				
Conduant	www.conduant.com					✓			
Consultronics	www.consultronics.com								
Copeland Communications, Inc.	www.copelandcommunications.com							✓	
CoSystems	www.cosystems.com								

Continued on page 92

Other										
Evaluation Board	LVDT/RVDT	Microwave	Pulse Amplifier	Pulse Generator	Signal Conditioner	Synchro-to-Digital	Test Systems	Waveform Digitizer	Waveform Digitizer/O-scope	Waveform Generator
							✓			
								✓		
							✓			
							✓	✓	✓	
							✓			
										✓
							✓			
		✓								
							✓			
				✓						
					✓					✓
							✓			
							✓			
							✓			

CompactPCI Chassis
We design and manufacture a family of CompactPCI chassis, backplanes and power supplies for same-day shipment. We also design and manufacture custom chassis solutions for the PC, CompactPCI and electronics industries.
NEW!
Whether you need one computer or thousands, whether you build them or want us to build them, we can help!
Visit our web site at www.calpc.com
CALIFORNIA PC PRODUCTS
Call NOW for free catalog and information: 1-888-396-4994

RSC# 9101 @www.compactpci-systems.com/rsc

96
DIGITAL I/O?
ZEPHYR'S ZPCI.4096 3U cPCI DIGITAL I/O CARD ALLOWS INTERRUPT, INPUT AND OUTPUT CONFIGURABILITY ON EVERY ONE OF ITS 96 REAR I/O PINS.
3U SINGLE SLOT
CompactPCI ®
ZEPHYR—IT WORKS™
For more information, please visit us at WWW.ZPCI.COM
ZEPHYR ENGINEERING, INC.
1620 WEST FOUNTAINHEAD PKWY, SUITE 320
TEMPE, AZ 85282-1876 (480)736-8714

RSC# 9102 @www.compactpci-systems.com/rsc

Company Name	Web Site	I/O				Other			
		Analog	Digital	Industrial	Multifunction	Data Acquisition	Digital Multimeters	Digital Radio	Digital-to-Synchro
Creative Electronic Systems	www.ces.ch				✓				
Cyclone Microsystems	www.cyclone.com				✓				
Data Design Corporation	www.datadesigncorp.net		✓						
Data Device	www.ddc-web.com								
Datel	www.datel.com	✓	✓	✓		✓			
DENSAN Systems	www.densan.com		✓						
Digalog Systems	www.digalogpxi.com								
Digilog	www.digilog.com								
Diversified Technology	www.dtims.com				✓				
Domain Technologies	www.domaintec.com					✓			
DRS	www.drs.com	✓							
DSPCon	www.dspcon.com	✓						✓	
D-TACQ Solutions	www.d-tacq.co.uk					✓			
Dy 4	www.dy4.com				✓				
Dynamic Engineering	www.dyneng.com		✓						
Echotek	www.echotek.com		✓					✓	
EKF-Electronik	www.ekf.de				✓				
ELMA Electronic	www.elma.com				✓				
esd	www.esd-electronics.com	✓	✓						
EuroTecH	www.eurotech.it					✓			
EXFO	www.exfo.com								
Extreme Engineering	www.xes-inc.com								
Frequency Devices	www.freqdev.com					✓			
Gage	www.gage-applied.com								
Galil Motion Control	www.galilmc.com			✓					
GE Fanuc Automation	www.gefanuc.com/embedded	✓		✓	✓				
General Standards	www.generalstandards.com	✓	✓	✓	✓	✓			
Geotest	www.geotestinc.com		✓		✓		✓		
GL Communications, Inc.	www.gl.com				✓				
GOEPEL	www.goepel.com					✓			
Highland Technology	www.highlandtechnology.com								
INCAA Computers	www.incaa.com								

Continued on page 94

BUYER'S GUIDE

Other										
Evaluation Board	LVDT/RVDT	Microwave	Pulse Amplifier	Pulse Generator	Signal Conditioner	Synchro-to-Digital	Test Systems	Waveform Digitizer	Waveform Digitizer/O-scope	Waveform Generator
				✓						
								✓		
						✓				
							✓			
							✓			
							✓			
							✓			
							✓			
								✓		
										✓
							✓			
			✓	✓						
								✓		

RSC# 9301 @www.compactpci-systems.com/rsc

RSC# 9302 @www.compactpci-systems.com/rsc

RSC# 9303 @www.compactpci-systems.com/rsc

Company Name	Web Site	I/O				Other			
		Analog	Digital	Industrial	Multifunction	Data Acquisition	Digital Multimeters	Digital Radio	Digital-to-Synchro
Inducom AcQ	www.acq.nl	✓		✓					
Innovative Integration	www.innovative-dsp.com	✓	✓			✓			
Inova	www.inova-computers.de	✓	✓						
Interactive Circuits & Sys.	www.ics-ltd.com	✓				✓		✓	
Interface Amita	www.interface-co.com		✓						
IO Tech	www.iotech.com			✓					
Joerger Enterprises	www.joergerinc.com	✓							
Kontron	www.kontron.com	✓	✓	✓		✓			
MathWorks	www.mathworks.com					✓			
Maxwell Technologies	www.maxwell.com		✓						
Measurement Computing	www.measurementcomputing.com	✓	✓						
Meilhaus Electronic	www.meilhaus.com	✓		✓		✓			
MEN Micro	www.menmicro.com	✓	✓	✓	✓	✓			
Mercury Computer Systems	www.mc.com		✓						
Merlin Electronics	www.merlinelectronics.com	✓							
Motion Engineering	www.motioneng.com			✓					
N.A.T.	www.nateurope.com				✓				
Nallatech	www.nallatech.com					✓			
National Instruments	www.ni.com	✓	✓			✓	✓		
National Semiconductor	www.national.com				✓				
New Horizons Electronics	www.nuhorizons.com								
NEXCOM International	www.nexcom.com				✓				
North Atlantic Industries	www.naii.com								✓
OSC	www.opticalswitch.com								
Pentek	www.pentek.com	✓	✓					✓	
Precision Communications, Inc.	www.precisioncomm.com	✓		✓					
PXIT	www.pxit.com				✓				
Radstone Technology	www.radstone.co.uk	✓	✓						
Reach Technologies	www.reach.bc.ca								
Red River	www.red-river.com							✓	
Rittal	www.rittal.corp.com	✓							
SBS Technologies	www.sbs.com	✓			✓				

Continued on page 96

BUYER'S GUIDE

Other										
Evaluation Board	LVDT/RVDT	Microwave	Pulse Amplifier	Pulse Generator	Signal Conditioner	Synchro-to-Digital	Test Systems	Waveform Digitizer	Waveform Digitizer/O-scope	Waveform Generator
						✓				
										✓
						✓				
					✓			✓		✓
✓										
	✓					✓				
							✓			
							✓			

UltraFast Data Acquisition
More Choice!
Formats:
✓ 19 PCI models
✓ 30 PXI models (3U)
✓ 17 CompactPCI models (6U)
Waveform Digitizers:
✓ 16, 14, 12 or 8 bit A/D's
✓ Up to 200 MS/s
✓ 1, 2, 4 or 8 channels
✓ 8-512 Mpoints memory
Waveform Generators:
✓ 14 or 8 bit D/A's
✓ Up to 125 MS/s
✓ 1, 2 or 4 channels
✓ 8-512 Mpoints memory
Digital I/O:
✓ 16, 32 or 64 channels
✓ Up to 125 MS/s
✓ 16-512 MBytes memory
www.strategic-test.com

RSC# 9501 @www.compactpci-systems.com/rsc



RSC# 9502 @www.compactpci-systems.com/rsc

Company Name	Web Site	I/O				Other			
		Analog	Digital	Industrial	Multifunction	Data Acquisition	Digital Multimeters	Digital Radio	Digital-to-Synchro
Schaffner EMC	www.3.schaffner.com								
Schroff US	www.schroff.us	✓							
Sensoray	www.sensoray.com	✓		✓		✓			
Signametrics	www.signametrics.com						✓		
SMA	www.SMAcomputers.com		✓		✓				
Soltec	www.solteccorp.com			✓	✓				
Sonoran MicroSystems	www.sonoranmicrosystems.com	✓							
Spectrum Sig. Proc.	www.spectrumsignal.com	✓	✓					✓	
Strategic Test	www.strategic-test.com		✓			✓			
Sundance DSP	www.sundance.com	✓	✓			✓		✓	
Systran	www.systran.com	✓		✓					
Technobox	www.technobox.com		✓		✓				
Technology Dynamics	www.technologydynamicsinc.com		✓						
Tecnint	www.tecnint.it					✓			
TEK Microsystems	www.tekmicro.com		✓					✓	
Tenta Technology	www.tenta.com	✓	✓						
Teradyne	www.teradyne.com								
Tews Technologies	www.tews.com	✓	✓						
Thales Computers	www.thalescomputers.com		✓		✓				
Tracewell Systems	www.tracewellsystems.com								
Transtech DSP	www.transtech-dsp.com		✓						
Traquair Data Systems	www.traquair.com	✓							
Tundra Semiconductor	www.tundra.com								
United Electronic Industries	www.ueidaq.com		✓			✓			
Valley Technologies	www.pmcmodules.com					✓		✓	
Vigilant Technologies	www.vigilanttech.com			✓					
VMETRO	www.vmetro.com	✓							
Xycom	www.xycom.com	✓	✓						
Zendex	www.zendex.com				✓				
Zephyr Engineering	www.zpci.com		✓						
ZTEC	www.ztec-inc.com								
Z-World	www.zworld.com					✓			

Other										
Evaluation Board	LVDT/RVDT	Microwave	Pulse Amplifier	Pulse Generator	Signal Conditioner	Synchro-to-Digital	Test Systems	Waveform Digitizer	Waveform Digitizer/O-scope	Waveform Generator
							✓			
								✓		
										✓
							✓			
							✓			
✓										
							✓			
						✓		✓		✓

TEST AND ANALYSIS PRODUCTS

Acromag Inc. AcPC730

AMO GmbH Saturn

National Instruments PXI-6552

Company Name	Web Site	Prototyping and Debugging					
		Aids	Boundary Scan	Bus Analyzer	Emulator	Fabric Analyzer	JTAG
3-D Engineering	www.3deng.com	✓					
ABS	www.abs-usa.com						
Accelent Systems	www.accelent.com						
Actis	www.actis-computer.com						
ACTTechnico	www.acttechnico.com			✓			
Agilent	www.agilent.com			✓			
Aicas GmbH	www.aicas.com						
AIM USA	www.aim-online.com			✓			
Aisys	www.aisysinc.com						
Alliance Systems	www.alliancesystems.com						
Alphi Technology	www.alphitech.com						
American Logic Machines	www.alm-net.com	✓					
American Megatrends	www.ami.com						
AMO	www.amo.de				✓		
Ancot	www.ancot.com			✓			
APW Electronic Solutions	www.apw.com	✓					
ARC	www.psti.com						
ARM	www.allant.com						
Artesyn Communication	www.artesyncp.com						
Artisan Software Tools	www.artisansw.com						
Az-Com	www.az-com.com	✓					
Aztek Engineering	www.aztek-eng.com						
BittWare	www.bittware.com						
Bloomy Controls	www.bloomy.com						
BSQUARE	www.bsquare.com						
Bustronic	www.bustronic.com	✓					
Carlo Gavazzi	www.gavazzi-mupac.com	✓					
Catalyst Enterprises	www.catalyst-ent.com	✓		✓			
CATC	www.catc.com					✓	
CML Versatel	www.cmlversatel.com						
CMX Systems	www.cmx.com						
CodeGen	www.codegen.com						
Commetrex	www.commetrex.com						
Concurrent Technologies	www.gocct.com						
Continuous Computing	www.ccpu.com						
Corelis	www.corelis.com						✓

Continued on page 100

Other				Software														
Development Platform	IDE	System Integration Services	Technical Reference	Application	BIOS	Board Support Packages	Compilers	Development Tool	Driver	Java	Library	Linux	Modeling Tool	Networking	Operating System	Protocol Stack	Telecom
								✓									
	✓																
						✓											
✓																	
								✓			✓						
										✓							
						✓			✓								
✓																	
									✓								
								✓									
✓																	
															✓		
	✓																
						✓										✓	✓
✓																	
								✓						✓			
								✓									
		✓															
								✓									
						✓											
								✓							✓		
					✓		✓										
															✓		
✓																	
																	✓

Company Name	Web Site	Prototyping and Debugging					
		Aids	Boundary Scan	Bus Analyzer	Emulator	Fabric Analyzer	JTAG
CoSystems	www.cosystems.com						
Crystal Group	www.crystalpc.com						
Cyclone Microsystems	www.cyclone.com						
D2 Technologies	www.d2tech.com						
Datalight	www.datalight.com						
Dawn VME Products	www.dawnvme.com	✓					
Domain Technologies	www.domaintec.com				✓		
DSP Research	www.dspr.com				✓		
Dy 4	www.dy4.com						
ELMA Electronic	www.elma.com	✓					
Embedded Technologies	www.embeddedtechnologies.com						
Excalibur Systems	www.mil-1553.com						
Flash Vos	www.flashvos.com						
Force Computers	www.forcecomputers.com						
Frequency Devices	www.freqdev.com	✓					
FuturePlus Systems	www.futureplus.com			✓			
Gage	www.gage-applied.com						
GAO Research	www.gaoresearch.com						
GE Fanuc Automation	www.gefanuc.com/embedded						
General Micro Systems	www.gms4vme.com						
General Software	www.gensw.com						
Geotest	www.geotestinc.com						
GESPAC	www.gespac.ch						
GNP	www.gnp.com						
GoAhead Software	www.goahead.com						
GOEPEL	www.goepel.com		✓				
Green Hills Software	www.ghs.com	✓					✓
Harting	www.harting.com	✓					
HKM	www.pci-tools.com	✓					
Hybricon	www.hybricon.com						
Hyperception	www.hyperception.com	✓					
IBM	www.ibm.com						
I-BUS	www.ibus.com						
Inducom AcQ	www.acq.nl						
Integrated Device Technology	www.idt.com	✓					
Interphase	www.interphase.com						

Continued on page 102

Other				Software													
Development Platform	IDE	System Integration Services	Technical Reference	Application	BIOS	Board Support Packages	Compilers	Development Tool	Driver	Java	Library	Linux	Modeling Tool	Networking	Operating System	Protocol Stack	Telecom
✓																	
✓																	
									✓								
											✓						
															✓	✓	
											✓						
						✓											
✓																	
✓																	
	✓																
															✓		
✓																	
								✓									
																	✓
								✓	✓								
								✓									
✓								✓									
✓				✓				✓									
						✓											
																	✓
																	✓
	✓							✓							✓		
✓																	
	✓																
✓																	
																✓	
	✓	✓															

Company Name	Web Site	Prototyping and Debugging					
		Aids	Boundary Scan	Bus Analyzer	Emulator	Fabric Analyzer	JTAG
IO Tech	www.iotech.com						
Jungo	www.jungo.com						
Kaparel	www.kaparel.com			✓			
Kontron	www.kontron.com	✓					
Lantronix	www.lantronix.com						
Lauterbach	www.lauterbach.com				✓		✓
Lucent	www.lucent.com						
LVL7	www.LVL7.com						
LynuxWorks	www.lynuxworks.com	✓					
Lyrtech	www.lyrtech.com	✓					
MathWorks	www.mathworks.com						
MEN Micro	www.menmicro.com	✓					
Mercury Computer Systems	www.mc.com						
Metrowerks	www.metrowerks.com						
Microsoft	www.microsoft.com						
MontaVista	www.mvista.com						
Motorola Computer Group	mcg.motorola.com						
National Instruments	www.ni.com						
ND Tech	www.nd-tech.com						
Neoware Systems	www.neoware.com						
New Wave	www.busboards.com			✓			
NewMonics	www.newmonics.com						
NMS Communications	www.nmscommunications.com						
Numerix	www.numerix.co.uk						
OEM Micro Solutions	www.oemmicro.com						
OSE Systems	www.ose.com	✓					
PCI Embedded Computer Systems	www.pcisystems.com	✓					
PCI Tools	www.pci-tools.com	✓					
Pentek	www.pentek.com						
Performance Technologies	www.pt.com						
PIKA Technologies	www.pikatechnologies.com						
PLDApplications	www.plda.com	✓					
PLX Technology	www.plxtech.com						
ProSyst Software	www.prosyst.com						
QLogic Corp.	www.qlogic.com						
QNX Software Systems	www.qnx.com						

Continued on page 104

Other				Software														
Development Platform	IDE	System Integration Services	Technical Reference	Application	BIOS	Board Support Packages	Compilers	Development Tool	Driver	Java	Library	Linux	Modeling Tool	Networking	Operating System	Protocol Stack	Telecom
									✓								
									✓								
✓																	
✓																	
															✓		
								✓									
																	✓
														✓			
	✓							✓				✓			✓	✓	
								✓					✓				
															✓		
	✓														✓		
	✓							✓				✓					
															✓		
												✓					
									✓						✓		✓
								✓									
✓																	
															✓		
										✓							
																	✓
											✓						
		✓															
								✓		✓	✓			✓	✓		
								✓									
												✓				✓	✓
																	✓
✓																	
✓								✓									
														✓			
														✓			
															✓		

Company Name	Web Site	Prototyping and Debugging					
		Aids	Boundary Scan	Bus Analyzer	Emulator	Fabric Analyzer	JTAG
QuickLogic	www.quicklogic.com	✓					
Radisys (Microware)	www.radisys.com/microware.cfm						
RadiSys Corp	www.radisys.com						
Rittal	www.rittal.corp.com	✓					
SBE	www.sbei.com						
SBS Technologies	www.sbs.com						
Schroff US	www.schroff.us						
Silicon Concepts Ltd.	www.silicon-concepts.com						
Silicon Control	www.silicon-control.com			✓			
Softronics	www.softronix.com				✓		
Spectrum Sig. Proc.	www.spectrumsignal.com						
SSV Software Systems	www.ssv-embedded.de						
StarGen	www.stargen.com						
SynaptiCAD	www.syncad.com						
Synergy Microsystems	www.synergymicro.com						
Systran	www.systran.com						
Technobox	www.technobox.com	✓					
Telelogic	www.telelogic.com						
Texas Instruments	www.ti.com						
Themis Computer	www.themis.com						
TimeSys	www.timesys.com						
Tracewell Systems	www.tracewellsystems.com						
Tundra Semiconductor	www.tundra.com	✓					
Twin Industries	www.twinhunter.com	✓					
VenturCom	www.vci.com	✓					
VMETRO	www.vmetro.com			✓			
Voiceboard	www.voiceboard.com						
Wasabi Systems	www.wasabisystems.com						
Westek	www.westekuk.com						
WIN Enterprises	www.win-ent.com						
Wind River	www.windriver.com	✓			✓		
Xecom	www.xecom.com						
XILINX	www.xilinx.com						
Zephyr Engineering	www.zpci.com	✓					

Other				Software														
Development Platform	IDE	System Integration Services	Technical Reference	Application	BIOS	Board Support Packages	Compilers	Development Tool	Driver	Java	Library	Linux	Modeling Tool	Networking	Operating System	Protocol Stack	Telecom
															✓		
✓															✓		
								✓			✓						
									✓								
			✓														
✓																	
								✓			✓						
								✓									
											✓						
													✓				
						✓									✓		
								✓									
✓																	
								✓									
								✓									
																	✓
								✓									
✓																	
	✓														✓		
																	✓
															✓	✓	
✓																	
✓																	
✓	✓							✓									
															✓		
								✓									
✓																	

This processor card pops the performance and drops the cost.

In the ongoing struggle between higher performance and lower cost, the clear winner is Motorola's PrPMC family.

Take, for example, the PrPMC815 with a security coprocessor option or the PrPMC800 with AltiVec technology. Both processor PMCs help you increase product performance and lower your total cost of ownership.

That's quite a combination.

So designers and bean counters no longer argue over which card to choose; instead they argue over who identified Motorola's processor PMCs first.

Motorola's family of high performance, flexible processor cards is designed to be the heart of DSP applications in medical equipment, semiconductor production and test equipment, and telecom equipment.

With a complete CPU and memory subsystem, the PrPMC family combined with Motorola's PowerPlus III architecture is the choice of the lab and the CFO to get high end, high performance products to market quickly.

Ethernet capabilities, power efficiency, and a small footprint all meet the demanding needs of the design team and the front office.

For full specs, applications, and availability of the PrPMC family, visit www.motorola.com/computer/arrow03 or call 1-888-427-2250.

Motorola's extensive family of processor PMCs pops your performance and drops your cost. Who says you can't please everyone? These are geek approved and CFO endorsed.

Geek approved.

CFO endorsed.

OEM Computing Solutions

888-427-2250

www.arrownacp.com

MOTOROLA

Authorized Distributor

0201 BWDS500

RSC# 106 @www.compactpci-systems.com/rsc

MOTOROLA and the stylized M logo are registered in the US Patent & Trademark Office. "Your support system" is the property of Arrow Electronics, Inc.

Your support system℠

ARROW

Company Name	Web Site	Fieldbus				Other														
		CAN	DeviceNet	Profibus	Other	Alarm	Component-Level Modules	Counter/Timer	GPS/Precision Time Code	Graphics	Image Processing	LVDS	Motion Control	Optical	Servers	System Management	System Monitoring	Touch Interface	Turnkey System	Turnkey System: Telecom
Acromag	www.acromag.com			✓				✓												
ACS-Tech 80	www.acs-tech80.com												✓							
Actis	www.actis-computer.com												✓							
ACTTechnico	www.acttechnico.com					✓													✓	
Adas	www.adas.fr	✓							✓											
ADDI-DATA	www.addi-data.com							✓												
Adlink Technology	www.adlinktech.com	✓								✓			✓		✓					
Advansor	www.advansor.com																		✓	
Advantech	www.advantech.com														✓				✓	
Agilent	www.agilent.com													✓						
Aitech	www.rugged.com									✓										
Alacron	www.alacron.com										✓									
Alliance Systems	www.alliancesystems.com														✓				✓	
AMIRIX Systems	www.amirix.com												✓							
AMREL	www.amrel.com																	✓		
Analog Devices	www.analog.com/dsp													✓						
Ansoft	www.ansoft.com			✓																
Appro	www.appro.com														✓					
Arista	www.aristaipc.com																	✓		
Bloomy Controls	www.bloomy.com																		✓	
Brandywine Communications	www.brandywinecomm.com							✓	✓											
BVM	www.bvmltd.co.uk																		✓	
C&D Technologies	www.cdpoweronline.com						✓													
C&H Technologies	www.chtech.com							✓												
Cambridge Innovations	www.camb-innov.com					✓														
COGNEX	www.cognex.com										✓									
Concurrent Technologies	www.gocct.com									✓										
Continuous Computing	www.ccpu.com																			✓
Coreco Imaging	www.imaging.com										✓									

Continued on page 108

Company Name	Web Site	Fieldbus				Other													
		CAN	DeviceNet	Profibus	Other	Alarm	Component-Level Modules	Counter/Timer	GPS/Precision Time Code	Graphics	Image Processing	LVDS	Motion Control	Optical	Servers	System Management	System Monitoring	Touch Interface	Turnkey System	Turnkey System: Telecom
Creative Electronic Systems	www.ces.ch								✓											
Cybectec	www.cybectec.com																		✓	
Cyberchron	www.cyberchron.com																		✓	
Datel	www.datel.com							✓												
Dawn VME Products	www.dawnvme.com																✓			
Densitron	www.densitron.com																	✓		
Diversified Technology	www.dtims.com																		✓	
DMD Computers	www.dmd.it			✓																
Dy 4	www.dy4.com									✓										
EKF-Electronik	www.ekf.de	✓							✓	✓										
ELMA Electronic	www.elma.com						✓												✓	
Emtrion	www.emtrion.com	✓																		
ERNI	www.erni.com			✓	✓															
esd	www.esd-electronics.com	✓																		
EXFO	www.exfo.com					✓														
Force Computers	www.forcecomputers.com														✓				✓	✓
GE Fanuc Automation	www.gefanuc.com/embedded														✓				✓	
General Micro Systems	www.gms4vme.com									✓										
GESPAC	www.gespac.ch									✓										
GNP	www.gnp.com														✓		✓			✓
HMS Industrial Networks	www.anybus.com				✓															
Hybricon	www.hybricon.com					✓														
I-BUS	www.ibus.com														✓				✓	✓
Inducom AcQ	www.acq.nl	✓						✓					✓							
Inova	www.inova-computers.de	✓		✓	✓					✓									✓	
Intel	www.intel.com																			✓
Interay BV	www.interay.com										✓									
InterlinkBT	www.interlinkbt.com				✓															
ITenclosures	www.itenclosures.com					✓														
ITOX	www.itox.com														✓					

Continued on page 110

Linux On Demand

You Decide...Linux ready on every board

lanPMC-4Gx



Quad port Gigabit Ethernet copper or fiber PMC adapter

- 2 or 4 auto-negotiating 10/100/1000 Ethernet ports
- Fiber version supports long and short reach
- Auto sensing speed, simplex/duplex, flow control, and detection of polarity and cable lengths on copper version

wanADAPT-C4T1E1



Channelized quad port T1/E1/J1 PCI WAN adapter

- 128 channels (DS0)
- Line buildouts from DSX to DS1
- Supports D4, SF, ESF, SLC-96, JT-6704 framing
- Selectable clock options

HW400c/M DKL

6U CPCI processing blade with dual PTMC sites

- 333 MHz PowerPC CPU
- PICMG 2.16 Packet Switching Backplane enabled
- Dual 10/100 Ethernet ports
- Includes TimeSys Linux GPL Software Developer's Kit
- Drivers for T1/E1, T3/E3, HSSI, V.35, X.21 & other SBE PMCs

SBE®

WAN • LAN • Storage • Carriers • Custom

flexibility on demand | 925-355-2000 | info@sbei.com | www.sbei.com

RSC# 109 @www.compactpci-systems.com/rsc

Company Name	Web Site	Fieldbus				Other													
		CAN	DeviceNet	Profibus	Other	Alarm	Component-Level Modules	Counter/Timer	GPS/Precision Time Code	Graphics	Image Processing	LVDS	Motion Control	Optical	Servers	System Management	System Monitoring	Touch Interface	Turnkey System	Turnkey System: Telecom
Ixxat	www.ixxatusa.com	✓																	
Janich & Klass	www.janichklass.com				✓														
Janz Computer	www.janzag.de	✓																	
JK microsystems	www.jkmicro.com																	✓	
Kontron	www.kontron.com	✓		✓		✓				✓			✓					✓	
KSI Corporation	www.KSI-corp.com								✓										
Marathon	www.marathon-int.com														✓				
Matrox	www.matrox.com/Imaging									✓									
Media Cybernetics	www.mediacy.com										✓								
MEN Micro	www.menmicro.com	✓		✓				✓	✓	✓			✓						
Mercury Computer Systems	www.mc.com										✓								
Merge Technologies Group	www.mergetech.com																		✓
Micralyne	www.micralyne.com		✓																
Motion Engineering	www.motioneng.com												✓						
Motorola Computer Group	mcg.motorola.com									✓								✓	✓
National Instruments	www.ni.com	✓	✓					✓					✓						
Neoware Systems	www.neoware.com																	✓	
New Horizons Electronics	www.nuhorizons.com																		✓
NEXCOM International	www.nexcom.com														✓				
NMS Communications	www.nmscommunications.com																	✓	
One Stop Systems	www.onestopsystems.com														✓		✓	✓	
Oregon Micro Systems	www.omsmotion.com												✓						
PCI Embedded	www.pcisystems.com												✓						
Performance Technologies	www.pt.com															✓		✓	
Pericom	www.pericom.com											✓							
Peritek	www.peritek.com									✓									
PFU Systems	www.PFUsystems.com														✓				
Pigeon Point	www.pigeonpoint.com																✓		
Pinnacle Data Systems	www.pinnacle.com														✓				

Continued on page 113

New *CompactPCI* Products

2U high and 4U high Carrier Class Enclosures

- Up to four 300 watt hot swappable power supplies
- Up to four front-loading hot swap fans in hot swappable canisters
- Hot swappable rear exhaust fans
- 12" deep
- Front or center-mounted rack ears for 19" or 23" racks
- 4-slot or 8-slot cPCI backplanes in a variety of configurations including H.110 and 2.16

Portable Workstation

- Dimensions: 17" high x 12" wide x 20" deep
- 300 watt modular power supply with integral cooling fans
- Two 5.25" peripheral bays
- Two 3.5" hard disk removable canisters for hard disks
- 6-slot or 8-slot cPCI backplane with H.110 bus and transition module support
- Two hot-swappable fan trays
- Retractable handle on top

6U CPU boards

- System and peripheral controllers with single or dual 700Mhz, 800Mhz, or 1.2Ghz PIII CPUs

Call us today for a free Enclosure and Backplane Catalog and pricing.

RSC# 111 @www.compactpci-systems.com/rsc

ONE STOP SYSTEMS

CALL US TODAY!
TOLL FREE 1-877-GET-CPCI

One Stop Systems designs and manufactures a broad selection of standard, custom, and semi-custom CompactPCI backplanes, enclosures, and I/O boards for telecom/datacom industrial control, and military applications. Responsive service and the highest quality design and manufacturing, plus on-time delivery characterize our customer expectations.

www.onestopsystems.com

CompactPCI Processor Boards

Whatever your application, we can offer you a choice of high performance CompactPCI® processor boards; these boards are PICMG® 2.16 compliant and support IPMI and many of today's leading operating systems including Windows®, Linux®, VxWorks®, QNX® and Solaris™ Extended temperature products also available

Dual Xeon™

- dual 2.0GHz Xeon processors
- up to 4 Gbytes DDR DRAM
- high performance SCSI and EIDE
- 2 x Gigabit Ethernet interfaces
- PMC site or optional disk drives

PP 220/01x

Dual Pentium® III

- dual 933MHz Pentium III processors
- up to 1 Gbyte DRAM
- high performance SCSI and EIDE
- 4 x Gigabit Ethernet interfaces
- PMC site or optional disk drives

PP 120/01x

Pentium M (available Q4)

- 1.6GHz Pentium M
- up to 2 Gbytes DDR DRAM
- 3 x Gigabit Ethernet interfaces
- graphics, EIDE, + optional disk drives

Pentium 4

- 2.2GHz or 1.7GHz Pentium 4
- up to 2 Gbytes DDR DRAM
- 3 x Gigabit Ethernet interfaces
- high performance SCSI and EIDE
- PMC site or optional disk drives

PP 200/01x

Pentium III Dual PMC

- 1.2GHz or 800MHz Pentium III 512K
- up to 1.5 Gbytes DRAM
- 2 x Gigabit Ethernet interfaces
- graphics, EIDE and optional disk drives

For more information please visit our website, or contact your local office/distributor

Concurrent Technologies Inc
3840 Packard Road, Suite 130,
Ann Arbor, MI 48108
U. S. A.
Tel: (734) 971 6309
Fax: (734) 971 6350
http://www.gocct.com

CONCURRENT TECHNOLOGIES

Email: info@gocct.com

Concurrent Technologies Plc
4 Gilberd Court, Newcomen Way
Colchester, Essex CO4 9WN,
U. K.
Tel: (+44) 1206 752626
Fax: (+44) 1206 751116
http://www.cct.co.uk

All trademarks acknowledged

RSC# 112 @www.compactpci-systems.com/rsc

Company Name	Web Site	Fieldbus				Other													
		CAN	DeviceNet	Profibus	Other	Alarm	Component-Level Modules	Counter/Timer	GPS/Precision Time Code	Graphics	Image Processing	LVDS	Motion Control	Optical	Servers	System Management	System Monitoring	Touch Interface	Turnkey System	Turnkey System: Telecom
Primagraphics	www.primag.co.uk									✓										
Pulse	www.pulseeng.com						✓													
Radstone Technology	www.radstone.co.uk	✓								✓	✓								✓	
RADVision	www.radvision.com																			✓
RGB Spectrum	www.rgb.com									✓										
SBS Technologies	www.sbs.com																✓			✓
Schroff US	www.schroff.us																			✓
Sensoray	www.sensoray.com									✓										
Siemens	www.siemens.com	✓		✓									✓							
SKY Computers	www.skycomputers.com														✓				✓	
SMA	www.SMAcomputers.com				✓															
Soltec	www.solteccorp.com									✓									✓	
Sun Microsystems	www.sun.com														✓					
Symmetricom Inc.	www.symmetricom.com							✓	✓											
Synergy Microsystems	www.synergymicro.com									✓										
Systran	www.systran.com							✓												
Teradyne	www.teradyne.com													✓			✓			
Tews Technologies	www.tews.com	✓																		
Texas Instruments	www.ti.com											✓								
Thales Computers	www.thalescomputers.com									✓										✓
Themis Computer	www.themis.com														✓					
Trilogic Systems	www.trilogicsystems.com					✓														
Tyco Electronics	www.tycoelectronics.com													✓						
Vista Controls	www.vistacontrols.com									✓										
Vitesse Semiconductor	www.vitesse.com													✓						
Voiceboard	www.voiceboard.com																✓			
Wind River	www.windriver.com														✓					
Xycom	www.xycom.com							✓												
Zephyr Engineering	www.zpci.com																		✓	
ZTEC	www.ztec-inc.com							✓												

Company Name	Web Site	Bridge						Memory			
		cPCI-to-cPCI	cPCI-to-PCI	cPCI-to-VMEbus	PCI-to-PCI	PCI-to-VMEbus	Processor-to-PCI	Buffer	Flash	General Purpose	Reflective
Acqiris	www.acqiris.com									✓	
ACTTechnico	www.acttechnico.com										
Aculab	www.aculab.com										
Adas	www.adas.fr										
Agere	www.agere.com										
Alacron	www.alacron.com									✓	
Alpha Data	www.alpha-data.co.uk										
Alphi Technology	www.alphitech.com										
Amtelco	www.amtelco.com										
Applied Precision LLC	www.api.com										
APW Electronic Solutions	www.apw.com	✓									
Aurora Technologies	www.auroratech.com		✓								
BittWare	www.bittware.com										
Chrislin Industries, Inc.	www.chrislin.com									✓	
Cluster Labs	www.cluster-labs.com										
Commetrex	www.commetrex.com										
Communications Automation	www.cacdsp.com										
Computer Modules	www.compumodules.com									✓	
Conduant	www.conduant.com									✓	
Connect One Semiconductors	www.connectone.com										
Coreco Imaging	www.imaging.com										
Creative Electronic Systems	www.ces.ch				✓						
Data I/O	www.dataio.com								✓		
Dataram	www.dataram.com									✓	
Delphi Engineering	www.DelphiEng.com										
DENSAN Systems	www.densan.com				✓					✓	
Domain Technologies	www.domaintec.com										
DRS	www.drs.com										
DSP Research	www.dspr.com										
DSPCon	www.dspcon.com										

Continued on page 116

DSP Resource Boards							Chips & Cores							Other			
CompactPCI	IndustryPack	PC•MIP	PCI/ISA	PMC	Resource Boards	TIM	ARM	Bridging	Bus Interface	DSP	FPGA	MIPS	PowerPC	DSP Algorithm	DSP Alternative	FPGA	PCMCIA
																	✓
✓																	
					✓												
										✓							
✓				✓													
																✓	
✓																	
									✓								
										✓							
✓				✓	✓											✓	
✓																	
														✓			
✓																	
							✓										
✓																	
				✓													
✓	✓																
✓				✓						✓							
✓																	
				✓													

Company Name	Web Site	Bridge						Memory			
		cPCI-to-cPCI	cPCI-to-PCI	cPCI-to-VMEbus	PCI-to-PCI	PCI-to-VMEbus	Processor-to-PCI	Buffer	Flash	General Purpose	Reflective
Dy 4	www.dy4.com				✓						
Dynamic Engineering	www.dyneng.com										
EKF-Electronik	www.ekf.de										
Eonic Systems	www.eonic.com										
Eureka Technolgoy, Inc.	www.eurekatech.com				✓		✓		✓		
Extreme Engineering	www.xes-inc.com		✓								
Fairchild	www.fairchildsemi.com										
GAO Research	www.gaoresearch.com										
GE Fanuc Automation	www.gefanuc.com/embedded									✓	✓
General Standards	www.generalstandards.com				✓				✓		
Graychip	www.graychip.com										
Hartmann Elektronik	www.hartmann-elektronik.de		✓								
Hewlett Packard	www.cpus.hp.com										
Hunt Engineering	www.hunteng.co.uk										
Inducom AcQ	www.acq.nl								✓		
Infineon	www.infineon.com										
Innovative Integration	www.innovative-dsp.com										
Inova	www.inova-computers.de								✓	✓	
Kaparel	www.kaparel.com				✓						
LSI Logic	www.lsilogic.com										
Mango DSP	www.mangodsp.com										
Mellanox	www.mellanox.com				✓						
MEN Micro	www.menmicro.com									✓	
Mercury Computer Systems	www.mc.com									✓	
Micro Memory	www.umem.com									✓	
MIPS Technologies	www.mips.com										
Motion Engineering	www.motioneng.com									✓	
Motorola Computer Group	mcg.motorola.com										
Nallatech	www.nallatech.com										
National Instruments	www.ni.com		✓								

Continued on page 118

DSP Resource Boards							Chips & Cores							Other			
CompactPCI	IndustryPack	PC•MIP	PCI/ISA	PMC	Resource Boards	TIM	ARM	Bridging	Bus Interface	DSP	FPGA	MIPS	PowerPC	DSP Algorithm	DSP Alternative	FPGA	PCMCIA
	✓																
																	✓
✓										✓							
								✓	✓								
									✓								
														✓			
																	✓
✓																	
										✓							
✓			✓		✓												
✓																	
										✓							
✓					✓												
										✓							
✓																	
		✓							✓								
												✓					
✓																	
																✓	

Company Name	Web Site	Bridge						Memory			
		cPCI-to-cPCI	cPCI-to-PCI	cPCI-to-VMEbus	PCI-to-PCI	PCI-to-VMEbus	Processor-to-PCI	Buffer	Flash	General Purpose	Reflective
New Horizons Electronics	www.nuhorizons.com										
NMS Communications	www.nmscommunications.com										
North Atlantic Industries	www.naii.com										
Nova Engineering	www.nova-eng.com										
Octasic	www.octasic.com										
Odin TeleSystems	www.OdinTS.com										
Orion Technologies	www.otisolutions.com										✓
Pericom	www.pericom.com				✓						
Peritek	www.peritek.com		✓								
PLDApplications	www.plda.com										
PLX Technology	www.plxtech.com				✓						
Polycom	www.polycom.com										
QuickLogic	www.quicklogic.com				✓					✓	
Radstone Technology	www.radstone.co.uk								✓		
Real-Time Digital	www.rtdsp.com										
Reasearch Center	www.module.ru										
RF Engines Limited	www.rfengines.com										
Sanmina-SCI	www.sanmina.com									✓	
SBS Technologies	www.sbs.com			✓							
Sensoray	www.sensoray.com		✓								
Signalogic	www.signalogic.com										
Signatec	www.signatec.com										
SimpleTech	www.simpletech.com								✓		
SMA	www.SMAcomputers.com										
Smart Modular Tech.	www.smartm.com									✓	
Solflower Computer	www.solflower.com			✓							
Spectrum Sig. Proc.	www.spectrumsignal.com										
StarCore	www.starcore-dsp.com										
StarGen	www.stargen.com				✓						
Sundance DSP	www.sundance.com										

Continued on page 120

DSP Resource Boards							Chips & Cores							Other			
CompactPCI	IndustryPack	PC•MIP	PCI/ISA	PMC	Resource Boards	TIM	ARM	Bridging	Bus Interface	DSP	FPGA	MIPS	PowerPC	DSP Algorithm	DSP Alternative	FPGA	PCMCIA
																✓	
✓																	
				✓													
✓																	
				✓											✓		
				✓													
									✓								
									✓								
								✓	✓				✓				
										✓							
✓												✓					
				✓													
✓																	
✓				✓													
										✓							
																	✓
✓																	
✓																	
																	✓
✓																	
✓				✓												✓	
										✓							
					✓	✓					✓					✓	

Company Name	Web Site	Bridge						Memory			
		cPCI-to-cPCI	cPCI-to-PCI	cPCI-to-VMEbus	PCI-to-PCI	PCI-to-VMEbus	Processor-to-PCI	Buffer	Flash	General Purpose	Reflective
Synergy Microsystems	www.synergymicro.com									✓	
Systran	www.systran.com									✓	
Targa Systems	www.targasystems.com								✓		
Technobox	www.technobox.com				✓				✓		
Texas Instruments	www.ti.com				✓						
Texas Memory Systems	www.texmemsys.com										
Tracewell Systems	www.tracewellsystems.com	✓									
Transtech DSP	www.transtech-dsp.com										
Traquair Data Systems	www.traquair.com										
Tundra Semiconductor	www.tundra.com					✓	✓				
Twin Industries	www.twinhunter.com		✓								
Ubicon	www.ubicom.com										
Valley Technologies	www.pmcmodules.com										
Virtium Technology	www.virtium.com							✓		✓	
Vitesse Semiconductor	www.vitesse.com										
Voiceboard	www.voiceboard.com										
XILINX	www.xilinx.com										

BOARD LEVEL PRODUCTS

Valley Technologies, Inc. VT-142x

Sundance SMT338

DSP Resource Boards							Chips & Cores							Other			
CompactPCI	IndustryPack	PC•MIP	PCI/ISA	PMC	Resource Boards	TIM	ARM	Bridging	Bus Interface	DSP	FPGA	MIPS	PowerPC	DSP Algorithm	DSP Alternative	FPGA	PCMCIA
																	✓
										✓							
✓										✓							
				✓													
✓																	
								✓	✓				✓				
										✓							
				✓													
										✓							
				✓	✓												
											✓						

FOR MORE INFORMATION ON THESE AND OTHER PRODUCTS, PLEASE CHECK OUR WEB SITE AT:

www.compactpci-systems.com


BEWARE OF PROTOTYPES
The Tundra Tsi310™ PCI-X to PCI-X Bus Bridge is the only bridge of its kind in production.
Adopted by leading storage system suppliers, it's currently in a wide variety of applications.
We are the industry standard.
The Tsi310 is the low risk, proven choice and it's available from Tundra today.
www.tundra.com/tsi310
TUNDRA

RSC# 12101 @www.compactpci-systems.com/rsc

Are you suffering from poor memory performance from your PowerPC® system controller?
The Tundra Tsi107™ PowerPC Host Bridge will give you better memory performance for less than your existing solution.
Contact us today for more information.
www.tundra.com/tsi107
TUNDRA

RSC# 12102 @www.compactpci-systems.com/rsc

NEW PRODUCTS

By Eli Shapiro *E-mail: newproducts@opensystems-publishing.com*

BACKPLANE: SWITCHED FABRIC

Performance Technologies

Web site: www.pt.com
Model: CPC440X **RSC No:** 16668
A 10/100/1000 Ethernet switching platform • CompactPCI packet switching backplane-compliant • 24 10/100 auto-negotiating Ethernet ports • Two Gigabit ports • Rugged, hot-swap CompactPCI 6U form factor • PICMG 2.16-compliant • 802.3ad link aggregation, VRRP, 802.1q VLANs, and 802.1q CoS • Can be configured as a fully redundant, non-blocking switching fabric

BRIDGE: PCI-TO-PCI

PLX Technology

Web site: www.plxtech.com
Model: HB1 **RSC No:** 16388
A low-cost PCI-to-PCI bridge chip • PCI Local Bus specification rev 2.1 • CompactPCI Hot Swap compliant • Small footprint 128-pin package • Supports 3.3V, 32-bit, 33 MHz operation • Synchronous primary and secondary ports • Arbitration support for four bus masters on secondary interface

DATA ACQUISITION

National Instruments

Web site: www.ni.com
Model: PXI-4220 **RSC No:** 16771
A PXI data acquisition board for high-speed strain measurements • Two strain gauge inputs at 200 Ksamples/sec, 16-bit resolution • Programmable excitation (0V-10V) per channel • Programmable gain (1 to 1000) per channel • Programmable 4-pole Butterworth filter (10 Hz, 100 Hz, 1 KHz, 10 KHz) per channel • Quarter, half, and full-bridge completion • Differential simultaneous sampling inputs • Dual 9-pin D-Sub connectors (one per channel) • Two shunt calibration circuits per channel • Remote sensing • NI-DAQ driver simplifies configuration and measurements • Compatible operating systems: Windows 2000/NT/XP • Includes NI-DAQ 7 driver software

DATACOM: SERIAL CONTROLLER

VISTA Controls Corporation

Web site: www.vistacontrols.com
Model: PSC8/SPMC **RSC No:** 16994
Serial I/O PMC • Eight Channels of Serial communications: Four RS-423 and four RS-422/485 • 8 Kbytes D/P Buffer Memory • 32 Kbytes EEPROM • DMA engine to decrease CPU loading (RS-422) • Supports Bit and Byte Protocols • Data rates to 38.4 Kbaud/sec over RS-423 • Data rates to 4 Mbits/sec over RS-422 • Supports asynchronous formats • HDLC and SDLC protocols and CRC generation • User-configurable data size, stop bits, parity and baud rate generator • Local loop-back and auto-echo modes • PMC interface • Air Cooled and Conduction Cooled versions are available • BIT (Built-in-Test)

DSP RESOURCE BOARDS: COMPACTPCI

SMA Computers

Web site: www.SMAcomputers.com
Model: CDSP **RSC No:** 16502
A 3U CompactPCI DSP board • TI TMS320C6202 DSP at 300 MHz • 16 Mbytes of RAM • 1 Mbyte of Flash EPROM • Two 32-bit timers • Four 12-bit analog inputs • Two RS-422 serial ports • 24-bit line camera interface

ENCLOSURE + CARD RACK + POWER SUPPLY

Hybricon Corp.

Web site: www.hybricon.com
Model: RME21 Enclosures **RSC No:** 16208
A line of CoolSlot enclosures for CPCI PICMG 2.16, VME, and VME64x • 19 rackmount enclosures, 10U high, 21 Deep • CompactPCI PICMG 2.16, VME64x and VME backplanes available • Pac-2000 IEEE 1101.10/11 card cage • Front panel power switch (DC enable) • Reset switch • Handles • Optional peripheral mounting for three standard 5.25" peripherals

One Stop Systems Inc.

Web site: www.onestopsystems.com
Model: OSS-ENCL-6U-14-600 **RSC No:** 17003
8U high enclosure, gold chem filled aluminum (optionally painted to customer's specification) • 14-slot CompactPCI backplane with H.110 telephony bus (optional backplanes available) • Up to four 3U, hot-swap, 200W power supplies • Three hot-swap fans (53cfm each) and three hot-swap blowers (23cfm each) • Optional hard drive canisters • Optional Internet-based system monitor • TUV/UL agency approvals

GRAPHICS

VISTA Controls Corporation

Web site: www.vistacontrols.com
Model: Duros/PMC **RSC No:** 16047
Conduction cooled • High-resolution • Dual head display controller • Features Silicon Motion's 128-bit SM731 graphics accelerator • Dual VGA or VGA+DVI outputs • 2D/3D displays running on VxWorks or Linux • Supports DirectX and 3D/OpenGL when running Windows • 32-bit PCI bus, DMA controller • 235 MHz RAMDAC

I/O: DIGITAL

General Standards Corporation

Web site: www.generalstandards.com
Model: cPCI-HPDI32A **RSC No:** 16617
A bi-directional, 32-bit digital I/O board that transmits and receives data at up to 80 Mbytes/sec (differential I/O) or up to 200 Mbytes/sec (Pseudo ECL I/O) • Useful as a general-purpose DMA interface to a variety of external peripherals • The DMA engine is capable of transferring data to/from host memory using D32 block transfers, while the FIFO memory (up to 1 Mbyte of total FIFO) provides continuous transmission of data without interrupting the DMA transfers or requiring intervention from the host CPU • Seven bi-directional programmable handshake lines and eight pre-configured software selectable interface protocols • Available transceivers are RS-485/422 and PECL • Available in CompactPCI, PMC, PCI, and PC/104-Plus form factors

MIL-STD-1553

Western Avionics Ltd

Web site: www.western-av.com
Model: IIB-1553-PMC **RSC No:** 16880
An intelligent interface card providing full MIL-STD-1553 test, simulation and bus analysis capability for the PCI Mezzanine standard, with 1553A, 1553B, McAir, and STANAG 3838 variants • Supports concurrent Bus Controller (BC) and up to 31 Remote Terminals (RT) with Bus Monitor (BM) • An additional stand-alone Chronological Bus Monitor (CBM) facility is also provided, with comprehensive, multi-level triggering capability • Full error injection capability is provided in BC and RT modes, with full error detection in BC, RT, BM, and CBM modes • Provides a dual redundant 1553 interface • 2 Mbytes of dual-ported RAM • Supplied with C drivers in source code and Windows menu driven software

PROTOTYPING & DEBUGGING: BUS ANALYZER

FuturePlus Systems Corporation

Web site: www.futureplus.com
Model: FS2232 **RSC No:** 16384
An analysis tool for SCSI bus developers • Works in conjunction with Agilent Technology's family of logic analyzers • Allows monitoring of SCSI-based systems at 80 Mtransfers/sec • Displays SCSI bus activity, measures setup and hold violations, characterizes software, verifies compliance, and measures performance specifications

SERVERS

Pinnacle Data Systems, Inc.

Web site: www.pinnacle.com
Model: TS220 **RSC No:** 16998
A NEBS Level 3 and ETSI certified carrier grade rack server • 2U high • Utilizes up to two Xeon 2.80 GHz processors • Supports up to 12 Gbytes of DDR SDRAM main memory • Supports pluggable storage devices • Configurable for either AC or DC hot-swap power • Dry-contact external connector for managing system alarms

SOFTWARE: DEVELOPMENT TOOL

National Instruments

Web site: www.ni.com
Model: TestStand **RSC No:** 16762
A ready-to-run test management environment for organizing, controlling, and executing automated prototype, validation, and manufacturing test systems • Graphical sequence editor environment • Adapters for tests written in any programming language • Multithreaded sequence execution engine • ASCII, HTML/Web, and XML report generation • Access, Oracle, and SQL Server database connectivity • Create, edit, execute, and debug sequences • More than 30 built-in step types to choose from • Develop custom test steps for unique requirements • Advanced sequencing, branching, and flow control • Source code control system integration

THERMAL MANAGEMENT

Universal Air Filter Co.

Web site: www.uaf.com
Model: Broadband Dual EMI Filters
RSC No: 16507
Broadband equipment air filters • Meets the EMI/RFI noise shielding requirements of broadband communications equipment utilizing forced-air cooling techniques • Provides air filtration and EMI shielding in a single, compact assembly that is both removable and low cost • Integrates the honeycomb and/or stainless steel mesh EMI shield into the air filter assembly • Filter frames are configurable with EMI gaskets, finger stock, conductive caulk, and mounting holes for positive grounding • Compliant with UL 94 HF-1, UL 900 Class 2, CE, Telcordia NEBS GR-78-CORE, and GR-63-CORE • Optionally configurable to comply with the flame-drip requirements in UL 60950

VIDEO: DISPLAY CONTROLLER

Peritek Corporation

Web site: www.peritek.com
Model: Duros/PMC **RSC No:** 16514
A ruggedized, high-resolution COTS VGA graphics controller • Silicon Motion SM731 128-bit, 2D/3D graphics controller • Resolution up to 1600 x 1200 • Onboard 32-bit, 33/66 MHz PCI interface • Dual-head analog VGA output • DVI output (optional: single channel) • Pixel size is programmable for 8, 16, 24, and 32 bits/pixel • 16 Mbytes of SDRAM graphics memory • Hardware scroll, pan, and cursor • Field-programmable VGA BIOS EEPROM • Conduction cooled • Acrylic conformal coating • Parts screened for extended temperature • Interlaced and non-interlaced STANAG 3350 A-C analog video standards • Composite and S-Video in PAL, NTSC, or SECAM • Non-interlaced RGB signals • Monochrome video in CCIR or RS-170 format • PCI and CompactPCI using Peritek's PM-Series of carrier boards • Microsoft Windows 2000/XP support • X Windows support (Linux) • SDL Standard Drawing Library (VxWorks) • OpenGL support (Windows only)

VIDEO: PROCESSOR

Titan Corporation

Web site: www.titan.com
Model: VigraWATCH **RSC No:** 16511
An all-digital solution for real-time video/image acquisition, processing, and display • Integrates hardware accelerated processing with MPEG-2 compression • Provides MPEG-2 compression and/or decompression for the transmission of high-resolution digital video over lower bandwidths • Supports stereo audio input/output and MPEG-2 audio compression and/or decompression • Available as doublewide PMC mezzanine and 10.5" long PCI form factors • Supports the Solaris operating system • 2.5 Gbytes/sec video processing bandwidth • Utilizes a dense, high-speed FPGA combined with a IBM 440 PowerPC processor for real-time image processing and robust performance for MPEG-2 compression and decompression • MPEG-2 codecs support stereo audio as well as two vide channels • Supports two separate graphics displays, each with an independent video window in the display • Simultaneously displays real-time video with non-destructive graphics overlay to a window • Drives two SVGA monitors as scalable, de-interlaced video-only displays • 24-bit accelerated graphics up to 1600x1200 resolution on both displays • Onboard fully duplexed 10/100Base-T Ethernet • 16 Mbytes per channel of graphics memory and 24 Mbytes per channel of video memory • Interfaces to variety of standard and non-standard video cameras and other image sources

Developers' Dream Machines

Model 767
CompactPCI Development System

- ☑ 6Ux160mm and 80mm T.M. Card Cages
- ☑ Choice of Backplane:
  - 8-slot PICMG 2.0, R2.1, RH System Slot
  - 7-slot PICMG 2.16, R1.0, RH System Slot
  - 7-slot PICMG H.110, RH System Slot
- ☑ IEEE 1101.10 Extrusions with EMI Shielding
- ☑ Push-Pull Cooling System
- ☑ 400W Power Supply
- ☑ Voltage Indicator LED Board with Test Jacks
- ☑ Optional Dual 2-slot 5-1/4 Drive Modules

Shown with 8-slot R2.1 Backplane

Model 3100
CompactPCI Development System

- ☑ Portable, Desktop or Rack Mount Configurations
- ☑ 5-slot, 6Ux160mm Card Cage with PICMG backplane
- ☑ IEEE 1101.10 Extrusions with EMI Shielding
- ☑ System Monitor Board Installed!
- ☑ 3-1/2 FRU Sliding Drive Pod
- ☑ 300W Power Supply
- ☑ Voltage Indicator LED Board

The *Source for CompactPCI Electronic Packaging, Backplanes, and Related Accessories...*

Dawn VME Products
47915 Westinghouse Drive
Fremont, CA 94539
ph 510.657.4444
fax 510.657.3274
www.dawnvme.com

Another Performance Design from the Team at Dawn

RSC# 123 @www.compactpci-systems.com/rsc

You want **More** choices You need **More** flexibility You expect **More** support

ALPHI offers you MORE

MIL-STD-1553
- UTMC Summit
- DDC ACE & mini ACE
- 1,2,3,4 channels
- Dual redundant
- For: CompactPCI, PMC, PCI & Industry Pack

Analog I/O
- 16 bit A/D and D/A
- Fast S/H converters
- DSPs and waveform RAM
- Simultaneous sampling
- For: CompactPCI, PMC, PCI, VME & Industry Pack

PMC Modules
- Data Acquisition
- Mil-Std-1553
- DSP & FPGA
- D/A out w/ wave RAM
- Communications

Industry Packs
- Data Acquisition
- Mil-Std-1553
- FPGA
- D/A out w/ wave RAM
- Serial I/O, Networking
- Digital, Isolated I/O

Industry Pack Carriers
- For: CompactPCI, PXI PCI and VME bus
- 3U & 6U form factor
- Front and rear I/O
- Low cost slave versions
- High performance with local DSP processors

ALPHI offers custom products and integrated systems to meet YOUR exact specifications along with transition modules, terminal blocks and engineering development tools.

ALPHI Technology Corporation

More Products & More Capabilities for More Solutions

ALPHI Technology Corporation
6202 South Maple Ave. #120
Tempe, AZ 85283
(480) 838-2428 fax(480) 838-4477
www.alphitech.com info@alphitech.com

RSC# 124 @www.compactpci-systems.com/rsc

Product and company names listed are trademarks or trade names of their respective companies.

PICMG EUROPE

The neutral promotor of CompactPCI technology

CompactPCI® provides a complete system approach with software compatibility ranging from basic modular systems to high availability (99,999%). It covers your existing and future needs, with off-the-shelf hardware and software, enabling short time-to-market including your specific needs or designs.

For member information: see www.picmgeu.org

RSC# 125 @www.compactpci-systems.com/rsc

ADVERTISER INFORMATION

ADVERTISER INFORMATION

RSC#	Advertiser/Product Description
5502	3M – Press-Fit Power Header
7	Acromag – Boards
2401	Actis – 16 Port HDLC Controller
3702	ACTTechnico – Embedded Storage
87	Adax – Signaling Gateways
20	Advantech – 6U CompactPCI Low Power Intel Pentium-M Processor Board VGA/Dual Giga LANs/PMC
124	Alphi Technology – Integrated Systems
27	Amtelco XDS – Multi-Chassis Interconnect Boards
206	APW Electronic Solutions – Switched Fabrics
106	Arrow – PrPMC
4501	Aurora Technologies – StarFabric Board and System Level Products
2	Bivar – cPCI Guides with Conductive Insert Eliminate Grounding Problems. Ideal for RFI, EMI and EMC Installations
66	Bustronic – Switched Fabric Backplanes
9101	California PC Products – CompactPCI Chassis
203	Carlo Gavazzi – Systems Packaging, Fabric and I/O Connectivity
3	Catalyst Enterprises – Bus Analyzers
3701	CES International – PowerPC Processor
3101	Comtrol – 16-port CompactPCI Serial Card
112	Concurrent Technologies – CompactPCI Processor Boards
1701	Condor Engineering – Mil-Std-1553
1703	Condor Engineering – ARINC
208	Continuous Computing – Application Ready Platform Solutions
207	CoSystems – Telecom
8501	CoSystems – Telecom
8503	CoSystems – Gateways
4801	CTS Resistor – BGA High-Speed Data Bus Termination and Resistor Networks
123	Dawn VME Products – Development System
47	Digalog Systems – 16 Channel High Power Relay Board
21	Diversified Technology – cPB-4610 Pentium M Processor Blade
1702	Diversified Technology – Pentium M Blade
18	ELMA Electronic – Switched Fabric Enclosures
50	ELMA Electronic – Enclosures, Panels, Handles
68	Embedded Planet – Embedded PowerPC Control
9	Excalibur Systems – Excalibur Analysis Laboratory Tools
35	Gage – Test Digitizers
9301	Gage – cPCI/PXI Digitizer Modules
32	GE Fanuc Automation – Open-Architecture Embedded Solutions
209	General Standards – High Bus Interface Solutions
44	General Standards – High-Performance Serial I/O
89	Geotest – Test and Measurement
65	GET Engineering – Portable NTDS Analyzer
3102	Gompf Brackets – CPCI Panels, PMC Panels, PC Brackets
51	Hagiwara – IDE Drive on Modules
4803	Hartmann Elektronik – Backplanes
300	Hybricon – Enclosures, Backplanes, Towers, Development Kits
4802	Hybricon – CompactPCI Backplanes
4502	Hybricon – Space-Saving Enclosures
5401	Hybricon – Packet-Switching Backplanes
5501	Hybricon – StarFabric Development Kit
4601	IBM – IBM PowerPC and Rapid I/O
2402	ICS Electronics – Multi-port Serial Cards
4602	Intel – AdvancedTCA

RSC#	Advertiser/Product Description
8502	Intel – AdvancedTCA
49	Kaparel – High-Performance Electronic Packaging Solutions
64	Leader Tech – EMI/RFI GASKET
4202	Linux Devices – Embedded Linux
88	MagneTek – CompactPCI Power Supplies
26	Matrox – Meteor-II/Display adapter card for CompactPCI
9302	Meilhaus Electronic – Multi-Channel Digital I/O System
7502	MEN Micro – Embedded, Modular, Rugged
205	Motorola Computer Group – VME, MXP, CompactPCI, AdvancedTCA
7101	N.A.T. – CompactPCI Carrier for Telecommunication and Networking Applications
7602	N.A.T. – PMC: Mezzanine
8102	NAI – Embedded Boards, Power Supply and Instrument Solutions
9303	Nallatech – BENERA cPCI
41	National Instruments – 6 1/2-Digit DMMs
111	One Stop Systems – 2U High and 4U High Carrier Class Enclosures
5	Performance Technologies – Systems Design
4603	Performance Technologies – Advanced Managed Platforms
5403	Philips Semiconductors – VME Panels, CPCI Panels, PMC Bezels
125	PICMG – Modular Systems
8101	Pigeon Point Systems – System Monitor
204	Portwell – Dual Intel Xeon Processor
5402	Positronic Industries – Connectors
5503	Positronic Industries – Connectors
23	PXI Systems Alliance – 600+ Measurement
78	Radstone Technology – RT4 PowerPact CPCI System
7102	Raycon Technology – High-Density Backplane Connectors, Cable Assemblies, Interconnection Products
4201	Red Rock Technologies – Mass Storage Modules
16	Sanritz Automation – Processors
109	SBE – WAN, LAN, Storage, Carriers, Custom
127	SBS Technologies – 6U CompactPCI
67	Schroff US – CompactPCI 2.16 Chassis
40	Simon – CompactPCI Shielding, PMC Bezels, VME Front Panels
2702	SMA – CompactMAX CPU1.2
4503	StarGen – SFS2100 StarFabric Switch
9501	Strategic Test – UltraFast Data Acqusition
36	Sundance DSP – SMT36SE DSP & FPGA Module
82	Symmetricom – PCI, VME/VXI and PC Bus Level Solutions
2010	Technobox – PMCs
7302	Tews Technologies – Embedded I/O Solutions
7601	Tews Technologies – TCP 260 Dual Hot Swap
7603	Tews Technologies – TCP 260 Dual Hot Swap
80	Trenton Technologies – SBC
12101	Tundra Semiconductor – Tsi 310 PCI-X to PCI-X Bus Bridge
12102	Tundra Semiconductor – Tsi107 PowerPC Host Bridge
61	Vector Electronics – Enclosures, Backplanes
128	VMETRO – Vanguard Bus Analyzer
29	Winchester Electronics – METCON-2
7501	Windows For Devices – Embedded Community
201	Xtech – Advanced TCA Front Panels
202	Xtech – Enclosure Systems and Front Panels
9102	Zephyr Engineering – Digital I/O
1	ZNYX – OpenArchitect/HA Suite
9502	ZTEC – Test Systems

Ethernet Traffic? No Problem.

Control your Ethernet traffic with an SBS 6U CompactPCI non-blocking Layer-2 Gigabit Ethernet switch

From general purpose switching with low power requirements to PICMG® 2.16 fabric switching applications with high density needs, SBS has the switches to meet your needs. SBS' new CP6-GIGSW8-C1 Gigabit Ethernet Switch provides 8-port switching at Gigabit Ethernet speed with little host CPU involvement. An onboard microcontroller makes this switch simple to use. Its modular design makes it easy to customize for specific interface needs – select front panel access to Ethernet via copper, fiber or mixed media.

For PICMG 2.16 packet switching applications, SBS offers the Sabre 2000 16 or 24-port 10/100/1000BaseT Ethernet fabric switch with non-blocking operation for up to 20 ports.

SBS also offers a complete line of Gigabit Ethernet interface PCI Mezzanine Cards (PMCs).

SBS...the Data Mover expert

(800) SBS-1553
www.sbs.com

SBS Technologies.

All trademarks and logos are the property of their respective owners.

RSC# 127 @www.compactpci-systems.com/rsc

Why *gamble?*

PCI/PCI-X
Vanguard Bus Analyzer

CompactPCI
Vanguard Bus Analyzer



PMC
Vanguard Bus Analyzer

PCI Express
VertEX Protocol Analyzer (x1-x8)

Bet on a sure winner with Analyzers from VMETRO!

RSC# 128 @www.compactpci-systems.com/rsc

Find out more on **www.vmetro.com**
Tel: +1 281 584 0728

VMETRO

"At Hybricon, we understand your systems challenges and we have the products to prove it!"

As an industry leader, Hybricon prides itself on providing continuously progressive solutions to your individual requirements. Leading edge custom backplane designs that are designed **AND** simulated to be correct the first time, incorporated into **Thermally Innovative** packaging that provides a total working solution to your individual requirements **FAST!**

We manufacture a complete line of standard and custom enclosures, backplanes and backplane assemblies, portable towers, subracks, power supplies, custom front panels and more. Trust our knowledgeable staff to help you spec the proper solution. Call us at **1-877-HYBRICON** (492-7426) or visit **www.hybricon.com**

SRME CoolSlot™ Enclosure

Hybricon's revolutionary new SRME horizontal rack-mount enclosure provides up to 6 slots of CompactPCI,® VME, or VME64x in a space-saving 2U or 3U single-shelf format.

CoolSlot™ Towers

Hybricon's CoolSlot™ Towers are available in 6-slot, 9-slot, and 21-slot versions with CompactPCI,® VME, or VME64x backplanes. Power options include embedded ATX, or 6U pluggable power supplies.



CompactPCI® Backplanes

Hybricon offers a full range of CompactPCI® backplanes, including the very latest technology. This includes PICMG 2.17 StarFabric and PICMG 2.16 Packet Switching backplanes, as well as PICMG R3.0 Hot Swap backplanes, available with or without H.110. Sizes range from 2 to 21 slots.

RME21 CoolSlot™ Enclosure

Hybricon's new 10U RME21 rack-mount enclosure supports 21 slot backplanes. A choice of CompactPCI® PICMG 2.16, VME, or VME64x backplanes is offered. Hybricon's PICMG 2.16 Ethernet Packet Switching backplanes are compliant with the PICMG 2.16 specification and provide 2 PICMG 2.16 fabric slots.

PRME CoolSlot® Enclosure

Hybricon's new line of horizontal rackmount enclosures provide 2 slots of CompactPCI® or VME in a space-saving 1U chassis with cooling for 55 watts per slot. The PRME series enclosures support rear plug-in and transition modules, plus one 2.5" slim-format hard drive. Power is provided by an embedded 150 watt ATX power supply.

PICMG 2.16 & 2.17 Development Kits

Hybricon's PICMG 2.16 Ethernet Packet Switching Development Kit and PICMG 2.17 StarFabric CompactPCI Development Kit consist of 9-slot towers with, respectively, an 8-slot Ethernet Packet Switching backplane or an 8-slot CompactPCI StarFabric backplane. Both kits are powered by an embedded ATX 300W power supply.

Military COTS Enclosure

A full suite of COTS enclosures that can be easily customized to your requirements are available based on Hybricon's Pac-2000 packaging. Air-cooled or fluid-cooled, from submarines to HMMWV's to aircraft, Hybricon will deliver the weight, shock, EMI, and temperature specs your solution demands. We specialize in fast "time-to-market" solutions that work right the first time.

Hybricon Corp. is a world-class leader in the design, prototyping, and manufacturing of electronic packaging solutions. Hybricon's quality, innovation, and customer focus set us apart.

Hybricon®

Innovation • Quality • Service

Hybricon Corporation 12 Willow Road, Ayer, MA 01432 ISO 9001 Certified

1-877-HYBRICON

www.hybricon.com

There's More...Check out our engineering and integration services on the reverse side....

Applied Technology and Engineering Services

"...And, our engineering and integration services are second to none. Think of us as your personal design team!"

In today's hyper-speed systems marketplace, time-to-market is everything. That's why you need a high-technology research and product development partner with the proven expertise and methodologies to design and integrate leading-edge packaging solutions with optimum speed, quality, and cost efficiency. You need Hybricon's Division of Applied Technology and Engineering Services.



Consider us an extension of your "A Team."

Acting as an extension of your design team, Hybricon's veteran packaging engineers can help shrink your time-to-market while delivering custom packaging solutions specifically designed to your individual needs. Need a ground-breaking design that blows the competition away? Thermal and electrical simulations that leave no stone unturned? A Telecom NEBS cooling solution? The answer is Hybricon–a Sun Microsystems Strategic Developer.

Sun STRATEGIC DEVELOPER

Integration Services

- All of the packaging integration expertise, quality, and technical superiority you'd expect from a ***Sun Strategic Developer***
- Total packaging solutions, including the sourcing of all materials required to bring your integration challenge from concept to reality
- Prototype, low volume, and high volume manufacturing – Hybricon does it all
- Instrumental in developing both the new PICMG 2.16 CompactPCI® Packet Switching Backplane Specification and the PICMG 2.17 StarFabric CompactPCI® specification.
- A track record of successful COTS and ruggedized enclosures for military and aerospace applications, including air- and liquid-cooled enclosures.

Simulation Analysis and Modeling Services

- State-of-the-art simulation and 3D modeling analysis for electronics, electromagnetics, and cooling systems
- Ensures a "right the first time" launch by letting you predict signal performance before the prototype is ever built



- Eliminates the need for expensive cut-and-try prototypes or post-design modifications
- Ideal for what-if analysis and proof of concept before the enclosure and electronics are fabricated

Engineering Services

- World-class research and development lab for electronics packaging
- Complete turnkey design services for enclosures, backplanes, card cage/backplane assemblies, wire-wrap boards, extender cards, power supplies, and a host of custom products
- Combines the best of both worlds – blazing-fast time-to-market with peerless ISO 9001-certified quality
- ThermoFlow modeling and simulation
- Temperature & airflow test equipment
- Advanced 2D and 3D Electromagnetic field modeling
- HSPICE signal integrity simulation
  - Transceivers, connectors, backplane geometry, design rules
- HSPICE simulation post processing
  - Eye patterns
  - TDR
  - TDT
- Backplane design
  - Electrical design
  - Low noise
- Enclosure design
  - Mechanical design layout
  - Structural design
  - Cooling design
  - Cable design
- NEBS design & consulting
- Platform/rack integration
  - Initial platform configuration
  - Sustaining engineering
  - System CPU cards
  - Peripherals, cables
  - Operating system and drivers

CompactPCI® backplanes are compliant to the latest PICMG® specification. CompactPCI® and PICMG® are registered trademarks of the PCI Industrial Computers Manufacturers Group.
Hybricon is a registered trademark of Hybricon Corporation.
CoolSlot is a trademark of Hybricon Corporation

RSC# 300 @www.compactpci-systems.com/rsc

VITA VMEbus International Trade Association

PICMG

StarFabric

Applied Technology & Engineering Services
a division of Hybricon

Hybricon Corporation
12 Willow Road, Ayer, MA 01432
Tel: 1-877-HYBRICON Fax: 978-772-2963
E-Mail: info@hybricon.com

ISO 9001 Certified